RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use:

Effective Date:

JUN 1 5 2006

Form C-1 December 2002

District #	ERVATION DIVISION JUN 1 3 2006 Form must be	
SOA2 TWO TYNG NOTICE OF IN	TENT TO DRILL CONSERVATION DIVISION blanks must be	igned Filled
Must be approved by KCC five	(5) days prior to commencing well WICHITA, KS	
Expected Spud Date June 20, 2006 month day year	Spot ✓	East
		West
OPERATOR: License# 30993	4580feet from N / V S Line of Section 3960	
Name: M.A.E. Resources, Inc.	reet from VE / W Line of Section	on
Address: P.O. Box 257	Is SECTIONRegularIrregular?	
City/State/Zip: Parker, KS 66072 Contact Person: Brad Cook	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Brad Cook	County: Allen	
Phone: (620) 852-3333	Lease Name: MatneyWell #: 25-1	
22724	Field Name: Iola	
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?	√ No
Name: Hat Drilling, LLC	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 700'	
·		t MSL
Oil V Enh Rec V Infield V Mud Rotary	Water well within one-quarter mile:	√ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	√ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 800'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	√ No
	If Yes, proposed zone:	
AEE	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p	augging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
the agreed that the lenothing minimalit requirements will be met.		
Notify the appropriate district office <i>prior</i> to spudding of well;		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	3 3 ,	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be set</i> 	et by circulating cement to the top; in all cases surface pipe shall be se	t
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe shall be se he underlying formation.	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the sec	et by circulating cement to the top; in all cases surface pipe shall be se he underlying formation. district office on plug length and placement is necessary prior to plugg .	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg inged or production casing is cemented in;	ing;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the surfac	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cements.	<i>Ing;</i> e. enting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the surfac	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg agged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.	<i>Ing;</i> e. enting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of th	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing	<i>Ing;</i> e. enting
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ear The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the construction of the surface of the properties of the specified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date. 	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.	<i>Ing;</i> e. enting
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ear The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the setter of the well is dry hole, an agreement between the operator and the construction of the surface of the specified before well is either pluging the surface of the surf	et by circulating cement to the top; in all cases surface pipe shall be se the underlying formation. district office on plug length and placement is necessary prior to plugg gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing	<i>Ing;</i> e. enting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of th	be by circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cember plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Title: Agent	<i>Ing;</i> e. enting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	be by circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Remember to:	<i>Ing;</i> e. enting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the specific terms of the specific	be by circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cember plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Title: Agent	<i>Ing;</i> e. enting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the set of	be to y circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	e. enting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be</i> sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimu	be to be circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry	e. enting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> sethrough all unconsolidated materials plus a minimum of 20 feet into the seth through all unconsolidated materials plus a minimum of 20 feet into the sether plus and the sether plus of the specified district office will be notified before well is either plus of the specified before well	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed;	e. enting g.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a specified before well is either plus at the sethrough all unconsolidated materials plus a specified before well is either plus at the sethrough all unconsolidated materials plus a specified before well is either plus at the sethrough all unconsolidated materials plus a specified before well is either plus at the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated plus at the sethrough all unconsolidated	be to be circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry	e. enting
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated into the sethrough all unconsol	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed;	e. enting g.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 20 feet into the set into the set of 20 feet per Alt. 1. If the well is dry hole, an agreement between the operator and the construction of 20 feet per Alt. 2. If the well is dry hole, an agreement between the operator and the complete shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 3. June 15, 2006 Signature of Operator or Agent: 4. For KCC Use ONLY 4. Approved by: 4. Approved by: 4. Approved by: 4. Approved by: 4. Acount of State o	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dat #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	e. enting
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated into the sethrough all unconsol	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging and or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dats #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	e. enting
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet per Alt. For KCC Use ONLY API # 15 -	the by circulating cement to the top; in all cases surface pipe shall be seen the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dats #133,891-C, which applies to the KCC District 3 area, alternate II cembe plugged. In all cases, NOTIFY district office prior to any cementing from the knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	e. enting g.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - OCI -39470-0000	Location of Well: County: Allen
Operator: M.A.E. Resources, Inc.	4580feet from N / ✓ S Line of Section
Lease: _Matney	3960 feet from F E / W Line of Section
Well Number: 25-I	Sec. 19 Twp. 23 S. R. 20 ✓ East Wes
Field: Iola	-
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: N2S2 - N2 - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	(.				_
			•		
	, , .				
	ı				
1	•				
	: .				
1					
	•		-	•	
1		[
l .					
1			•		
			•		
		ľ			
	•				
l .					
		•	•		
			•		
	: :		:	· ·	
:			<u>:</u>	: :	
	: :		:	: :	
			:	: :	
			·	: :	
					
	: :				
			· · · · · · · · · · · · · · · · · · ·		
			 : :	: :	
	: :				
	: : : : : : : : : : : : : : : : : : :		: :		
			: :		
	: : : : : : : : : : : : : : : : : : :		: :		
			· · · · · · · · · · · · · · · · · · ·		
	: : : : : : : : : : : : : : : : : : :		· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITTA, KS

Submit In Duplicate

Operator Name: M.A.E. Resources, Inc.		License Number: 30993			
Operator Address: P.O. Box 257, Parker, KS 66072					
Contact Person: Brad Cook		Phone Number: (620) 852 - 3333			
Lease Name & Well No.: Matney 25-I		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>N2 . S2 . N2 . NW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 19 _{Twp.} 23 _{R.} 20		
Settling Pit	If Existing, date constructed:		4580 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			3960 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 250	(bbls)	Allen		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l		
15 the pit located in a delibitive distant viatel	,]	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	No	native clay		
Pit dimensions (all but working pits):1	2 Length (fe	et)6	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	epest point: 6	(feet)		
, , ,		dures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet. mation:			
N A feet Depth of water wellfeet		measu	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of m			al utilized in drilling/workover: drilling mud		
Number of producing wells on lease: Number of wor		erking pits to be utilized: 2			
Barrels of fluid produced daily: Abandonmen		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
June 15, 2006 Date Ornsa Mando Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
and the			t Date: しょろんし Lease Inspection: Tyes へ No		
Date Received: VIS Ob Permit Numl	oer:	Permi	t Date: 6/15/66 Lease Inspection: Yes へ No		