# For KCC Use: Elfective Date:

## Kansas Corporation Commission Oil & Gas Conservation Division

## RECEIVED

JUN 1 6 2006

Form C-1 December 2002

	NTENT TO DRILL CC WICHITAK must be Signed ye (5) days prior to commencing well CC WICHITAKS must be Filled
	ve (5) days prior to commencing well
Expected Spud Date	Spot East
month day year	NW - SW - SE Sec. 1 Twp. 17 S. R. 20 West
OPERATOR: License# 32870	1056 feet from N / V S Line of Section
Name: LAMBERD-OIL, CLAPE	2135feet from VE / W Line of Section
Address: 3124 TEXAS RD	Is SECTION Regular irregular?
City/State/Zip: OTTAWA KS 66067	(Note: Locate well on the Section Plat on reverse side)
Contact Person: CLARK LAMBERD	County: FRANKLIN
Phone: 785-242-6805	Lease Name: NICHOLS Well #. L-1
	Field Name: PAOLA-RANTOUL
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
Name: EVANS ENERGY Development Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1056
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: N/Afeet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100
Other Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 21
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 700
Original Completion Date:Original Total Depth:	Formation at Total Depth: SQUIRREL
ļ	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for 7 entite with 51111 [])
KCC DKT #:	- Will Cores be taken?
	If Yes, proposed zone:
AF	•
	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all the surface pipe as specified below shall be through all the surface pipe as specified below shall be through all the surface pipe as specified below shall be the surface pipe as specified below shall be through all the surface pipe as specified below shall be through a surface pipe as specified below shall be the surface pipe as specified below shall be surface pipe as specified below shall be surface pipe as	FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventua It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the second of the se	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventua It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the properties of the district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cem-	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventua It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the three propriate district office will be notified before well is either perior of the appropriate district office will be notified before well is either perior of the propriate district office will be notified before well is either perior of the propriate district office will be notified before well is either perior of the propriate district office will be notified before well is either perior of the propriate district office will be notified before well is either perior of the propriate district office will be notified before well is either perior of the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the p	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation.  e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either performance of the complete of the specific casing order to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; dugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be comported to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Hr #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either performance of the complete of the specific casing order to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Hr #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be computed in the Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; laugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Here I and I are the complete of the comp
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either perior or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Hemember to:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cember or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:    Description of the spud date or Agent:	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Hemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the street of the specified before well is either performed in the specified within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the days of the spud date or the days of	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Hemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the properties of the specified before well is either performed in the specified district office will be notified before well is either performed in the specified before well is either performed in the properties of the specified before well is either performed in the performed in the performed in the performed before well is either performed in the performed before well is either performed before perfore	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either plus an ALTERNATE II COMPLETION, production pipe shall be composed to Appendix "B" - Eastern Kansas surface casing ordinate to Appendix "B" - Eastern Kansas surface casing ordinate be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best posterior of Agent:    Description of the spud date of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed withi	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; ilugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes  Date: OTHORS Signature of Operator or Agent: Conductor pipe required feet per Alt.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the posted of the spudding properties district office will be notified before well is either posted in the spudding properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.  Signature of Operator or Agent:  Conductor pipe required feet  Minimum surface pipe required feet per Alt.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; flugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the state of the well is either personal to the specified before well is either personal to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    Description of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:   Description of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:   Description of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:   Description of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:   Description of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate of the spud date or the well shall hereby certified before well is either pate of the spud date or the well shall hereby certified before well is either pate of the spud date or the well shall hereby certified before well is either pate of the spud date or the well shall be certified before well is either pate of the spud date or the well shall be certified before well is either pate of the spud date or the well shall be certified before well is either pate of the spud date or the spud date or the spud date or the spud da	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either period of the specified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented to the best pate:    Description of the specified of	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; ilugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the posted of the spudding properties of the spudding properties of the spuddate or the well is either posted of the spuddate or the well shall be completed within 30 days of the spuddate or the well sh	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

# RECEIVED JUN 1 6 2006


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

KCC WICHITA

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25145-0000  Operator: LAMBERD OIL	Location of Well: County: FRANKLIN  1056
Lease: NICHOLS	2135 feet from FE / W Line of Section
Well Number: L-1 Field: PAOLA-RANTOUL	Sec. 1 Twp. 17 S. R. 20 East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - SW - SE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
	PLAT
(Show location of the well and shade atta	ributable acreage for prorated or spaced wells.)
(Show footage to the пеа	rest lease or unit boundary line.)





SE'/4 1-17-20 Franklin Co Ks

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### Kansas Corporation Commission OIL & Gas Conservation Division

## **RECEIVED**

Form CDP-1 JUN 1 6 2006 Form must be Typed

### APPLICATION FOR SURFACE PIT **KCC WICHITA**

Submit in Duplicate

Operator Name: LAMBERD OIL			License Number: 32870	
Operator Address: 3124 TEXAS	ROAD OT	TAWA KS	S 66067	
Contact Person: CLARK LAMBERD		Phone Number: ( 785 ) 242 - 6805		
Lease Name & Well No.: NICHOLS L-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW _ SW _ SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 17 R. 20 Fast West	
Settling Pit	If Existing, date constructed:		1056 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (II WP Supply API No. or Year Drilled)	Pit capacity:	(hhla)	2135 Feet from 🗹 East / 🗌 West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	] No	Chloride concentration: mg/l	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A maiss and the analysis		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  BENTONITE	
Pit dimensions (all but working pits):	6 Length (fe	eet)6	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point: 10	(feet)	
material, thickness and installation procedure	a.	mier integrity, i	including any special monitoring.	
Source of info				
feet Depth of water well	feet	meas	measured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY			cover and Haul-Off Pits ONLY:	
Producing Formation: Type of mate			al utilized in drilling/workover: FRESH	
			rking pits to be utilized: 1	
Barrels of fluid produced daily: Abandonmen		procedure: FLUID TO NEXT WELL, BACKFILL, LEVEL & SEED		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must	be closed within 365 days of spud date.	
i hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief.	
6/14/06 Date		Clark	be closed within 365 days of spud date.  St of my knowledge and belief.  Signature of Applicant or Agent	
	ксс	OFFICE USE C	DNLY	
Date Received: 4/16/06 Permit Num	nher:	Pern	nit Date: 6/16 /06 Lease Inspection: Yes	