For KCC Use:	625-06
Effective Date:_	300
District #	<u>3                                    </u>
_	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

Expected Spud Date	SGA? Yes X No			<del>-</del>	TENT TO DRILL (5) days prior to commencing well	Form must be Signed All blanks must be Filled
DPERATOR: Licenses 32294		06	19	2006		
Section   Sect	Expected Spud Date					
Address: 2860 FARCEY  Marker OSBORNE REPROVILED  SSOTION Regular Irregular  (Note: coate well on the Section Plant or reverse side)  Country JORNSON  CONTRACTOR: Licenses 9885  Name RS. GLAZE DRILLING  CONTRACTOR: Licenses 9885  Name RS. GLAZE DRILLING  Enh Rec  OII	22204	_	,	,	<u> </u>	
AGDIFESSION AGRICEY  CITY/STROTE SEED AGDIFESSION AGRICEY  CITY/STROTE SEED AGDIFESSION AG	OPERATOR: License# 32294				100t Holli	
City/State/Zpp. BUCYRUS. KS 60013	Name: OSBORN ENERGY, LLC					✓ W Line of Section
County, 3-PERSON.  County, 3-PER	Address: BUCYRUS, KS	66013				
Lease Name: ADAMS   Well # 21	Captagt Bassas JEFF TAYLOR					n reverse side)
Field Name: STILLWELL   Is this a Provided Spaced Field?   Target Formation(s):   MARMATON AND CHEROKEE   Yes   No   No   No   No   No   No   No   N	Phone. 913-533-9900				Lease Name: ADAMS	Well #. 21
Second Content of Second Con					Field Name: STILLWELL	
Target Formation(s):   MARMATON AND CHEROKEE	CONTRACTOR: License# 588	5				✓ Yes No
Nearest Lease or unit boundary; 550   Nearest Lease or units; 550   Neares	Name: R.S. GLAZE DRILLING				Target Formation(s): MARMATON AND CHEROKE	
Ground Surface Elevation	Well Drilled For:	Well Class	Type	Fauinment:		<b>/</b>
Gas   Storage   Pool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   No   No   No   No   No   No   No   N			/ -		Ground Surface Elevation: 1070	feet MSL
Seismic;			_	• /	Water well within one-quarter mile:	Yes ✓ No
Seismic;		=	==	•		Yes ✓ No
Depth to bottom of usable water:		<u> </u>		abic		<b>/</b>
Surface Pipe In Alternate: 1 1 2 29    Comparator:						
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Original Completion Date: Origina					Surface Pipe by Alternate:  1	
Well Name: Original Completion Date: Origina	If OWWO: old well information	as follows:			Length of Surface Pipe Planned to be set:	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source Source Water Source Sour	•					
Water Source for Drilling Operations:   Water Source for Drilling Operation of Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operation of Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:					Formation at Total Booth: CHEROKEE	/
Ves   Ves   No   Well   Farm Pond Other   X	Original Completion Date:_	c	riginal Total	Depth:		
Note: Apply for Permit with DWR	Directional, Deviated or Horizon	ntal wellbore?		Yes ✓ No		
Note: Apply for Permit with DWR   Yes   No   No   No   No   No   No   No   N	If Yes, true vertical depth:					
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface casing or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date;  7. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date;  8. If an ALTERNATE II COMPLETION, production of pipe shall be cemented from below any usable water to surface within 120 days of spud date;  9. If the product of the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged.  1.						
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface by circulating cement to the case surface by circulating cement to the cop; in all cases surface by circulating cement to the cop; in all cases surface by circulating cement to the cop; in all cases surface by circulating cement to the cop; in all cases surface by circulating cement to the cop; in all cases surface death to the cop; in all cases su	KCC DKT #:					
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by cases and cell cases and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  7. If all cases, NOTIFY district office prior to any cementing.  8. Poll cases, NOTIFY district office and by cases of spud date;  9. File Drill Pit Application (form CDP-1) with Intent to Drill;  9. File Completi					If Yes, proposed zone:	
For KCC Use ONLY  API # 15	It is agreed that the following  1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appending must be completed with I hereby certify that the stater	minimum requi listrict office pri notice of intern of surface pipe ted materials p an agreement to office will be no DMPLETION, p ix "B" - Eastern nin 30 days of ments made he	rements wil rements wil rior to spud to drill sh as specified lus a minimpetween the otified beforeduction per Kansas sithe spud da rein are true	I be met: ding of well; all be posted on ead d below shall be se num of 20 feet into th e operator and the d re well is either plug ipe shall be cement urface casing order te or the well shall le and to the best of	ch drilling rig; In the top continuous comment to the top; in all cases surface underlying formation. Illistrict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within the surface within the surface within the surface. In all cases, NOTIFY district office of the first the surface and belief.	ace KCSaMICHITA sary prior to plugging; 20 days of spud date. rea, alternate II cementing prior to any cementing.
For KCC Use ONLY  API # 15					Remember to:	
Spud date: Agent: Signature of Operator or Agent: \$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	API # 15 - 09/- 6  Conductor pipe required  Minimum surface pipe require  Approved by: Put 6-30  This authorization expires: A	Nore 20 20 2-20-06	fe	et per Alt. X2	<ul> <li>File Drill Pit Application (form CDP-1) with Intent</li> <li>File Completion Form ACO-1 within 120 days of</li> <li>File acreage attribution plat according to field p</li> <li>Notify appropriate district office 48 hours prior to</li> <li>Submit plugging report (CP-4) after plugging is</li> <li>Obtain written approval before disposing or inje</li> <li>If this permit has expired (See: authorized expired)</li> </ul>	roration orders; o workover or re-entry; completed; cting salt water. ation date) please
	·				Signature of Operator or Agent:	<u>\</u>

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091- 23090-0000	Location of Well: County: JOHNSON
Operator: OSBORN ENERGY, LLC	2310 feet from V N / S Line of Section
Lease: ADAMS	feet from Feet
Well Number: 21	Sec. 12 Twp. 15 S. R. 24 Ves
Field: STILLWELL	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SW - SW - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		:	: :	•
			· .	· ·
	· · · · . ·       .			
X		· · ·	· · · · · ·	:
		:		:
	· · · · · · · · · · · · · · · · · · ·			:
	·			
				:
		:		:
		•		<u> </u>

NOTE: In all cases l	locate the spot of	of the proposed	drilling locaton.
----------------------	--------------------	-----------------	-------------------

# 

# RECEIVED

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding Kettos. WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: OSBORN ENERGY, LLC			License Number: 32294		
Operator Address: 24850 FARLEY BUCYRUS, KS			66013		
Contact Person: JEFF TAYLOR			Phone Number: ( 913 ) 533 - 9900		
Lease Name & Well No.: ADAMS 21			Pit Location (QQQQ):		
Type of Pit:	Pit is:		_SWSWNW		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 12 Twp. 15 R. 24 ✓ East West		
Settling Pit	If Existing, date c	onstructed:	2310 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	330 Feet from ☐ East / ✔ West Line of Section		
(If WP Supply API No. or Year Drilled)	550+/- (bbls)		JOHNSON County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	/No	Chloride concentration: N/A mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes	No	NATIVE CLAY LINED		
Pit dimensions (all but working pits):	8 Length (fe	eet)20	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
N/A		24 HOUR	ON SITE MAINTENANCE WHILE		
		DRILLING			
Distance to nearest water well within one-mile of pit Depth to shall			owest fresh water N/Afeet.		
Sou			Source of information:		
N/A feet Depth of water wellfeet			measured well owner electric log KDWR		
			rkover and Haul-Off Pits ONLY:		
Producing Formation: N/A		Type of materia	of material utilized in drilling/workover: BENTONITE		
Number of producing wells on lease: Number of wo			working pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment		ent procedure: LET WATER EVAPORATE THEN USE			
Does the slope from the tank battery allow all spilled fluids to BULLDO2		BULLDOZER	BULLDOZER TO BACKFILL PIT		
flow into the pit? Yes No Drill pits m			Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
RECEIVED					
6/12/05 Jeff Taylor 111N 169 2006					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY KCC WICHIT					
Date Received: 6 19 06 Permit Number: Permit Date: 6 19 06 Lease Inspection: Yes 10 No					
Date Received: 6 19 06 Permit Num	ber:	Perm	nit Date: Yes X No		