For KCC Use:	6-26-06
Effective Date:_	
District #	<i>I</i>
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5)	days prior to commencing well
Expected Spud Date July 9, 2006 month day year	Spot
5208	Sec. IWP. S. H. West 660 feet from VN / S Line of Section
OPERATOR: License# 5208	660 feet from \checkmark E / W Line of Section
Name: ExxonMobil Oil Corporation	Is SECTION ✓ RegularIrregular?
Address: P O Box 4358 Houston TX 77210-4358	
City/State/Zip: Houston, TX 77210-4358 KANSAS CORPORATION COMMI	SSION (Note: Locate well on the Section Plat on reverse side)
Contact Person: Roy Springfield	County: Stevens
Phone: 281-654-1932 MAY 1 7 2006	Lease Name: Fincham Well #: 2-18
CONTRACTOR: License# 33545 CONSERVATION DIVISION	Field Name: Panoma
	(*) 1.00 D.10
Name: Ploneer Drilling Services WICHITA, KS	Target Formation(s): Council Grove and Chase
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface Elevation: 2990 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: ✓ Yes No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 542 720
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 562 740 Minimum
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3600
Original Completion Date:Original Total Depth:	Formation at Total Depth: Council Grove
5 1	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Hauled
If Yes, true vertical depth:	DWR Permit #;
Bottom Hole Location:	(Note: Apply for Permit with DWR)
NLE Granted OKT # Ob-CONS-195-CWLE	Will Cores be taken? Yes ✓ No
MLE Granka URI & DOSCOMO 175 CVICE	If Yes, proposed zone:
Provated, Spaced Hugoton & Panoma AFFID	AVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	
	ging of this well will comply with 14.5.7. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	ماناانم ماند.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to 	~ •
through all unconsolidated materials plus a minimum of 20 feet into the	
4. If the well is dry hole, an agreement between the operator and the dist	
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	· · · · · · · · · · · · · · · · · · ·
•	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	
I hereby certify that the statements made herein are true and to the best of m	ny knowledge and belief,
Date: 05/16/2006 Signature of Operator or Agent:	Title: Staff Regulatory Specialist
Date: 05/16/2006 Signature of Operator or Agent:	Title:
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 189- 22537-0000	- File Completion Form ACO-1 within 120 days of spud date;
Nime	- File acreage attribution plat according to field proration orders;
24D	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per Ait. 1	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Approved by: PLH 6-21-06	
This authorization expires: 2-21-06	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	
	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
Mail to: VCC Concernation Division 120 S	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 189-22537-000	Location of Well: County: Stevens
Operator: ExxonMobil Oil Corporation Lease: Fincham	660 feet from V N / S Line of Section 660 feet from V E / W Line of Section
	Sec. 18 Twp. 33 S. R. 35 ☐ East West
Number of Acres attributable to well: 628.2 QTR / QTR / QTR of acreage: NE NE	Is Section: 🗸 Regular or 🗌 Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:	:	:	:	: 660
:	:	:	:	660
	:	· · · · · · · · · · · · · · · · · · ·		
	· · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· ·
	:	<u>:</u> : 1	8— : —	<u>:</u> : : :
				· · · · · · · · · · · · · · · · · · ·
			:	
	:			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 17 2006

Form CDP-1

April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: ExxonMobil Oil Corporation			License Number: 5208		
Operator Address: P O Box 4358 Houston, TX 77210-4358					
Contact Person: Roy Springfield			Phone Number: (281) 654 - 1932		
Lease Name & Well No.: Fincham 2	-18		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> . <u>NE</u>		
Emergency Pit Burn Pit			Sec. 18 Twp. 33S R. 35 East West		
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / ☐ West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Stevens County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: <3000 mg/l		
	T		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	NA		
Pit dimensions (all but working pits):	Length (fe	eet)80	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 7	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
NA		NA			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water 161 feet. Source of information:			
		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: FW Gel Mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment procedure: Remove clear water, air dry and backfill.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. O5/16/2006 Date Date Drill pits must be closed within 365 days of spud date.					
KCC OFFICE USE ONLY					
Date Received: 5/18/06 Permit Number: Permit Date: 5/18/06 Lease Inspection: Yes 4 No					



CORPORATION COMMISSION

KATPLEEN SEBELIUS, GOVERNOR BRIAN I MOLINE, CHAIR POBERT E. KREHBIEL, COMMISSIONIR MICHAEL C. MOFFET, COMMISSIONIR

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing and not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production easing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the easing from the bottom of the easing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.