RECEIVED

For KCC Use: Effective Date:	6-27-00	
District #	1	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 20 2006

Form C-1 December 2002

	ITENT TO DOUL I/OC \A/ICUITAorm must be Signe
	ITENT TO DRILL KCC WICH TAprim must be Signed (5) days prior to commencing well
	(a) delige prior to commencing mon
Expected Spud Date JULY 6, 2006	Spot East
month day year	N/2 NW SW Sec. 10 Twp. 27 S. R. 19 Wes
OPERATOR: License# 5003'	feet from N / S Line of Section
Name: McCOY PETROLEUM CORPORATION	feet from E / V W Line of Section
Address: 8080 E. CENTRAL, SUITE 300	is SECTION _✓Regularirregular?
City/State/Zip: WICHITA, KS 67206	(Note: Locate well on the Section Plat on reverse side)
Contact Person: SCOTT HAMPEL	County: KIOWA
Phone: (316) 636-2737	Lease Name: 4T INVESTMENT Well #: 1-10
CONTRACTOR: License# 5142'	Field Name: QUAKER
STEDI ING DOUGLING COMPANY	Is this a Prorated / Spaced Field? Yes ✓ No.
Name: STERLING DRILLING COMPANT	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2251' feet MSI
✓ Gas Storage ✓ Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes Yes Yes Yes
Seismic;# of Holes Other	Depth to bottom of fresh water: 220'
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Fipe Flatfied to be set.
Operator:	Length of Conductor Pipe required: NONE Projected Total Depth: 4800"
Well Name:	Formation at Total Depth: MISSISSIPPIAN
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Welt Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	*(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual parties and the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:	,,
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i>	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second content of the second content o	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a. 4. If the well is dry hole, an agreement between the operator and the	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 0 4. If the well is dry hole, an agreement between the operator and the 0 5. The appropriate district office will be notified before well is either plu	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attendation from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date. The surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention that the plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ach drilling rig; tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention that the plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the specific statements made herein are true and to the best of the spud statements.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The sur
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a second of the well is dry hole, an agreement between the operator and the second of the secon	ach drilling rig; tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attention that the plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date. The plugged of the surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the specific statements.	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The sur
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a lift the well is dry hole, an agreement between the operator and the state of the surface pipe as specified before well is either plu and the surface pipe as a minimum of 20 feet into a lift the well is dry hole, an agreement between the operator and the surface pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe shall be comen or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The spudged of production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall the shall the statements are spud date or the well shall the statements are spud date or the well shall the statements are spud date or the well shall the statements are spud date or the shall the statements are spud date or the shall the statements are spud date or the shall the statement are spud date or the sha	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PETROLEUM GEOLOGIST Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PETROLEUM GEOLOGIST Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all the well is dry hole, an agreement between the operator and the first through all the well is dry hole, an agreement between the operator and the first through all the well is dry hole, an agreement between the operator and the first through all through a surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the first through all through a	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The spudged of production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The plugged of prior to any cementing be plugged. Title: PETROLEUM GEOLOGIST Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written prograph before disposing a injection pole truth.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The spudged of production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. The plugged of prior to any cementing be plugged. Title: PETROLEUM GEOLOGIST Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written prograph before disposing a injection pole truth.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: PETROLEUM GEOLOGIST Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of Operator or Agent: Date: 6/19/2006	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief. Title: PETROLEUM GEOLOGIST Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

RECEIVED JUN 2 0 2006 KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 097-21594-0000	Location of Well: County: KIOWA
Operator: McCOY PETROLEUM CORPORATION	feet fromN / 🗸 S Line of Section
Lease: 4T INVESTMENT	660 feet from E / W Line of Section
Well Number:	Sec. 10 Twp. 27 S. R. 19 East West
Number of Acres attributable to well: QTR / QTR / QTR of acreage: N/2 - NW - SW	Is Section: Regular or ☐ Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: ☐ NE ☐ NW ☐ SE ☐ SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

KIOWA CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

JUN 2 0 2006 Form must be Typed

RECEIVED

Form CDP-1

APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

Operator Name: McCOY PETROLE	UM CORPORA	License Number: 5003			
Operator Address: 8080 E. CENTRAL, SUITE 300 WICHITA, KS 67206					
Contact Person: SCOTT HAMPEL			Phone Number: (316) 636 - 2737		
Lease Name & Well No.: 4T INVESTMENT # 1-10		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>N/2</u> <u>NW</u> <u>SW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 10 Twp. 27 R. 19 ☐ East		
Settling Pit	If Existing, date constructed:		2310 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit			660		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section KIOWA		
	3,600	(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? 🗸 Yes	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	NI.	How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	NO	BENTONITE/DRILLING MUD		
Pit dimensions (all but working pits):	0 Length (fe	eet) 80	Width (feet) N/A: Steel Pits		
	om ground level to de		4 (feet)		
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring.		
Distance to propert water well within one mile of ait		Denth to shallo	west fresh water		
•		Source of infor	West nest watericc.		
feet	l oo feet	meası	redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: BENTONITE/DRILLING MUD		
Number of producing wells on lease:		Number of working pits to be utilized:3			
Barrels of fluid produced daily:		Abandonment procedure: EVAPORATION/CLOSE/RETURN SURFACE			
	spilled fluids to	TO ORIGINAL CONDITION			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
6/19/2006 Cour N. Baker			D. Baker		
Date			ignature of Applicant or Agent		
, .			RFAS⇔C'		
Date Received: 6/30/0 Permit Num	ber:	Perm	it Date: 6/33/06 Lease Inspection: 🗶 Yes 🗌 No		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

June 22, 2006

Mr. Scott Hampel McCoy Petroleum Corporation 8080 E. Central Ste 300 Wichita, KS 67206

RE: Drilling Pit Application

4T Investment Lease Well No. 1-10

SW/4 Sec. 10-27S-19W Kiowa County, Kansas

Dear Mr. Hampel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>compact the sides and bottom with clay</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant