RECEIVED

| For KCC Effective | Use: Date: | 6-2 | 7-06 | |
|----------------------|---------------|------|------|--|
| District # | | | | |
| SGA? | Yes | X No | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 2 2 2006

Form C-1 December 2002

NOTICE OF INTENT TO DRILL KCC WICHITA Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date month day year | Spot | | |
|--|--|--|--|
| OPERATOR: Licensent 32278 | 1870' feet from V N / S Line of Section | | |
| OPERATOR: License# | 340'feet from E / ✓ W Line of Section | | |
| Address: P.O. Box 458 | is SECTION ✓ RegularIrregular? | | |
| City/State/Zip: Hays, Ks. 67601 | | | |
| Contact Person: Rod Tremblay | (Note: Locate well on the Section Plat on reverse side) County: Rooks | | |
| Phone: 402-560-0715 | Lease Name: Croffoot "C" Well #: 6 | | |
| Phone: | Field Name: Marcotte | | |
| CONTRACTOR: License#_33237 | | | |
| Name: Anderson Drilling Company | Is this a Prorated / Spaced Field? Target Formation(s): Lansing/Arbuckle | | |
| | Nearest Lease or unit boundary: 340' | | |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 2250' est from Topo feet MSL | | |
| ✓ Oil | | | |
| Gas Storage Pool Ext. Air Rotary | | | |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Ves ✓ No Depth to bottom of fresh water: 100' | | |
| Seismic;# of Holes Other | Depth to bottom of tresh water: 580 950 | | |
| Other | | | |
| | Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 220' | | |
| If OWWO: old well information as follows: | Length of Conductor Pine required: None | | |
| Operator: | Length of Conductor Pipe required: none Projected Total Depth: 3850' | | |
| Well Name: | Formation at Total Depth: Arbuckle | | |
| Original Completion Date:Original Total Depth: | romation at lotal beptit. | | |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: | | |
| If Yes, true vertical depth: | | | |
| ir les, tipe vertical deptit. | DWR Permit #: | | |
| Rottom Hole Location: | (News Assets for Description DIATE TO | | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) | | |
| | Will Cores be taken? Yes ✓ No | | |
| | | | |
| KCC DKT #: | Will Cores be taken? Yes ✓ No | | |
| KCC DKT #:AFF | Will Cores be taken? Yes ✓ No If Yes, proposed zone: | | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: IDAVIT | | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the ci 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; | | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the ci 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. | | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the construction of the set of | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. | | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constant of the set of the | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; It goed or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. | | |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the surface well is either plus in the state of the state of the spud date or the well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 6/19/2006 Signature of Operator or Agent: P. J. Signature of Operator or | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and for the below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Senior Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | | |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the well is dry hole, an agreement between the operator and the constant of the well is dry hole, an agreement between the operator and the constant of the well is either plug to the second of the well is either plug to the second of the well is either plug to the second of the well shall of the well within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the well shall of the well shall of the second of the well shall of the wel | Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the price of the price of the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Senior Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | | |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the surface well is either plus in the state of the state of the spud date or the well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 6/19/2006 Signature of Operator or Agent: P. J. Signature of Operator or | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Senior Geologist Title: Senior Geologist File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | | |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of t | Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Senior Geologist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | | |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plugified. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - //03 - 23 S44-000 Conductor pipe required Norl feet Minimum surface pipe required Approved by: Part Is-23-06 This authorization expires: 12-23-06 | Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Senior Geologist Title: Senior Geologist File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | | |

RECEIVED JUN 2 2 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

KCC WICHITA

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well Is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 163-23544-0000 | Location of Well: County: Rooks |
|--|--|
| Operator: Tengasco, Inc. | feet from N / S Line of Section |
| Lease: Croffoot "C" | 340' feet from E / V Line of Section |
| Well Number: 6 | Sec11 Twp10 S. R20 East ✓ Wes |
| Field: Marcotte | |
| Number of Acres attributable to well: 10 | Is Section: 🗸 Regular or 🗌 Irregular |
| QTR / QTR / QTR of acreage:sw nwswnw | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED JUN 2 2 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

| Operator Name: Tengasco Inc. | | | License Number: 32278 | | |
|---|--------------------------------|--|--|--|--|
| Operator Address: P.O. Box 458; Hays, KS 67601 | | | | | |
| Contact Person: Rod Tremblay | | | Phone Number: (402) 560 -0715 | | |
| Lease Name & Well No.: Croffoot "C" 6 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>SW</u> | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 11 Twp. 10 R. 20 ☐ East 🗸 West | | |
| Settling Pit | If Existing, date constructed: | | 1870 Feet from 🗸 North / 🗌 South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 340 Feet from East / 🗸 West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | | | Rooks County | | |
| Is the pit located in a Sensitive Ground Water Area? Yes W No | | | Chloride concentration: mg/l | | |
| In the hatters halous ground level? | Autitiai at 1 ta aut | | (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No | Artificial Liner? ☐ Yes | | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | Length (fe | et) 80 | Width (feet) N/A: Steel Pits | | |
| Depth from ground level to deepest point: 4 (feet) | | | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. | | | edures for periodic maintenance and determining ncluding any special monitoring. | | |
| ,. | | | | | |
| Distance to nearest water well within one-mile | e of pit | Depth to shallo | west fresh water 25feet. | | |
| | | Source of information: measured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: fresh water/drilling mud | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: 3 | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Evaporate and backfill | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| O(1) | | | | | |
| 6/19/2006 | | | ignature of Applicant or Agent | | |
| Jace // Signature of Applicant of Agent | | | | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: 422/06 Permit Number: Permit Date: 4/22/06 Lease Inspection: Yes A No | | | | | |