For KCC Use:	7-1-06
Effective Date:	7-100
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed
All blanks must be Filled

SGA? Yes A No	Mı		e (5) days prior to commencing well All blanks must be Filled
			00' · · f
Expected Spud Date	July	5 2006	Last
	month	day year	S/2 - SE - NW Sec. 33 Twp. 17 S. R. 30 West
OPERATOR: License# K	LN 4767 🗸		2310 feet from V N / S Line of Section
Name: Ritchie Exploratio	n, Inc.		
Address: PO 783188	0.07070.0400		Is SECTION ✓ RegularIrregular?
City/State/Zip: Wichita, KS	5 6/2/8-3188		(Note: Locate well on the Section Plat on reverse side)
Contact Person: Craig Ca	iulk		County: Lane
Phone: 316-691-9500			Lease Name: Sharp 33B Well #: 1
CONTRACTOR: License#	KLN 5892		Field Name: Wildcat
Name: Berentz Drilling	Company, Inc.		Is this a Prorated / Spaced Field? Target Formation(s): Lansing, Cherokee, Mississippian
			Nearest Lease or unit boundary: 330'
Well Drilled For:	Well Class:	Type Equipment:	
✓ Oil ✓ Enh F	Rec Infield	✓ Mud Rotary ✓	Ground Surface Elevation: _2869 10P0
Gas Stora	ge Pool Ext.	Air Rotary	Public water supply well within one mile:
OWWO Dispos	sal 🗸 Wildcat	Cable	Depth to bottom of fresh water:
Seismic; # of	f Holes Other		Depth to bottom of usable water: 1500
Other			O for Birchy Albertain [7]
If OMMO: and wall informs	ation of fallows		Length of Surface Pipe Planned to be self:
If OWWO: old well inform Operator:			Length of Conductor Pipe required: NONE
•			Projected Total Depth: 4570'
Well Name: Original Completion D	oto: Orio	vinal Total Donth:	Formation at Total Depth: Mississippian
Ongmai Completion D	aleOn	imai iotai beptii	Water Source for Drilling Operations:
Directional, Deviated or He	orizontal wellbore?	Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			(Note: Apply for Permit with DWR)
KCC DKT #:			Will Cores be taken? Yes ✓ No
			If Yes, proposed zone:
		A.F.	FIDAN/IT
The undersigned hereby	affirms that the drilling		FIDAVIT plugging of this well will comply with K.S.A, 55 et, seq.
It is agreed that the follow		•	plugging of this well will comply with N.O.A. 35 et. 3eq.
Notify the appropria A conv of the appropria	•	<i>r</i> to spudding of well; o drill <i>shall be</i> posted on e	ach drilling rig:
			set by circulating cement to the top; in all cases surface pipe shall be set
		s a minimum of 20 feet into	
If the well is dry ho	ole, an agreement bet	ween the operator and the	district office on plug length and placement is necessary prior to plugging;
			ugged or production casing is cemented in;
6. If an ALTERNATE	II COMPLETION, pro	duction pipe shall be ceme	nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed	belluix b - castern r	cansas surface casing orders	be plugged. In all cases, NOTIFY district office prior to any cementing.
		in are true and to the best	
Thereby certify that the 3	natements made nere	in are true and to the best	of the kinestering and belief
Date: June 21, 2006	Signature of Ope	erator or Agent:	Title: GIS Specialist
		J	
For KCC Use ONLY		(Remember to: //
API # 15 - 101-6	21937-000	\mathcal{O}	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of sould date:
API # 15 - 401	11000		- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Conductor pipe required	None	feet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe re	equired 200	feet per Alt. 2	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Put 6	-26-06		- Obtain written approval before disposing or injecting salt water.
This authorization expire	מכיים להיים בנו		- If this permit has expired (See: authorized expiration date) please
	3	6 months of effective date.)	check the box below and return to the address below. Well Not Drilled - Permit Expired
, III.			Well Not Drilled - Permit Expired
Spud date:	Agent:		Signature of Operator or Agent:
			Date: RECEIVE

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 101-21937-0000	Location of Well: County: Lane
Operator: Ritchie Exploration, Inc.	
Lease: Sharp 33B	feet from N / S Line of Section 1900 feet from E / V W Line of Section
Well Number: 1 Field: Wildcat	Sec. 33 Twp. 17 S. R. 30 East ✓ West
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: S/2 - SE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· ·		
	· ·		
	. 14	•	
	l'a		
		, , , , , , , ,	
	. Q_		
	. -		
	18		
]			
	' '	·	
		· · · · · · ·	
	. .		•
1900' FWL	<u> </u>		: :
1			
1	· · ·	~>	•
<u> </u>	·3.	3	· · · · · · · · · · · · · · · · · · ·
-		3	• •
	3	3	· · ·
	3 .	3	· · · · · · · · · · · · · · · · · · ·
		3	· · · · · · · · · · · · · · · · · · ·
		3	
	· · · · · · · · · · · · · · · · · · ·	3	
		3	
		3	
		3-	
		3	
		3	
	· · · · · · · · · · · · · · · · · · ·	3	
		3	
		3-	
		3	
		3	
		3-	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for REGEIVED CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ritchie Explorat	ion, Inc.		License Number: KLN 4767	
Operator Address: PO 783188 V	Vichita, KS	67278-31	88	
Contact Person: Craig Caulk			Phone Number: (316) 691 - 9500	
Lease Name & Well No.: #1 Sharp 33B		Pit Location (QQQQ):		
Type of Pit:	Pit is:		80'W S/2 SE NW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 33 Twp. 17S R. 30 East	✓ West
Settling Pit	If Existing, date co	onstructed:	2310 Feet from 🗸 North / South	Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1900 Feet from East / 🗸 West	Line of Section
(If WP Supply API No. or Year Drilled)	20,517	(bbls)	Lane	County
s the pit located in a Sensitive Ground Water			Chloride concentration:	mg/l
			(For Emergency Pits and Settling Pits o	0
Is the bottom below ground level?	Artificial Liner?	NIo	How is the pit lined if a plastic liner is not used?	
Yes No	Yes ✓	N0 	Cottonseed Hulls / AquaC	Sel
Pit dimensions (all but working pits):	20 Length (fe	eet) 120	, ,	Steel Pits
Depth f If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	dures for periodic maintenance and determining and special monitoring.	
If the pit is lined give a brief description of the	e liner	Describe proce	dures for periodic maintenance and determining noluding any special monitoring.	
f the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile	e liner e. e of pit	Describe proce liner integrity, in	dures for periodic maintenance and determining including any special monitoring. west fresh water	
f the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mil	e liner e. e of pit	Describe proce liner integrity, in Depth to shallo Source of informeasu	dures for periodic maintenance and determining including any special monitoring. west fresh water	KDWR
f the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mil LS70 feet Depth of water well	e liner e. e of pit	Describe proce liner integrity, in Depth to shallo Source of informeasu	dures for periodic maintenance and determining including any special monitoring. west fresh water	7
f the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mil LS70 feet Depth of water well	e liner e. e of pit	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Work	dures for periodic maintenance and determining including any special monitoring. west fresh water	7
f the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil LS70 feet Depth of water well	e liner e. e of pit	Describe procelliner integrity, in Depth to shallor Source of informeasure. Drilling, Worker Type of material Number of wor	dures for periodic maintenance and determining including any special monitoring. west fresh water	il Mud
Distance to nearest water well within one-mil LS70 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al	e liner e. e of pit LAS _feet	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	dures for periodic maintenance and determining including any special monitoring. west fresh water	il Mud
Distance to nearest water well within one-mil LS70 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed to the material of the	e liner e. e of pit LAS _feet I spilled fluids to	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be some the source of the	dures for periodic maintenance and determining including any special monitoring. west fresh water	il Mud
Distance to nearest water well within one-mil LS70 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow alflow into the pit?	e liner e. e of pit LAS _feet I spilled fluids to	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be some the source of the	dures for periodic maintenance and determining including any special monitoring. west fresh water	RECEIVE
Distance to nearest water well within one-mil LS70 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	e liner e. e of pit LAS _feet I spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	dures for periodic maintenance and determining including any special monitoring. west fresh water	il Mud