For KCC Use:
Effective Date:
7-3-06
District #
SGA? Yes K No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

PERATOR: License# 33344 ame: Quest Cherokee, LLC	
PERATOR: License# 33344	<u>SW</u> _ <u>NE</u> _ <u>Sec. 31</u> _ <u>Twp. 31</u> _ <u>S. R. 19</u> West
Quest Cherokee, LLC	1980feet from V / S Line of Section
line:	2130 teet from E / W Line of Section
dress: 9520 N. May Ave, Suite 300	Is SECTION Regular Irregular?
y/State/Zip: Oklahoma City, OK 73120	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Richard Martin	County: Labette
one: 405-488-1304	Lease Name: Thompson, Roy L Well #: 31-1
NTRACTOR: License# Will be licensed by KCC	Field Name: Cherokee Basin CBM
me: Will Advise on ACO -1	Is this a Prorated / Spaced Field? Yes No
,nic	Target Information(s): Arbuckle Dolomite
Well Drilled For: Well Class: Туре Equipment:	Nearest Lease or unit boundary: 510
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 930 teet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes VNo
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100 Yes V No
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
0111110 1d 1l -dd	Length of Surface Pipe Planned to be set: 25
OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle Dolomite
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
fes, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2006
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e 	set by circulating cement to the top; in all cases surface Current of set
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best."	ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. for my knowledge and belief.
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either place. If an ALTERNATE II COMPLETION, production pipe shall be cemed Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best."	ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. for my knowledge and belief.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best hate: 6/27/06	ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. for my knowledge and belief. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 6/27/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099-23991-0000	regged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. File 2 which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best attended to the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2399/-ODOO Conductor pipe required leet	regged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Completion Form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best ate: 6/27/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099-23991-0000 Conductor pipe required 1000 feet per Alt. 1000	regged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Completion Form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best ate: 8. Signature of Operator or Agent: 8. Signature of Operator or Agent: 9. Approved by: 24 6-2800	regged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notity appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best ate: 6/27/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2399/-ODOO Conductor pipe required	regged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing is be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Completion Form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best ate: 8. Signature of Operator or Agent: 8. Signature of Operator or Agent: 9. Approved by: 24 6-2800	regged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing iii be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099 - 23991-0000	Location of Well: County: Labette
Operator: Quest Cherokee, LLC	1980 feet from VN / S Line of Section
Lease: Thompson, Roy L	2130 feet from VE / W Line of Section
Well Number: 31-1	Sec. 31 Twp. 31 S. R. 19 Fast Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: 160	is Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SW _ NE	if Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 9520 N. May Ave, Suite				
Contact Person: Richard Marlin		Phone Number: (405) 488 - 1304		
Lease Name & Well No.: Thompson, Roy L 31-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> . <u>NE</u> _	
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 31 R. 19 🕝 East 🗌 West	
Settling Pit Drilling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2130 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Dritled)	300	(bbls)	Labette	
is the pit located in a Sensitive Ground Water	Area? Yes	No.	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner? Yes V No		How is the pit lined if a plastic liner is not used?	
Bit dimensions (all but working nite):	SO Length (fe	10	Width (feet) N/A: Steel Pits	
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			ncluding any special monitoring.	
		All Dilling	Operation lasting approx. 3 days	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet. mation:		
		measu	redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of		ſ	al utilized in drilling/workover: Air Drilled	
			king pits to be utilized: One	
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Air dry, backfill and cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pit		Drill pits must	pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JUN 2 8 2006				
6/27/06 Date	1	har)	CONSERVATION DIVISION ignature of Applicant or Agent WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: 4/28/06 Permit Num	ber:	Perm	tt Date: 6/25/06 Lease Inspection: Yes 🕱 No	