KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

17

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL

Operator: License # 5208	API No. 15 - 129-00303 - 00 - 0 L
Name: ExxonMobil Corporation	County: Morton
Address: P. O. Box 4358	C_NW_Sec. 25_ Twp. 33_S. R. 40_
Houston, TV 77210,4259	1320 feet from S (N) circle one) Line of Section
City/State/Zip: 110ustoff, 1X 77210-4336 Purchaser:	1320 reet from S / N /circle one) Line of Section
Operator Contact Person: Evelyn Boutte'	feet from E W (circle one) Line of Section
	Footages Calculated from Nearest Outside Section Corner:
Phone: (281_) 654-1921	(circle one) NE SE NW SW Lease Name: Chambers Well #: 1
Contractor: Name: KEY	
License: N. A. Welleite Geologist: N. A.	Field Name:
wellsite deologist.	
Designate Type of Completion:	Elevation: Ground: 3280.70 GL Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 2853 Plug Back Total Depth: 2655
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 150 sx cmt @ 254Feet
W ^M V GasENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from N. A.
Operator: Republic Natural Gas Company	feet depth to N. A. w/ N. A. sx cmt.
Well Name: Chambers 1	Drilling Fluid Management Plan
Original Comp. Date: 6/25/30 Original Total Depth: 2855	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content N. A. ppm Fluid volume N. A. bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite: RECEIVED
Dual Completion Docket No	KANSAS CORPORATION CONTINUES IN THE CONT
Other (SWD or Enhr.?) Docket No	Operator Name:
1/27/03 °6/25/30 → 2/17/03	
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSecTwpS. Conservation Division
necompletion Date	County: Docket No.: WICHITA, KS
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
Signature: / WULA BUTTO,	KCC Office Use ONLY
Title: 07 18 5 19 15 10 3	l attende Confidentially, S. C.
	Letter of Confidentiality Attached If Denied, Yes Date:
Subscribed and sworn to before me this 5 day of November	, Wireline Log Received
16203	CANALOGY TOURS TOURS TOUR TOUR TOUR TOUR TOUR TOUR TOUR TOUR
Notary Public: Am aynch	IIIA Distribution
Date Commission Expires: Aug. 26, 2006 NOTE	KINI LYINOTI
Date Commission Expires.	MY COMMISSION EXPINES
	AUG. 26, 2006

Side Two

Operator Name: ExxonMobil Corporation Sec. 28 / Wp. 33 S. R. 40			Lease Na	Lease Name: Chambers			Well #: _1		
			County: Morton						
ested, time tool oper emperature, fluid rec	and closed, flowing overy, and flow rate	and base of formations part should be should b	, whether shut along with fina	t-in press	ure reached s	tatic level, hydro	static pressure	s, bottom hole	
Drill Stem Tests Taken ☐ Yes ☑ No (Attach Additional Sheets)			Log	_og Formation (Top), Depti		nd Datum	Sample		
Samples Sent to Geological Survey			Name			Datum			
Cores Taken Electric Log Run (Submit Copy)	•	Yes No		Krider			2443 -2492	2	
ist All E. Logs Run:									
***************************************		CASING Report all strings set	G RECORD	New		ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface		12 1/2			 668		50		
Production		8 5/8"	24#	2	2542		150	***************************************	
Liner		7"		2	2655		None		
		ADDITIONA	L CEMENTING	G / SQUE	EZE RECORD				
Purpose:	Depth Type of Cement		#Sacks U	s Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	2046-2138	CIH	100	٦	Thixotropic a	and 2% CC (§	Squeezed Ca	asing Leak)	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
1 spf	2443 - 2492						,		
2 spf	2494 - 2543								
TUBING RECORD	Size	Set At	Packer At		Liner Run				
	2 3/8	2630				Yes No)		
Date of First, Resumed 3/24/03 (G2)	i Production, SWD or E	nhr. Producing Me		Flowing	✓ Pumpir	ng Gas L	ift Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf 202	Water	В	bls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION			Production Inter				
Vented Sold (If vented, S	Used on Lease umit ACO-18.)	☐ Open Hol		Du	ally Comp.	Commingled -	Perfs: 2443	- 2655	