

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Form CP-1  
September 2003  
This Form must be Typed  
Form must be Signed  
All blanks must be Filled

API # 15 - NA 15-185-30381-00-01 <sup>15-185-30380-00-01</sup> (Identifier Number of this well). This must be listed for wells drilled since 1967; if no API # was issued, indicate original spud or completion date 5/26/1946.

Well Operator: Knighton Oil Company, Inc. KCC License #: 5010

Address: 221 S. Broadway, Suite 710 City: Wichita

State: Kansas Zip Code: 67202 Contact Phone: (316) 264 - 7918

Lease: Tanner "A" Well #: 1-W Sec. 14 Twp. 25 S. R. 14  East  West

SE - SE - SE Spot Location / QQQQ County: Stafford

330 Feet (in exact footage) From  North /  South (from nearest outside section corner) Line of Section (Not Lease Line)

330 Feet (in exact footage) From  East /  West (from nearest outside section corner) Line of Section (Not Lease Line)

Check One:  Oil Well  Gas Well  D&A  Cathodic  Water Supply Well  
 SWD Docket # \_\_\_\_\_  ENHR Docket # E-14,970  Other: \_\_\_\_\_

Conductor Casing Size: \_\_\_\_\_ Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks

Surface Casing Size: 8 5/8" Set at: 865' Cemented with: 450 Sacks

Production Casing Size: 4 1/2" Set at: 4002' Cemented with: 75 Sacks

List (ALL) Perforations and Bridgeplug Sets: Perfs, 3846 to 3853, 3876 to 3881, 3892 to 3899, and 3917 to 3926. Lansing Kansas City

Elevation: 1971 ( G.L. /  K.B.) T.D.: 4010 PBTD: 4008 Anhydrite Depth: \_\_\_\_\_ (Stone Corral Formation)

Condition of Well:  Good  Poor  Casing Leak  Junk in Hole

Proposed Method of Plugging (attach a separate page if additional space is needed): According to the rules and regulations of the State Corporation Commission.

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 08 2006

CONSERVATION DIVISION  
WICHITA, KS

Is Well Log attached to this application as required?  Yes  No Is ACO-1 filed?  Yes  No

If not explain why? Was not available from CSO.

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission.

List Name of Company Representative authorized to be in charge of plugging operations: Carl Gilpin

Phone: (316) 264 - 7918

Address: 221 S. Broadway, Suite 710 City / State: Wichita, Kansas

Plugging Contractor: Express well Service KCC License #: 6426

Address: P.O. Box 426 Victoria, KS 67671 Phone: (785) 735 - 9405

Proposed Date and Hour of Plugging (if known?): February 22, 2006

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Date: 2/8/06 Authorized Operator / Agent: Carl M. Knighton Jr. (Signature)

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078 Wichita, Kansas 67202

Company Citizens Service Oil Co. Well No. 1 Farm Tanner  
 Location 330' North and 330' West of SE Corner Sec. 14 T. 25 R. 14W  
 Elevation 1971' (Gr. 1969) County Stafford State Kansas  
 Drlg. Comm. May 26, 1946 Contractor R. W. Rine Drilling Company  
 Drlg. Comp. June 7, 1946 Acid None  
 T. D. 4008' Initial Prod. Dry - Plugged and Abandoned June 7, 1946

CASING RECORD:

8-5/8" @ 865' cen. 450 oz cement,  
 225' Flossal and  
 400' C. C.

FORMATION RECORD:

|                      |            |
|----------------------|------------|
| sand & shale         | 0-200      |
| shale & red rock     | 775        |
| sand                 | 400        |
| shale & shells       | 625        |
| sand & red bed       | 830        |
| red rock             | 875        |
| anhydrite            | 910        |
| shale & shale        | 1245       |
| shale, shells & salt | 1315       |
| lime & shale         | 1975       |
| shale & lime         | 2290       |
| lime & shale         | 2785       |
| shale & lime         | 3065       |
| lime & shale         | 3170       |
| shale & lime         | 3315       |
| lime & shale         | 3710       |
| lime                 | 3955       |
| lime & shale         | 4004       |
| lime                 | 4008 T. D. |

Top Landing 3700'  
 Base Kansas City 3998'  
 Total Depth 4008'

Drill stem test 3572-3902  
 recovered 120' muddy water  
 in 30 mins., no oil.

LOGS TESTS (ACID BOTTLES):

500' OK  
 1000' OK  
 1500' OK  
 2000' OK  
 2500' OK  
 3000' OK  
 3500' OK

7-7/8" hole.

RECEIVED  
 KANSAS CORPORATION COMMISSION

FEB 08 2006

CONSERVATION DIVISION  
 WICHITA, KS

# KANSAS

CORPORATION COMMISSION

Kathleen Sebelius, Governor    Brian J. Moline, Chair    Robert E. Krehbiel, Commissioner    Michael C. Moffet, Commissioner

## NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

Knighton Oil Company, Inc.  
221 S. Broadway, Ste. 710  
Wichita, KS 67202-4214

February 09, 2006

Re: TANNER A #1-W  
API 15-185-30380-00-01  
SESESE 14-25S-14W, 330 FSL 330 FEL  
STAFFORD COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

**Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.**

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

**This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.**

Sincerely



David P. Williams  
Production Supervisor

District: #1  
210 E Frontview, Suite A  
Dodge City, KS 67801  
(620) 225-8888