

**ORIGINAL**

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33074  
Name: Dart Cherokee Basin Operating Co., LLC  
Address: P O Box 177  
City/State/Zip: Mason MI 48854-0177  
Purchaser: Oneok  
Operator Contact Person: Beth Oswald  
Phone: (.517) 244-8716  
Contractor: Name: McPherson  
License: 5675  
Wellsite Geologist: Bill Barks

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: Dart Cherokee Basin Operating Co LLC  
Well Name: B Neill et al C1-30

Original Comp. Date: 12-3-04 Original Total Depth: 1526'  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back CIBP @ 1335' Plug Back Total Depth  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

1-3-06 41-10-04 1-6-06  
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 205-25772-00-0601  
County: Wilson  
SE NW SW Sec. 30 Twp. 30S S. R. 15  East  West  
1477' FSL feet from S / N (circle one) Line of Section  
4465' FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: B Neill et al Well #: C1-30  
Field Name: Cherokee Basin Coal Gas Area

Producing Formation: Penn Coals  
Elevation: Ground: 935' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1526' Plug Back Total Depth: 4523' 1335' WITH KCC  
Amount of Surface Pipe Set and Cemented at 23' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 1323  
feet depth to 0 w/ 190 sx cmt.  
ACT II WITH 4-27-06

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ East West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Beth Oswald

Title: Admn & Engr Asst Date: 4-4-06

Subscribed and sworn to before me this 4th day of April,

20 06

Notary Public: Karen B. Walton

Date Commission Expires: \_\_\_\_\_

KAREN L. WELTON  
Notary Public - Michigan  
Ingham County  
My Commission Expires Mar 3, 2007  
Acting in the County of Ingham

**KCC Office Use ONLY**  
ND Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
**APR 07 2006**  
**KCC WICHITA**

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: B Neill et al Well #: C1-30  
 Sec. 30 Twp. 30S S. R. 15  East  West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  High Resolution Compensated Density Neutron	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">Log Name</td> <td style="width:40%;">Formation (Top), Depth and Datum</td> <td style="width:30%; text-align: right;"><input checked="" type="checkbox"/> Sample Datum</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Log Name	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample Datum			
Log Name	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample Datum					

CASING RECORD							
				New	Used		
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"	24#	23'	Class A	4	
Prod	6 3/4"	4 1/2"	9.5#	1523'	50/50 Poz	190	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached		

TUBING RECORD		Size <b>2 3/8"</b>	Set At <b>1272'</b>	Packer At <b>NA</b>	Liner Run Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Date of First, Resumed Production, SWD or Enhr. <b>1-7-06</b>		Producing Method Flowing <input type="checkbox"/> Pumping <input checked="" type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) <input type="checkbox"/>			
Estimated Production Per 24 Hours	Oil Bbls. <b>NA</b>	Gas Mcf <b>9</b>	Water Bbls. <b>67</b>	Gas-Oil Ratio <b>NA</b>	Gravity <b>NA</b>

Disposition of Gas  Vented  Sold  Used on Lease  
*(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

RECEIVED

APR 07 2006

KCC WICHITA

4/4/2006

Dart Cherokee Basin Operating Co LLC #33074  
B Neill et al C1-30 API #15-205-25772-00-00  
SE NW SW Sec 30 T30S-R15E  
Attachment to ACO-1 Well Completion Form

Shots Per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
4	1356'-1357', Set CIBP @ 1335'		
4	1157'-1158'		
4	1101'-1103'		
4	1038.5'-1040'		
4	993'-996'		
4	873.5'-874.5'		

RECEIVED  
APR 07 2006  
KCC WICHITA