For KCC Use:

Effective Date:

District #

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Expected Spud Date July 25, 2006	Spot
month day year	NE - NE - NW Sec. 12 Twp. 27 S. R. 33 West
32309	330 feet from N / S Line of Section
OPERATOR: License# 32309 Name: Presco Western, LLC	1980 feet from E / W Line of Section
Address: 5480 Valmont, Ste. 350	Is SECTIONRegularIrregular?
Address: Boulder, CO 80301	
City/State/Zip: Contact Person: Leonard Witkowski	(Note: Locate well on the Section Plat on reverse side) County: Haskell
Phone: 303-444-8881	Lease Name: Lavelette Well #: 1-C12-27-33
	Field Name: Kisner
CONTRACTOR: License# 33375	Is this a Prorated / Spaced Field?
Name: Cheyenne Drilling LP	Target Formation(s):
	Nearest Lease or unit boundary: 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2911.5 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 500 4/80
Seismic; — # of Holes Other	Depth to bottom of usable water: 570 900
Other	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 700' minimum 920 Minimum
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 5850'
Original Completion Date:Original Total Depth:	Formation at Total Depth: St. Louis
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	✓ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #: TO BE ASSIGNED xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗾)
KCC DKT #:	Will Cores be taken? Yes ✓ No
Provaled, Spaced Hugoton & Panoma	If Yes, proposed zone:
	DAVIT KANSAS CONTENTED
ACCI	DAVII "WOAS CODOOD
AFFI	useing of this well will comply with K.S.A. EE at and
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq. JUN 2 9 2006
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUN 2 9 2006
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	JUN 2 9 2006 CONSERVATION DIVIDIO
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	JUN 2 9 2006 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pip Williams execution.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	JUN 2 9 2006 ch drilling rig; th drilling rig; the drilling right right right right right right right
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidat	conservation Division to by circulating cement to the top; in all cases surface pip with the conservation division to the underlying formation. In this circulating cement to the top; in all cases surface pip with the conservation division of the circulating cement to the top; in all cases surface pip with the circulation division of the circulation division divisio
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pip to the production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	conservation Division to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #183,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	conservation division to be considered and used to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of the property of the property of the property of the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of the property of the set of the se	conservation distinct office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. ##33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	th drilling rig; th by circulating cement to the top; in all cases surface pip wount of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. ##33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of the property of the property of the property of the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the set of the property of the set of the se	conservation physion to be underlying formation. In different to the top; in all cases surface pip formation. In the underlying formation. In the underly
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	conservation division to the top; in all cases surface pip wount to plugging; the underlying formation. In this construction of the top; in all cases surface pip wount to plugging; the underlying formation. In this construction of the top; in all cases surface pip wount to plugging; the underlying formation. In this construction of the top; in all cases surface pip wount to plugging; the underlying formation casing is cemented in; the top of th
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY	conservation description of the top; in all cases surface pip to the prior to plugging; is to be circulating cement to the top; in all cases surface pip to the plugging; is the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging; is ged or production casing is cemented in; is defined below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC district 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Regulatory Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the decomposition of the surface of the surfac	conservation pursion to be top; in all cases surface pipulating; the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. ##183,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Regulatory Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund and the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund of the spund that the set of the spund date or the well shall shall be set of the spund date or the well shall shall be set of the spund date or the well shall shall be set of the spund date or the well shall	conservation description of the top; in all cases surface pip to the prior to plugging; is to be circulating cement to the top; in all cases surface pip to the plugging; is the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging; is ged or production casing is cemented in; is defined below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC district 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Regulatory Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: 6/27/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 081-21669-D000 Conductor pipe required 1920 feet Minimum surface pipe required feet per Alt. 1	conservation pursion to be top; in all cases surface pipulating; the underlying formation. In this construction of the top; in all cases surface pipulating to the underlying formation. In this construction of the top; in all cases surface pipulating to the underlying formation. In this construction casing is cemented in; and form below any usable water to surface within 120 days of spud date. In this construction of the top construct of the t
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements and the description of the well is dry hole, an agreement between the operator and the description of the statement of the well is either plug for the sum of the description of the statement of the well is either plug for the sum of the well is either plug for the sum of the well shall be completed within 30 days of the spud date or the well shall be remarked by that the statements made herein are true and to the best of the plug for the sum of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O81 - 21669 - DOOD Conductor pipe required	conservation pursion to be top; in all cases surface pip formation. In the underlying formation. In the underlying formation. In the underlying formation is trict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements and the description of the well is dry hole, an agreement between the operator and the description of the statement of the well is either plug for the sum of the description of the statement of the well is either plug for the sum of the well is either plug for the sum of the well shall be completed within 30 days of the spud date or the well shall be remarked by that the statements made herein are true and to the best of the plug for the sum of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O81 - 21669 - DOOD Conductor pipe required	conservation pursion by circulating cement to the top; in all cases surface pipulous of the underlying formation. In this constitution of the top in all cases surface pipulous of the underlying formation. In this constitution of the top in all cases surface pipulous of the underlying formation. In this constitution of the top in all cases are prior to plugging; and from below any usable water to surface within 120 days of spud date. In this constitution of the top in all cases, NOTIFY district office prior to any cementing. In this constitution of the top in th
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spud like posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the well is driving the set of the well is driving and the driv	conservation description of the drilling rig; the drilling rig; the polycirculating cement to the top; in all cases surface piperful pages to the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. ##133,891-C, which applies to the KCC district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Regulatory Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statements and the description of the well is dry hole, an agreement between the operator and the description of the statement of the well is either plug for the sum of the description of the statement of the well is either plug for the sum of the well is either plug for the sum of the well shall be completed within 30 days of the spud date or the well shall be remarked by that the statements made herein are true and to the best of the plug for the sum of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O81 - 21669 - DOOD Conductor pipe required	conservation design to the top; in all cases surface pip formation. In the underlying formation casing is cemented in; In the underlying formation or plugging; In the underlying formation or plugging; In the underlying formation or plugging; In the underlying formation or plugging is completed; In this permit has expired (See: authorized expiration date) please

Date:_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 081-21669-0000	Location of Well: County:_Haskell
Operator: Presco Western, LLC	
Lease: _Lavelette	feet from N / S Line of Section 1980 feet from E / W Line of Section
Well Number: 1-C12-27-33	Sec. 12 Twp. 27 S. R. 33 East ✓ West
Field: Kisner	
Number of Acres attributable to well: 160	Is Section: Pegular or Irregular
QTR / QTR / QTR of acreage: NE - NE - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			330		Kau REG
1980_	:		•		KANSAS CORPORATION COMMISSIO JUN 2 9 2006
	 	· · · ·	:	: : : : :	JUN 2 9 2006
	 : 				CONSERVATION DIVISION WIGHTHA, KS
	 		:		
	:		: /2		EXAMPLE : :
	· ·				1980
	 	· · · · ·	:		1980
	 ·				. 3390, .
	 :		:		
	· ·			· · · · · · · · · · · · · · · · · · ·	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Presco Western, LL	.C	License Number: 32309			
Operator Address: 5480 Valmont, Ste. 350 Boulder, CO 80301					
Contact Person: Leonard Witkowski		Phone Number: (303) 444 - 8881			
Lease Name & Well No.: Lavelette 1-C12-27-33			Pit Location (QQQQ):		
Type of Pit:	Pit is:		_ <u>NENENW</u>		
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 12 Twp. 27 R. 33 East West		
Settling Pit Drilling Pit	If Existing, date co	enstructed:	Feet from 🔽 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit Pit capacity:			1980 Feet from East / 🔽 West Line of Section		
(If WP Supply API No. or Year Drilled)	5000	(bbls)	Haskell County		
Is the pit located in a Sensitive Ground Water Area? Yes			Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓ N	No 	Natural mud seal	1	
Pit dimensions (all but working pits):	25 Length (fe		Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
material, thickness and installation procedure		liner integrity, i	edures for periodic maintenance and determine CORPORATION CO CONSERVATION DIVISIO	MMISSION	
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	owest fresh water 166 feet.		
	52% _{feet}	measu	uredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		C,	cover and Haul-Off Pits ONLY:	>	
Producing Formation:		Type of materia		IV	
Number of producing wells on lease:	Number of producing wells on lease:		al utilized in drilling/workover: Natural mud	2-5	
Barrels of fluid produced daily:		Number of wor	rking pits to be utilized: One (1)	180-5	
		Number of wor		5-081-2	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Number of wor	rking pits to be utilized: One (1)	8	
		Number of wor Abandonment Drill pits must	rking pits to be utilized: One (1) procedure: Air evaporation and backfill be closed within 365 days of spud date.	8	
flow into the pit? Yes No		Abandonment Drill pits must correct to the bes	rking pits to be utilized: One (1) procedure: Air evaporation and backfill be closed within 365 days of spud date.)	
I hereby certify that the above state 6/27/2006	ments are true and c	Abandonment Drill pits must correct to the bes	rking pits to be utilized: One (1) procedure: Air evaporation and backfill be closed within 365 days of spud date. st of my knowledge and belief. Gignature of Applicant or Agent	8	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

"The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."

- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.