RECEIVED

KANSAS CORPORATION COMMISSIONKANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002

Form C-1

For KCC Use:		<u> </u>
	75-01-	NOT
Effective Date: _	7-5-06	_
District #	<u> </u>	Must be approv

ICE OF INTENT TO DRILL

JUN 2 3 2006

Form must be Typed

Effective Date: Must be approved by KCC five (5) of Must be approved by KCC five (6) of Must be approved by Must be approved by Must be approved by Must be approved by	lays prior to commencing on SERVATION DIVISION All blanks must be Filled			
SGA? Yes X No	WICHITA, KS			
	Spot East			
Expected Spud Date	SW SW SW Sec 24 Twp 33 S.R 37 X West			
month day year	330 foot from NI/S VI inc of Section			
OPERATOR: License # 5278	leet from N/3 X Line of Section			
OPERATOR: License # 5278 Name: EOG Resources, Inc.				
Address: 3817 NW Expressway, Suite 500	ls SECTION X Regular Irregular?			
City/State/Zip: Oklahoma City, Oklahoma 73112	(Note: Locate well on Section Plat on Reverse Side)			
Contact Person: BREANNA VARGAS	County:STEVENS			
Phone: 405-246-3158	Lease Name: HACER Well #: 24 #1			
CONTRACTOR: License #: 30864* 30684	Field Name:			
ADEDODANTE DED. TAIC	Is this a Prorated/Spaced Field? Yes X No			
Name: ADERCROPELE RID, INC.	Target Formation(s): CHESTER Nearest Lease or unit boundary: 330 '			
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3083 feet MSL			
	Water well within one-quarter mile: yes x no			
Oil Enh Rec Infield X Mud Rotary	Public water supply within one mile:			
X Gas Storage Pool Ext. Air Rotary	Depth to bottom of fresh water:			
OWWO Disposal X Wildcat Cable	Depth to bottom of usable water:			
Seismic; # of Holes Other	Surface Pipe by Alternate: X 1 2			
Other If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'			
Operator:	Length of Conductor pipe required: 40'			
Well Name:	Projected Total Depth: 6350'			
Original Completion Date: Original Total Depth	Formation at Total Depth: CHESTER			
	Water Source for Drilling Operations:			
	Well X Farm Pond Other			
If yes, true vertical depth: Bottom Hole Location	DWR Permit #:			
KCC DKT #	(Note: Apply for Permit with DWR X)			
Provated, Spaced Highton & Panoma	Will Cores Be Taken?: Yes X No			
PUPA DOOLOG	If yes, proposed zone:			
MLL.	IDAVIT			
The undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K.S.A. 55- 101 et, seq,			
It is agreed that the following minimum requirements will be met:				
Notify the appropriate district office <i>prior</i> to spudding of well;				
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	h drilling rig.			
	by circulating cement to the top; in all cases surface pipe shall be set			
through all unconsolidated materials plus a minimum of 20 feet into the	,			
· · · · · · · · · · · · · · · · · · ·	trict office on plug length and placement is necessary prior to plugging;			
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 				
 If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 				
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to any cementing.			
I hereby certify that the statements made herein are true and to the best of m	y knowledge and belief.			
Date: 6/20/06 Signature of Operator or Agent:	Title: OPERATIONS ASSISTANT			
Date: 6/20/06 Signature of Operator or Agent:	Title: OFFRATIONS ASSISTANT Remember to:			
For KCC Use ONLY 189 - 22542-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;			
Non-A	- File Completion Form ACO-1 within 120 days of spud date;			
/ 20	- File acreage attribution plat according to field proration orders;			
Minimum surface pipe required feet per AV. 1 Approved by: Put 6-30-00	- Notify appropriate district office 48 hours prior to workover or re-entry;			
This authorization expires: 23000	- Submit plugging report (CP-4) after plugging is completed;			
(This authorization void if drilling not started within 6 months of effective date.)	- Obtain written approval before disposing or injecting salt water.			
(The delivered for the first and the stated within a months of enective date.)	- If permit has expired (See: authorized expiration date) please			
Spud date: Agent	check the box below and return to the address below			
,	Well Not Drilled - Permit Expired			
	Signature of Operator or Agent:			
	Date:			

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22542-0000	Location of Well: County: STEVENS			
Operator EOG Resources, Inc.	330_ feet from N/S X Line of Section			
Lease HAGER	330_ feet from E / W x Line of Section			
Well Number 24 #1	Sec24Twp33 S. R37 East X Wes			
Field				
Number of Acres attributable to well:	Is Section X Regular or Irregular			
QTR/QTR/QTR of acreage:SWSWSW	If Section is irregular, locate well from nearest corner boundary.			
·	Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 2 3 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: EOG Resources, Inc.		License Number: 5278		
Operator Address: 3817 NW Expressway Suite #500		Oklahoma City, OK 73112		
Contact Person: Breanna Vargas			Phone Number: (405) 246 - 3158	
Lease Name & Well No.: Hager 24 #1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		C <u>SWSW</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 24 Twp. 33S R. 37 East West	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity: 12,500 (bbls)		Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)			StevensCounty	
Is the pit located in a Sensitive Ground Water	er Area? Yes No		Chloride concentration: mg/l	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	A 115 : 11 : 0		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? Yes V No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:5(feet)				
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure.		liner integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth			west fresh water 265 /6/feet.	
		Source of information: well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling Workover and Haul-Off Pite ONLY		
Producing Formation:		Type of material utilized in drilling/workover: Gel		
		Number of working pits to be utilized: None		
Barrels of fluid produced daily:		Abandonment procedure: Evaporation/dewater and backfilling		
Does the slope from the tank battery allow all	spilled fluids to	of reserve pit.		
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc				
6/20/06 Date			WWW \ \ \ WW \ \ \ W \ \ \ \ \ \ \ \ \	
Date Signature of Applicant of Agent				
KCC OFFICE USE ONLY				
Date Received: 43/06 Permit Number: Permit Date: 4/23/06 Lease Inspection: Yes 🗷 No				



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.