# For KCC Use: 7-10-06 Effective Date: 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot ✓ Ea	ot.
month day year	Spot	
33344 V	330feet from N / VS Line of Section	:51
OPERATOR: License# 33344 V Name: Quest Cherokee LLC	1980feet from E / V W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION   ✓ Regular  Irregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette	
Phone: (405) 286-9316	Lease Name. Couch, E.P. Well #. 12-2	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330	
Oil Enh Rec  Infield  Mud Rotary	Ground Surface Elevation: 865 feet M	SL
Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓	_
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓	No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	_
✓ Other Coalbed Methane	Depth to bottom of usable water: 200	_
<u> </u>	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	_
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500  Cherokee Coals	_
Original Completion Date:Original Total Depth:	Tomation at lotal Depth.	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other Air	
If Yes, true vertical depth:	Useli Farm Pond Other Air  DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken? Yes ✓I	Nο
	If Yes, proposed zone:	110
	RECEIVED	
AFF	DAVIT KANSAS CORPORATION COMM	MISS
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et seg	
the transfer of the state of th	JUL 0 5 2006	
	ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2006	
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DRUGGO	N
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on ear	ch drilling rig: CONSERVATION DIVISIO	N
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on ear	ch drilling rig; If by circulating cement to the top; in all cases surface pipe CHITALISSet	N
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the drift the set.</li> </ol>	ch drilling rig; It by circulating cement to the top; in all cases surface pure surface processes to the underlying formation.  It is the constant of the top is all cases surface processes to the underlying formation.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot.</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	ch drilling rig;  th by circulating cement to the top; in all cases surface pipe characters  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging,  iged or production casing is cemented in;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug lift an ALTERNATE II COMPLETION, production pipe shall be cement</li> </ol>	ch drilling rig;  th by circulating cement to the top; in all cases surface pipe characters are underlying formation.  istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.	;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	ch drilling rig;  th by circulating cement to the top; in all cases surface pipe characters  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging,  iged or production casing is cemented in;	;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	ch drilling rig; the by circulating cement to the top; in all cases surface pipe Grant Set the underlying formation. istrict office on plug length and placement is necessary prior to plugging, igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemention the plugged. In all cases, NOTIFY district office prior to any cementing.	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	conservation division of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	ch drilling rig; the by circulating cement to the top; in all cases surface pipe Grant Set the underlying formation. istrict office on plug length and placement is necessary prior to plugging, igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemention the plugged. In all cases, NOTIFY district office prior to any cementing.	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug to the set of	CONSERVATION DIVISION OF THE CONSERVATION DIVISION OF BUILDING OF	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order of the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the well shall be second or the surface casing order must be completed within 30 days of the spud date or the well shall be second or the well shall be second or the well shall be second or the spud date.	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, igged or production casing is cemented in; and the surface within 120 days of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through the well is either plug 6. If the well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented in the best of the best of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the best of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 99 - 23992 - 0000	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later of the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the best of the later of the well shall be conducted.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O 9 9 - 23992 - 0000  Conductor pipe required None feet	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later of the well shall be cement.  7. In the statements made herein are true and to the best of the production of the well shall be the statements made herein are true and to the best of the product of the well shall be the statements of the product of the pr	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging, aged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the set of	CONSERVATION DIVISION OF The Conservation Division of the drilling rig; the production case of the conservation division. It is the conservation of the conservation o	ing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe characters are underlying formation. In istrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the set of	CONSERVATION DIVISION OF The design of the conservation division of the conservation division.  The design of the conservation design of the conservation division of the conservation division division of the conservation division divisione division division division division division division divisione division divisione di divisione di divisione divisione divisione di divisione di divisione d	ing S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet into the defence of 20 feet per Alt.  If the well is dry hole, an agreement between the operator and the defence of 20 feet into the	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe Grant Set to be underlying formation. In instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ing S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later of the well shall be the statements made herein are true and to the best of the best of the later of the well shall be conducted.  For KCC Use ONLY  API # 15 - O99 - 23992 - 0000  Conductor pipe required Nonle feet  Minimum surface pipe required feet  Approved by: Lut 7-506  This authorization expires: 1-5-07	CONSERVATION DIVISION OF The design of the conservation division of the conservation division.  The design of the conservation design of the conservation division of the conservation division division of the conservation division divisione division division division division division division divisione division divisione di divisione di divisione divisione divisione di divisione di divisione d	ing S

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 15-099-23992-000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	
Lease: Couch, E.P.	feet from N / S Line of Section  1980 feet from E / W Line of Section
Well Number:	Sec. 12 Twp. 32 S. R. 18 Ves
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:SESW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				:	
		1			
				•	
 ·				 	٠.
		ĺ			
•					
	•				
		ľ			•
		I			•
		.,			
		<del>/</del>	<i>r</i>		
•				•	•
•					
•					•
 		!		 	
		1			
		1		•	•
	1.				•
 	1			 	•
		1			
					•
•					
 	<b>.</b>	[		 	
		Ī			
	1 1	ı			



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120						
Contact Person: Richard Marlin			Phone Number: ( 405 ) 286 - 9316			
Lease Name & Well No.: Couch, E.P. #12-2			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 12 Twp. 32 R. 18			
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit			Feet from			
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Labette County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l			
	T.		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	BO Length (fe	eet)10	Width (feet) N/A: Steel Pits			
Depth fr	rom ground level to de	eepest point:	10 (feet)			
material, thickness and installation procedure.		liner integrity, i	edures for periodic maintenance and determining including any special monitoring.  Operation lasting approx 3 days			
Distance to nearest water well within one-mile of pit  Depth to shallo Source of information of the shallon of		owest fresh waterfeet.				
feet Depth of water wellfeet			uredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	cover and Haul-Off Pits ONLY:			
Producing Formation: Ty		Type of materi	al utilized in drilling/workover: Air Drilled			
			lumber of working pits to be utilized: One			
Barrels of fluid produced daily: Abai		Abandonment	procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.    Signature of Applicant or Agent   Signature						
KCC OFFICE USE ONLY						
Date Received: 7/5/06 Permit Number: Permit Date: 7/5/06 Lease Inspection: Yes No						