For KCC Use:

Effective Date:

District #

SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| Expected Spud Date July 10, 2006 | Snot |
|---|--|
| month day year | Spot East East East East |
| 23620 | 2130' Sec. Twp. S. R. West 2130' Feet from V N / S Line of Section |
| OPERATOR: License# 33629 | 1065' feet from E / ✓ W Line of Section |
| Name: Great Plains Energy, Inc. a NE Corp. Address: 429 N Linden PO Box 292 | Is SECTION Regular Irregular? |
| Address: Wahoo, NE 68066 | |
| City/State/Zip: | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Dan Blankenau Phone: 402-443-6125 | County: Sheridan |
| Phone: 422433123 | Lease Name: Haffner Well #: 1 |
| CONTRACTOR: License# 33237 | Field Name: Wildcat |
| Name: Anderson Drilling | Is this a Prorated / Spaced Field? Yes ✓ No |
| | Target Formation(s): LKC |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 390' |
| ✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary ✓ | Ground Surface Elevation: 2740' feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: Yes ✓ No |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Yes ✓ No |
| Seismic: # of Holes Other | Depth to bottom of fresh water: |
| Other | Depth to bottom of usable water: 216. |
| | Surface Pipe by Alternate: |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe required: None |
| Well Name: | Projected Total Depth: 4200' |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Marmaton |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| | ▼ Well Farm Pond Other |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 📄) |
| KCC DKT #: | Will Cores be taken? |
| | |
| | If Yes, proposed zone: |
| AEE | If Yes, proposed zone: |
| AFF | If Yes, proposed zone: |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual pl | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | DAVIT KANSAS CORPORATION COMMISSION OF THE CEIVED LINE OF THE CEIVED L |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | DAVIT WANSAS CORPORATION COMMISSION CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION thy circulating cement to the top; in all cases surface WELLIAM Set |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the drill shall be second or the specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION thy circulating cement to the top; in all cases surface WENTALL Set |
| The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 ch drilling rig; thy circulating cement to the top; in all cases surface in the comply set of the complying formation. istrict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the decrease. 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. | DAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface production. Listrict office on plug length and placement is necessary prior to plugging; Light of the complete of the comple |
| The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the thing that the well is dry hole, an agreement between the operator and the description of the strict office will be notified before well is either plug that a MATERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order | DAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 Conservation Division The drilling rig; Conservation Division The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the drilling of the approved notice of intent to drilling of the shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drilling of the shall be defined before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before appropriate of the shall be of the well shall be of the district office. | DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the thing that the well is dry hole, an agreement between the operator and the description of the strict office will be notified before well is either plug that a MATERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of | DAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the defense of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of | DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of | DAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface in the control of the co |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the appropriate district office of the pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the well is dry hole, an agreement between the operator and the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the complete | DAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t | DAVIT KANSAS CORPORATION COMMISSION Lagging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION The underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be posted on each and the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be determined in the drill shall be determined between the operator and the drill shall be defered with the drill shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be completed. I hereby certify that the statements made herein are true and to the best of Date: July 5, 2006 Signature of Operator or Agent: Drill Signature of Operator Operator or Agent: Drill Signature of Operator Oper | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the appropriate district office of the pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the well is dry hole, an agreement between the operator and the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the complete | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. In the underlying formation. In the underlying formation or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the figure of the well is either plug of the superpopriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the superpopriate district office will be notified before well is either plug of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the superpopriate of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - 179 - 21/58 - 0000 Conductor pipe required None feet per Alt. | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. In the underlying formation. In the underlying formation or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second and the second and unconsolidated materials plus a minimum of 20 feet into the second and | DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. Strict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the tentrough all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through a plus a minimum of 20 feet into the tentrough and through a plus field before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: July 5, 2006 | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plug state. I hereby certify that the statements made herein are true and to the best of the plug state. Signature of Operator or Agent: Conductor pipe required Mone feet Minimum surface pipe required Approved by: PLH 7-6-00 This authorization expires: 1-6-07 | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the tentrough all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through a plus a minimum of 20 feet into the tentrough and through a plus field before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: July 5, 2006 | DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plug state. I hereby certify that the statements made herein are true and to the best of the plug state. Signature of Operator or Agent: Conductor pipe required Mone feet Minimum surface pipe required Approved by: PLH 7-6-00 This authorization expires: 1-6-07 | DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. JUL 0 6 2006 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. Strict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through a purpose that the settler plug 6. If the well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the total through the surface casing order must be completed within 30 days of the spud date or the well shall be through the surface casing order must be completed within 30 days of the spud date or the well shall be through the surface casing order must be completed within 30 days of the spud date or the well shall be through the surface casing order must be completed within 30 days of the spud date or the well shall be provided within 30 days of the spud date or the well shall be provided within 4 feet per All. For KCC Use ONLY API # 15 - 179 - 21/58 - 0000 For KCC Use ONLY API # 15 - 179 - 21/58 - 0000 For KCC Use ONLY API # 15 - 179 - 21/58 - 0000 For KCC Use ONLY Approved by: Put 7 - 0 - 000 This authorization expires: 1 - 0 - 07 (This authorization void if drilling not started within 6 months of approval date.) | DAVIT KANSAS CORPORATION COMMISSION To proposed growth will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION To by circulating cement to the top; in all cases surface proposed as et underlying formation. In thic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| Operator | API No. 15- 179-21158-0000 | | | | Location of Well | Location of Well: County: Sheridan | | |
|-------------------------------|----------------------------|-------------------|---------------------------------------|----|---|--|--|--|
| | | Energy, Inc. a NE | Corp. | | 2130' | feet from V N / S Line of Section | | |
| Lease: Haffner Well Number: 1 | | | | | 1065' | feet from E / 🗸 W Line of Section | | |
| | | | | | Sec. 12 | Twp. 9 S. R. 28 East ✓ Wes | | |
| Field: Wi | ildcat | _ | | | | | | |
| Number | of Acres attri | butable to well: | | | Is Section: ✓ | Regular or Irregular | | |
| | TR / QTR of | | _ SW | NW | | | | |
| QIII/QI | in/Qinoi | acreage | | | | regular, locate well from nearest corner boundary. | | |
| | | | | | Section corner u | used: NE NW SE SW | | |
| | | LIZC, | | | PLAT attributable acreage for pearest lease or unit boun | prorated or spaced wells.) adary line.) | | |
| | : | | : | : | | | | |
| | | | | • | | RECEIVED | | |
| | | | | | | KANSAS CORPORATION COMMISSION | | |
| | | . | | | | JUL 0 6 2006 | | |
| | | . 1 | | | | JUL () D ZUUU | | |
| | | | | | | • • | | |
| | | | : | : | : : : | CONSERVATION DIVISION | | |
| z. ' | | | | | | | | |
| <u> </u> | | | · · · · · · · · · · · · · · · · · · · | | | CONSERVATION DIVISION | | |
| <u>.</u> | | | | | | CONSERVATION DIVISION WICHITA, KS | | |
| <u>.</u> . | | | | | | CONSERVATION DIVISION | | |
| <u>.</u> | | | | | | CONSERVATION DIVISION WICHITA, KS | | |
| <u>.</u> | | | | | | CONSERVATION DIVISION WICHITA, KS | | |
| <u>.</u> | | | | | | CONSERVATION DIVISION WIGHTA, KS | | |
| | | | | | | CONSERVATION DIVISION WICHITA, KS | | |
| | | | | | | EXAMPLE | | |
| <u>.</u> | | | | | | CONSERVATION DIVISION WIGHTA, KS | | |

NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Great Plains Energy | y, Inc. a NE Co | License Number: 33629 | | | | | |
|--|---|--|---|----------------------------------|--|--|--|
| Operator Address: 429 N Linden, P | O Box 292, \ | Wahoo, NE | 68066 | | | | |
| Contact Person: Dan Blankenau | | | Phone Number: (402) 443 -6125 | | | | |
| Lease Name & Well No.: Haffner #1 | | | Pit Location (QQQQ): | | | | |
| Type of Pit: | Pit is: | | NW SE SW NW | | | | |
| Emergency PitBum PitSettling Pit✓ Drilling Pit | Proposed Existing If Existing, date constructed: | | 2130' Feet from North / South | st 🗸 West | | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) ——————————————————————————————————— | Pit capacity: 600 (bbls) | | 1065' Feet from East / West Line of Section Sheridan County | | | | |
| Is the pit located in a Sensitive Ground Water Area? Yes | | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | | |
| Is the bottom below ground level? Yes No | Artificial Liner? ☐ Yes ✓ No | | How is the pit lined if a plastic liner is not used Bentonite & Drilling Solids for | | | | |
| Pit dimensions (all but working pits):8 | O Length (fe | | Width (feet) N/A: | Steel Pits | | | |
| | | | | | | | |
| Distance to nearest water well within one-mile | | Depth to shallowest fresh water | | | | | |
| 3426 feet Depth of water well | 94 feet | | | | | | |
| Emergency, Settling and Burn Pits ONLY: | | | Type of material utilized in drilling/workover: Bentonite | | | | |
| Producing Formation: | | | | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: 4 Abandonment procedure: Allow to evaporate then cover for farming | | | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | | | |
| I hereby certify that the above states | ments are true and c | correct to the bes | of my knowledge and belief. | DRPORATION COMMI UL 0 6 2006 | | | |
| July 5, 2006 Date | | coå | ignature of Applicant or Agent | ERVATION DIVISION WICHITA, KS | | | |
| | KCC | OFFICE USE O | NLY | | | | |
| Date Received: 7/4/04 Permit Numb | | | t Date: 7/6/06 Lease Inspection: | Yes 🔽 No | | | |