For KCC Use: -	l lu ola
Effective Date:	1-11-06
District #3	
0040	1

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

hub. 15, 2006	
JUIV 15 ZUUD	
Expected Spud Date July 15, 2006	Spot ✓ East C SW NW Soc 1 Tun 32 S B 15E ☐ West
, , , , , , , , , , , , , , , , , , , ,	
OPERATOR: License# 33074	3300 FSL feet from N / V S Line of Section 4620 FEL feet from V E / W Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	Is SECTION ✓ Regularirregular?
Address: 211 W. Myrtle City/State/Zip: Independence KS 67301	
Contact Person: Tony Williams	(Note: Locate well on the Section Plat on reverse side)  County: Montgomery
Phone: 620-331-7870	Lease Name: O'Malley Well #: B1-1
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 410 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 815 feet MSL
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:   Yes   ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 175'
	Surface Pipe by Alternate: 1 2 40'
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p	ludding of this well will comply with K.S.A. 55 et. seg
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a  4. If the well is dry hole, an agreement between the operator and the	ch drilling rig;  CONSERVATION DIVISION  Pet by circulating cement to the top; in all cases WiGhiern, its shall be set the underlying formation.  District office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be unconsolidated materials plus a minimum of 20 feet into the surface will is dry hole, an agreement between the operator and the surface to the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall.	ch drilling rig;  CONSERVATION DIVISION  et by circulating cement to the top; in all cases Michier pitcs hall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ch drilling rig;  CONSERVATION DIVISION  et by circulating cement to the top; in all cases Michier pitcs hall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the mount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the state of the surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the state of the surface will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface	ch drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialis  Remember to:  File Dnill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:    July 5, 2006	conservation division  to be considered to the top; in all cases with the set of the underlying formation. The underlying formation is the underlying formation. The district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the spud date or feet well shall be provided by:    Date: July 5, 2006	conservation division  to be considered to the top; in all cases with the set of the underlying formation. The underlying formation is the underlying formation. The district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Sr Regulatory & Safety Compliance Specialist Price Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud state of Operator or Agent:    Date: July 5, 2006	conservation division  to the drilling rig;  conservation division  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31152-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	3300 FSL feet from N / ✓ S Line of Section
Lease: O'Malley	4620 FEL feet from
Well Number: <u>B1-1</u>	Sec. 1 Twp. 32 S. R. 15E Fast Wes
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	T32S						
RECEIVED KANSAS CORPORATION COMMISSION JUL 0 6 2006						· · · · · · · · · · · · · · · · · · ·	
CONSERVATION DIVISION WIGHTA, KS	·				·	4620 FE	
R15E  EXAMPLE : : : : : : : : : : : : : : : : : : :				1 —	· ·		
1980				· · · · · · · · · · · · · · · · · · ·		3300 FSL	
3390'	: :				· · ·		
SEWARD CO.						· · · · · · · · · · · · · · · · · · ·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074	
Operator Address: 211 W. Myrtle Inde			ependence KS 67301	
Contact Person: Tony Williams			Phone Number: ( 620 ) 331 - 7870	
Lease Name & Well No.: O'Malley	B′	1-1	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>C SW NW</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 1 Twp. 32 R. 15E	
Settling Pit	If Existing, date constructed:		3300 FSL North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		4620 FEL Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	000	(bbls)	Montgomery - Count	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ☑	No.	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	Natural Clays	
Pit dimensions (all but working pits):	5 Length (fe	eet) 30	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.	
Distance to nearest water well within one-mile	stance to nearest water well within one-mile of pit  Depth to shallor Source of info		owest fresh waterfeet.	
feet			uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling,			cover and Haul-Off Pits ONLY:	
Producing Formation: Type of mat		Type of materia	ial utilized in drilling/workover: Air	
		rking pits to be utilized: One		
Barrels of fluid produced daily: Abandonmen		procedure: Air dry, fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COL		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  JUL 0 6 2006				
July 5, 2006 		lang Wil	CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: 7/6/06 Permit Num	nber:	Perm	nit Date: 7/6/06 Lease Inspection: Yes 🗓 No	