For KCC Use:	7-11-06
Effective Date: _	7-71-00
District #	4
CC42	TXNo.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	(5) days prior to commencing well
1.1.40.0000	
Expected Spud Date	Spot
month day year	SE _ NE _ NW Sec. 36 Twp. 4 S. R. 30 West
OPERATOR: License# 33629	1010' feet from N / S Line of Section
Nome: Great Plains Energy, Inc. a NE Corp.	2310' feet from E / W Line of Section
429 N Linden PO Box 292	Is SECTION Regular Irregular?
City/State/Zip: Wahoo, NE 68066	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dan Biankenau	County: Decatur
Phone: 402-277-5336	Lease Name: Wasson Brothers Farms Well #: 5
. /	Field Name: Swede Hollow
CONTRACTOR: License# 33575 V	Is this a Prorated / Spaced Field?
Name: **** Drining, ELO	Target Formation(s): LKC
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 390'
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary ✓	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No 2
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 210'
Other	Depth to bottom of usable water: 210'
	Surface Pipe by Alternate: ✓ 1
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260'
Operator:	Length of Conductor Pipe required: None Projected Total Depth: 4220'
Well Name:	Formation at Total Depth: Marmaton
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	₩eil Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	Note: Annly for Permit with DWR
KCC DKT #:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? Yes No
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the seen that the	If Yes, proposed zone: IDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the se	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; In the proposed zone: In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et, seq. Inch drilling rig; Inch drilling r
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the sec	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on easthrough all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the first of the appropriate district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date of the well shall be completed. Signature of Operator or Agent: **Date: **June 30, 2006** Signature of Operator or Agent: **Date: **June 30, 2006** **Date: **June	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plate: Date: June 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Q39 - Q09 79 - Q000 Conductor pipe required None. feet	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the foliation of the statement of the statement of the statement of the spudding order must be completed within 30 days of the spuddate or the well shall be the shall be certify that the statements made herein are true and to the best of the spudding of the spudding order of the well shall be completed. For KCC Use ONLY API # 15 - 039 - 20979 - 0000 Conductor pipe required Norle feet	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the foliation of the well is dry hole, an agreement between the operator and the foliation of the well is district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of t	If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the desired in the desired pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the desired pipe is desired pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the desired pipe is desired pipe as specified below <i>shall be</i> and the operator and the desired pipe shall be comented in a LTERNATE II COMPLETION, production pipe shall be comented by the completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of the desired pipe and the desired pipe arequired pipe. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 039 - 209 79 - 0000 Conductor pipe required Norle feet per Alt. Minimum surface pipe required feet per Alt. This authorization expires: I - 6 - 07	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling r
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the pit of the	If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-20979-0000	Location of Well: County: Decatur	
Operator: Great Plains Energy, Inc. a NE Corp.	1010' feet from N / S Line of Section	
Lease: Wasson Brothers Farms	2310' feet from E / V W Line of Section	
Well Number: 5 Field: Swede Hollow	Sec. 36 Twp. 4 S. R. 30 East ✓ Wes	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: SE _ NE _ NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1010,	
	: : :
 	S
· · · · · · · · · · · · · · · · · · ·	_
 : : : :	
· · · · · · · · · · · · · · · · · · ·	: : :



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for git wells) 5 2006

KCC WICHITA

2310

4 sections, etc.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Great Plains Energy, Inc. a NE Corp.		License Number: 33629		
Operator Address: 429 N Linden, PO Box 292, Wahoo, NE 68066				
Contact Person: Dan Blankenau		Phone Number: (402) 277 - 5336		
Lease Name & Well No.: Wasson #5		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE - SE - NE - NW	
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 36 Twp. 4S R. 30 East 🗸 West	
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		1010' Feet from 🗸 North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		2310' Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)	Decatur County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	Bentonite & Drilling Solids for Self Seal	
Pit dimensions (all but working pits):8	BO Length (fe	eet)60	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 4S	(feet)	
			dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh water	
		measu	UN 1163	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Bentonite		
Number of producing wells on lease:		Type of material utilized in drilling/workover: Bentonite Number of working pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment procedure: Allow to evaporate then cover for farming.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
June 30, 2006 Date Carol Medium Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 7/5/06 Permit Number: Permit Date: 7/5/06 Lease Inspection: Yes No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202