RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	7-12-06
Effective Date: _	7-12-00
District #	<u> </u>
0040 🗆 1	V N.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUL 07 2006

Form C-1 December 2002

CONSERVATION DIVISION Form must be Typed

Spot Sput Date July 25, 2006 month day year month day	54A. 165 E. 165	(5) days prior to commencing well
OPERATOR Lonnate 34354 \$ 3.5 7 1660	Expected Spud Date July 25, 2006	
Address: 15428 North Freeways, Sulte 230 Contact Person. Jeff Stevenson Phone. 261875-6200 Contract Person. Jeff Stevenson Phone. 261875-620 Contract Person. Jeff Stevenson Phone. 261875-6200 Contract Person. Jeff Ste	•	
Name: Names Produced EVS, TUC. Address: 1925 North Freeway, Suble 230 City/State/Zip, Houston, Texas 77050 Contract Person, 1945 Stevenson Phone: 281675-8200 CONTRACTOR: Licensee 33286 Is this a Protated / Spaced Field? Nearest Lease or unit boundary, 3407 Nea	OPERATOR: License# 33515 33511	Test from
Cily/Stack/2p. Houston, Toxas 77690 (Mote: Lorate valid or the Section Plat on reverse side) Contract Prepon, ed 18 Sevenson Phone, 28 1875-6200 CONTRACTOR: Licenses 33286 Name. Bart Lorenz Well Drilled For. Well Class: Type Equipment: Oil	Name: Kansas Production EQR, LLC	leet from E / V VV Line of Section
County_Monganery Person_Jet1875-200 CONTRACTOR: Licenses 33286 Name: Bart Lorenz Well Drilled For. Well Class: Type Equipment: OI	Address: 15425 North Freeway, Suite 230	is Sectionnegularirregular?
Lease Name Boulanger Well #: 2-16	City/State/Zip: Houston, Texas 77090	
Field Name: Hardnan-Wayside Fiel	Contact Person: Jeff Stevenson	County: Montgomery 2-16
Is this a Prorated / Spaced Field? Target Formation(s): Rowel/Riverton Target Formation(s): Rowel/Rive	Phone: 281/0/3-0200	Lease Name: Douldinger Well #: 2-10
Name Bart Lorenz Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Well Storage Pool Ext. Air Rotary Own Sisposal Wilcott Sales Selsmer: # of Holes Other Other Other Well Mane: Operator: Well Name: Operator: Well Name: Original Completion Date: Original Total Depth: Promotion at Total Depth: Missessippi Lime Water well within one-quarter mile: Wes Minor Depth to bottom of usable water. 2004 Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe Planned to be set: *2011. Length of Conductor Pipe required. None Projected Total Depth: Missessippi Lime Water Source for Drilling Operations: Water well within one-quarter mile: Wes Minor Pipe to bottom of usable water. 2004 Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe Planned to be set: *2011. Length of Conductor Pipe required. None Projected Total Depth: Mississippi Lime Water Source for Drilling Operations: Water well within one-quarter mile: Wes Pinor Depth to bottom of usable water. 2004 Surface Pipe Planned to be set: *2011. Length of Surface Pipe Planned to be set: *2011. Length of Surface Pipe Planned to be set: *2011. Length of Conductor Pipe Required. None Projected Total Depth: Mississippi Lime Water Source for Drilling Operations: Water well within one-quarter mile: Wes Pinor Depth to bottom of Inch water, 1504 Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe as Pipe Required. None Water Source Pipe Planned to be set: *2011. Length of Conductor Pipe Required. None Water Source Pipe Planned to be set: *2011. Water Source Pipe Planned to Best *2011. Water Source Pipe Planned to be set: *2011. Water Sou	CONTRACTOR: License# 33286	
Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 359 Service	Name: Bart Lorenz	Is this a Prorated / Spaced Field?
Conditional Completion Date:		Negreet Lease or unit boundary 340'
Water well within one-quarter mile:	Well Drilled For: Well Class: Type Equipment:	
Gase Storage Pool Ext. Air Rotary Air Rotary Order	Oil	
Depth to bottom of fresh water. 150+ Depth to bottom of fresh water. 150+ Depth to bottom of usable water. 200+ Surface Pipe by Alternate:	✓ Gas Storage Pool Ext. ✓ Air Rotary ✓	
Seismic:	OWWO Disposal Wildcat Cable	
Surface Pipe by Allemate:	Seismic;# of Holes Other	
If OWWO: old well information as follows: Operator: Operator: Original Completion Date: Original	Other	
Operator: Well Name: Original Completion Date: Original Completion Original Comp	If OWING: old well information as follows:	
Projected Total Depth:		Length of Conductor Pipe required: None
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source Source Water Source Sourc	•	Projected Total Depth: 1500'
Water Source for Drilling Operations: Water Source Sou		Formation at Total Depth: Mississippi Lime
Bottom Hole Location:		Water Source for Drilling Operations:
Note: Apply for Permit with DWR Yes No		Well Farm Pond Other City
Will Cores be taken? If Yes, proposed zone: Yes	If Yes, true vertical depth:	DWR Permit #:
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE il COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate Il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my kgowledge and belief. Date: 7-6-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - LSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	Bottom Hole Location:	(Note: Apply for Permit with DWR)
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my kgoyledge and belief. Date: 7-6-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - L25 - 3 I I V 2 V 2000 This authorization expires: I - 7 - 07 This authorization expires: I - 7 - 07 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent: Agent: Agent: Agent: AFFIDAVIT API # 15 - L2 - 3 I V 2 V 3 V 3 V 3 V 3 V 3 V 3 V 3 V 3 V 3	KCC DKT #:	Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7-6-06 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		If Yes, proposed zone:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be <i>set</i> by circulating cement to the top; in all cases surface pipe <i>shall</i> be <i>set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggling</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 <i>days</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of my kgowledge and belief. Date: 7-6-06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 3 / 1 / 2 - 2000 Approved by: 2-3 - 7 - 00 Title: Operations Manager Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (<i>See: authorized expiration date</i>) please check box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my kgoyledge and belief. Pote: 7-6-06 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
For KCC Use ONLY API # 15 - 20 - 31102-0000 Conductor pipe required Nore feet Minimum surface pipe required 1-7-00 Approved by: 2-7-7-00 This authorization expires: 1-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plughted. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
For KCC Use ONLY API # 15 - 125 - 31102-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. Approved by: 2-12 7-7-00 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: API # 15 - 125 - 31102-0000 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
For KCC Use ONLY API # 15 - 25 - 3 / 1 / 2 - 2000 Conductor pipe required	Date: 7-6-06 Signature of Operator or Agent:	
This authorization expires: 1-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent:	API # 15 - 25 - 31/102-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2)	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agen	/ 7 - D - T	- If this permit has expired (See: authorized expiration date) please
Spud date: Agent: Signature of Operator or Agent:	This dution expires.	check the box below and return to the address below.
	Snud date: Agent:	
	Opad data.	, ,

JUL 0 7 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15- 125-31/62-0000	Location of Well: County: Montgomery
Operator: Kansas Production EQR, LLC	feet from N / ✓ S Line of Section
Lease: Boulanger	2300 feet from E / 🗸 W Line of Section
Well Number: 2-16	Sec. 16 Twp. 34S S. R. 14 ✓ East West
Field:_Havana-Wayside	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR of acreage: SE - NE - SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUL 07 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT_{CONSERVATION} DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Kansas Production EQR, LLC			License Number: 33517		
Operator Address: 15425 N. Freeway Ste. 230 Houston, Texas 77090					
Contact Person: Jeff Stevenson	•		Phone Number: (281) 875 -6200		
Lease Name & Well No.: Boulanger	#2-16		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE . NE . SW</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 16 _{Twp.} 34S _{R.} 14 ✓ East		
Settling Pit	If Existing, date co	onstructed:	1660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			2300 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Montgomery County		
In the sit leasted in a Somethine Crowned Weter					
Is the pit located in a Sensitive Ground Water	Area? tes	₹ NO	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	∐ Yes ✓	No - 	Native Clays		
Pit dimensions (all but working pits):	BO Length (fe	eet)9	Width (feet) N/A: Steel Pits		
	rom ground level to de	epest point:	6(feet)		
material, thickness and installation procedure. liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh waterfeet. Source of information:			
N_Afeet Depth of water wellfeet		measuredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure: Air Dried and Backfilled			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
7-6-06 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 7/7/66 Permit Num	nber:	Perm	it Date: 7/7/06 Lease Inspection: Yes 🖈 No		