For KCC Use: Effective Date: District #\_\_\_3 SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date July 12, 2006	Spot
montn day year	NWSE - NW - NW Sec. 9 Twp. 14 S. R. 22 West
PERATOR: License# 33640	825 feet from VN / S Line of Section
me. Haas Petroleum, LLC	leet from _ E / V W Line of Section
dress: 800 West 47th, Suite 409	Is SECTION <u>✓ Regular</u> Irregular?
y/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Mark L. Haas	County: Johnson
one: (913) 531-5922	Lease Name: Weidemier Well #: 12
ONTRACTOR: License# 33557	Field Name: South Kill Creek
me: SKYY Drilling	Is this a Prorated / Spaced Field?
me: Ott i Diming	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 825'
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface Elevation: n/afeet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ N
OWWO Disposal Wildcat Cable	Public water supply well within one mile:  ☐ Yes ✓ N
Seismic; # of Holes Other	Depth to bottom of fresh water: 260+  Depth to bottom of usable water: 300+
Other	
	Surface Pipe by Alternate: 1 2 2  Length of Surface Pipe Planned to be set: 40'
OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 900'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
CC DKT #:	Will Cores be taken? Yes ✓ N
	If Yes, proposed zone:
AFF	IDAVIT KANSAS CEIVED
he undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:	olugging of this well will comply with K.S.A. 55 et. Seq.PORATION COMMISSIO
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the first the surface district office will be notified before well is either plus first an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order	olugging of this well will comply with K.S.A. 55 et. Seq. PORATION COMMISSION JUL 0 7 2006  ach drilling rig;  et by circulating cement to the top; in all cases surfection, KS the underlying formation.  district office on plug length and placement is necessary prior to plugging;
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a surface price and the operator and the surface price and the surface propriate district office will be notified before well is either plu.  5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface	ch drilling rig;  ch by circulating cement to the top; in all cases suring the content of the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the from below any usable water to surface within 120 days of spud date.  The #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a.  4. If the well is dry hole, an agreement between the operator and the analysis of the surface of the second of the surface properties. The appropriate district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the statements are true and to the statement are true and to the s	ch drilling rig;  ch by circulating cement to the top; in all cases suring the complete the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the from below any usable water to surface within 120 days of spud date.  The surface prior to any cementing of my knowledge and belief.  Title: Agent
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a through all unconsolidated materials plus a minimum of 20 feet into a surface price and the surface propriete district office will be notified before well is either pluse.  5. The appropriate district office will be notified before well is either pluse.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface and the statements are true and to the best of the surface and the statements are true and to the best of the surface and the statements are true and to the best of the surface and the statements are true and to the best of the surface and the statements are true and to the best of the surface and the sur	ch drilling rig;  cet by circulating cement to the top; in all cases surface prior to plugging;  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ated from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent
the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete in the complete of t	ch drilling rig;  ch by circulating cement to the top; in all cases suring the complete the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  thed from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong and the strong a	ch drilling rig;  ch to pure the pure to the top; in all cases surious to the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the feet first through all unconsolidated materials plus a minimum of 20 feet into the feet first through all unconsolidated materials plus a minimum of 20 feet into the feet first through all unconsolidated materials plus a minimum of 20 feet into the feet first plus and through all unconsolidated materials plus a minimum of 20 feet into the feet first plus and through all unconsolidated materials plus a minimum of 20 feet into the first plus and through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set through all unconsolidated materials plus a specified below shall be set to specified below shal	ch drilling rig;  ct by circulating cement to the top; in all cases surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into a through all unconsolidated materials plus a minimum of 20 feet into a first the well is dry hole, an agreement between the operator and the statements district office will be notified before well is either plue. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the statements are true and to the best of the statements.  For KCC Use ONLY  API # 15 - 97-23099-0000	ch drilling rig;  ach drilling rig;  but by circulating cement to the top; in all cases suring the underlying formation.  Conservation plus length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into a feet into a minimum of 20 feet into a feet i	conservation commission of this well will comply with K.S.A. 55 et. SORPORATION COMMISSION OF CONSERVATION COMMISSION OF CONSERVATION PROPERTY.  In the underlying cement to the top; in all cases surface with the underlying formation. It is district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; it is different below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of t	ch drilling rig;  ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surjection commission.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  the drom below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of t	CONSERVATION COMMISSION  Conservation Division to the top; in all cases surface in the underlying formation.  In the underlying formation is necessary prior to plugging;  In the underlying is cemented in;  In the underlying is underlying is completed;  In the underlying is underlying in the underlying is unde
the undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the drilling of the well is dry hole, an agreement between the operator and the solid strict office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 091-23099-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt.  Approved by: Lut 7-7-06	CONSERVATION COMMISSION  The control of this well will comply with K.S.A. 55 et. Ser Poration Commission  ach drilling rig;  The conservation of the control of the underlying formation.  Conservation of the control of the underlying formation.  Conservation of the control of the control of the underlying formation.  Conservation of the conservation of the control of the underlying formation.  Conservation of the conservation of the conservation of the underlying formation.  Conservation of the conservation of the underlying formation of the plugging.  Conservation of the conservation of the plugging of the plugging is completed;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 09/- 23 099-0000	Location of Well: County: Johnson
Operator: Haas Petroleum, LLC	825feet from V N / S Line of Section
Lease: Weidemier	825 feet from E / V Line of Section
Well Number: _12	Sec. 9 Twp. 14 S. R. 22 ✓ East Wes
Field: South Kill Creek	<del></del>
Number of Acres attributable to well:	Is Section:    Regular or Irregular  Irregular
QTR / QTR / QTR of acreage:NWSENWNW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· I				
1 .	· 1		•		
1	1				
	· I				
1					
1					
1	1		 		
1					
	. •				
1		•		•	
1 .					
1	•			•	•
			_		
		-			•
			 · · ·		
1					
1					
	'			•	•
	•			•	•
			•		•
	•				
	•		•		
	•				
-			 		
			 •	•	
			:		
			 •	•	:
			 •		:
			•	•	:
			•	•	:
			 •	•	:
			 •	•	:
:		· · · · ·	 		
		· · · · ·	 	•	
:			 		
:			 		
:		· · · · ·	 		
:			 		
:			 		
:			 		
			 		: ::::::::::::::::::::::::::::::::::::
			 		: ::::::::::::::::::::::::::::::::::::
			 		: ::::::::::::::::::::::::::::::::::::
			 		: ::::::::::::::::::::::::::::::::::::
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:
			 		:



NOTE: in all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Haas Petroleum, LLC	License Number: 33640			
Operator Address: 800 West 47th, Suite 4	09, Kansa	s City, MO 64112		
Contact Person: Mark Haas	Phone Number: ( 913 ) 531 - 5922			
Lease Name & Well No.: Weidemier #12	Pit Location (QQQQ):			
Type of Pit: Pit is:		<u>NW - SE - NW - NW</u>		
☐ Emergency Pit ☐ Burn Pit ✔ Proposed	Existing	Sec. 9 Twp. 14 R. 22		
Settling Pit	constructed:	825 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit Pit capacity:		825 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)  120	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water Area?	<b>€</b> No	Chloride concentration: mg/l		
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
	No	native clay		
Pit dimensions (all but working pits): 50 Length	(feet) 10	Width (feet) N/A: Steel Pits		
Depth from ground level to	_	(feet)		
material, thickness and installation procedure.	liner integrity,	including any special monitoring.		
Distance to nearest water well within one-mile of pit		owest fresh water ~ 45 feet. rmation: K+I K65  ured well owner electric log KDWR		
ଥ୍ୟ feet Depth of water well <u>। ୧</u> ୪୦ feet	Source of info	rmation: ピャルとこ uredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:				
Producing Formation:	Type of materi	al utilized in drilling/workover: drilling mud		
Number of producing wells on lease:	, ,			
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		be closed within 365 days of spud date.		
I hereby certify that the above statements are true an	d correct to the bes	st of my knowledge and belief.  KANSAS CORPORATION COMMIS		
July 7, 2006	Donna	Signature of Applicant or Agent CONSERVATION DIVISION		
КС	C OFFICE USE O	WIGHITA, KS		
7/1/0		ait Data: 7 7 060 Lagra Jacquetian: 7 Yes Tal No.		