KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed

OIL & GAS CONSERVATION DIVISION FOR KCC Use:

NOTICE OF INTE	NT TO DOUL
Effective Date: 7-15-06 NOTICE OF INTE	· om made do digned
District # Must be approved by KCC five (5) d	lays prior to commercing well All blanks must be Filled
SGA? Yes No	
	SpotEast
Expected Spud Date	<u>E/2 E/2 SE Sec 1 Twp 31 S.R 38 X</u> West
month day year	1320 Fact from N/S William of Saction
5070	reet from N/S X Line of Section
OPERATOR: License # 5278	330 feet from X E / W Line of Section
Name: ECG Resources, Inc.	Is SECTION X Regular Irregular?
Address: 3817 NW Expressway, Suite 500	(Note: Locate well on Section Plat on Reverse Side)
City/State/Zip: Oklahoma City, Oklahoma 73112	CHEST TENTO
Contact Person: <u>BREANNA_VARGAS</u>	County: STEVENS
Phone: 405-246-3158	Lease Name: NETTIE MAY Well #: 1 #1
20594	Field Name:
CONTRACTOR: License #: 30684	Is this a Prorated/Spaced Field? Yes X No
Name: ABERCROMBIE RID, INC.	Target Formation(s): ST. LOUIS
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3113 feet MSL
O'I Fab Day Diesald Wild Dates	Water well within one-quarter mile: yes x no
Oil Enh Rec Infield X Mud Rotary	Public water supply within one mile: yes x no
X Gas Storage Pool Ext. Air Rotary	Depth to bottom of fresh water: 620'
OWWO Disposal X Wildcat Cable	Depth to bottom of usable water: 680'
Seismic; # of Holes Other	Surface Pipe by Alternate: X1 2
Other	Length of Surface Pipe Planned to be set: 1700'
If OWWO: old well information as follows:	Length of Conductor pipe required: 40'
Operator: ————————————————————————————————————	Projected Total Depth: 6000'
Well Name:	_
Original Completion Date: Original Total Depth	Formation at Total Depth: ST. LOUIS
Directional, Deviated or Horizontal wellbore? Yes X No	Water Source for Drilling Operations:
f yes, true vertical depth:	Well X Farm Pond Other
Bottom Hole Location	DWR Permit #:
KCC DKT #	(Note: Apply for Permit with DWR X)
	Will Cores Be Taken?: Yes X No
Prorated, Spaced Hugoton & Panoma	If yes, proposed zone: ————————————————————————————————————
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K S.A. 55- 101 RECEIVED
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
	IIII o c anno
 Notify the appropriate district office prior to spudding of well; 	JUL 0 5 2006
A copy of the approved notice of intent to drill shall be posted on each and the shall be posted on the shall be	h drilling rig:
3. The minimum amount of surface pipe as specified below shall be set	h drilling rig; by circulating cement to the top; in all cases suffice the strain be set
through all unconsolidated materials plus a minimum of 20 feet into th	
4. If the well is dry hole, an agreement between the operator and the dis	trict office on plug length and placement is necessary prior to plugging;
The appropriate district office will be notified before well is either plug	
	ed from below any usable water to surface within 120 days of spud date.
	133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the beet of my	y knowledge and belief.
Date: 6/30/06 Signature of Operator or Agent	Title: OPERATIONS ASSISTANT
Date: Signature of Operator or Agent.	
For KCC Use ONLY 199 - 22 CUIL CY20	Remember to:U - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15	1
Conductor pipe required None feet	- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe required feet per Alf 1	- File acreage attribution plat according to field proration orders;
Approved by: Put 7-10-06	Notify appropriate district office 48 hours prior to workover or re-entry; On the state of
This authorization expires: 1-10-07	- Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of effective date.)	- Obtain written approval before disposing or injecting salt water.
	- If permit has expired (See: authorized expiration date) please
Spud date: Agent	check the box below and return to the address below
	Mall Nat Della d. Daniel Francis d

Well Not Drilled - Permit Expired

Date:

Signature of Operator or Agent: _

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22544-0000	Location of Well: County:STEVENS
Operator EOG Resources, Inc.	1320_ feet from N/S X Line of Section
Lease NETTIE MAY	330_ feet from X E / W Line of Section
Well Number	Sec1Twp31S. R38East X Wes
Field	
Number of Acres attributable to well:	Is Section X Regular or Irregular
QTR/QTR/QTR of acreage:E/2E/2SE	If Section is irregular, locate well from nearest corner boundary.
- ·	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.		License Number: 5278		
Operator Address: 3817 N.W. Ex	xpressway	Suite #50	0 Oklahoma City, OK 73112	
Contact Person: Breanna Vargas		Phone Number: (405) 246 - 3158		
Lease Name & Well No.: Nettie May 1 #1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>C _ E/2 _ E/2 _ SE</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 _{Twp.} 31S _{R.} 38 ☐ East ✓ West	
Settling Pit	If Existing, date of	onstructed:	1320 Feet from North / V South Line of Se	ction
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from 🗸 East / 🗌 West Line of Se	ction
(If WP Supply API No. or Year Drilled)	12,50	00 (bbls)	Stevens	ounty
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:n	ng/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	now to the pit lines if a plastic line is not used?	
Pit dimensions (all but working pits):	25 Length (fe	eet) 125	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and describ/ED notuding any special monitor and component of the component o	
material, inickness and installation procedure	3 .	i illei illeaniv. I		
		,		331014
			JUL 0 5 2006	331014
				331014
Distance to nearest water well within one-mile	e of pit	Depth to shallo	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water190	- SSION
- 4		Depth to shallo Source of infor	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water190feet. mation:	/
2/122	344 feet	Depth to shallo Source of infor	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water190	/
2423 feet Depth of water well	344 feet	Depth to shallo Source of infor measu Drilling, Work	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: ired well owner electric log KDWF	7
2423 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	344 feet	Depth to shallo Source of infor measu Drilling, Work Type of materia	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: ared well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None	/
2423 feet Depth of water well	344 feet	Depth to shallo Source of infor measu Drilling, Work Type of materia	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: pred well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel	7
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	344 feet	Depth to shallo Source of information of reserve p	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: ored well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it.	7
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	344 feet	Depth to shallo Source of information of reserve p	JUL 0 5 2006 CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: ared well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling	7
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	344 feet	Depth to shallong Source of information of reserve properties.	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: red well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it. pe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	344 feet	Depth to shallong Source of information of reserve properties.	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: red well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it. pe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 6/30/06	344 feet	Depth to shallo Source of infor measu. Drilling, Work Type of materia Number of wor Abandonment of reserve purill pits must correct to the beserved.	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: red well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it. be closed within 365 days of spud date. It of my knowledge and belief.	/
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	344 feet	Depth to shallo Source of informers. Drilling, Work Type of materia Number of wor Abandonment of reserve porill pits must correct to the beserved.	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it. to f my knowledge and belief.	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 6/30/06	344 feet	Depth to shallo Source of infor measu. Drilling, Work Type of materia Number of wor Abandonment of reserve purill pits must correct to the beserved.	CONSERVATION DIVISION WICHITA, KS west fresh water 190 feet. mation: well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: Gel king pits to be utilized: None procedure: Evaporation/dewater and backfilling it. to f my knowledge and belief.	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.