For KCC Effective		7-16-06
District #		
SGA?	Yes	X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date July 16, 2006 month day year	Spot  NW NE NW Sec. 1 Two. 31 S. R. 14  We	
33365	415 feet from $\sqrt{N}$ S Line of Section	<b>5</b> 1
OPERATOR: License#	1838 feet from E / 🗸 W Line of Section	
Address: 1900 Shawnee Mission Parkway	Is SECTION   ✓ Regularirregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. M. B. Nattrass	County: Montgomery	
Phone: 913-748-3987	Lease Name: Fortner Well #: 3-1	
	Field Name: Cherokee Basin Coal	_
CONTRACTOR: License# 33606	ls this a Prorated / Spaced Field? Yes ✓ N	lo
Name: Thorton Air	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 415	_
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 918 feet MS	iL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓	lo
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	10
Seismic;# of Holes Other	Depth to bottom of fresh water:	_
Other	Depth to bottom of usable water:	_
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	_
Operator:	Length of Conductor Pipe required: None	_
Well Name:	Projected Total Depth: 1500 Feet  Sormation at Total Depth: Mississippian	_
Original Completion Date:Original Total Depth:	Formation at lotal popin,	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other X	_
Bottom Hole Location:	DWR Permit #:	_
	(Note: Apply for Permit with DWR )	
KCC DKT #	Will Course by Arthur 2	
KCC DKT #:	Will Cores be taken? Yes ✓	ю
RCC DRT #:	If Yes, proposed zone:	lo 
	If Yes, proposed zone:	_
AFFI	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION CO	 MMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION CO	 MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:    DAVIT   RECEIVED	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:    Conservation Division of the sequence of the well will comply with K.S.A. 55 et. seq.    Conservation Division of the sequence of the well will comply with K.S.A. 55 et. seq.    Conservation Division of the sequence of the well will be conservation division of the sequence of the well-well-well-well-well-well-well-wel	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to	If Yes, proposed zone:    Conservation Division of the sequence of the well will comply with K.S.A. 55 et. seq.    Conservation Division of the sequence of the well will comply with K.S.A. 55 et. seq.    Conservation Division of the sequence of the well will be conservation division of the sequence of the well-well-well-well-well-well-well-wel	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the decrease of the set of the specified district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the post of the spud case.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION CO  JUL 1 1 200  Ch drilling rig;  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe WICHIER, and the underlying formation.  In the underlying formation.  In the instrict office on plug length and placement is necessary prior to pluggling; and god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the spurphent of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the plus of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the left of the spud date or the well shall to the spud date or the	IDAVIT  KANSAS CORPORATION CO  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe WIGHTH, RE  The underlying formation.  Sistrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the plates.  I hereby certify that the statements made herein are true and to the best of the plates.  Signature of Operator or Agent:	IDAVIT  KANSAS CORPORATION CO  Set drilling rig;  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe Wichips, and the underlying formation.  Sistrict office on plug length and placement is necessary prior to pluggling; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of	IDAVIT  KANSAS CORPORATION CO  CONSERVATION DIVIS  The bright of the sequence	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the figure of the well is district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district offic	If Yes, proposed zone:    Conservation Division   Conservation Division	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the plug for the statements made herein are true and to the best of the plug for the spud feet per Alt.  For KCC Use ONLY  API # 15 - 31/64-0000  Conductor pipe required 1000 feet per Alt. 120 feet pe	IDAVIT  KANSAS CORPORATION CO  CONSERVATION DIVIS  The drilling rig;  CONSERVATION DIVIS  The underlying formation.  Sistrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	IDAVIT  KANSAS CORPORATION CO  Line drilling rig;  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe Wight Reserve to underlying formation.  In this proposed in all cases surface pipe wight reserve to plugging; and the plugging or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the summary of the specified before well is either plug for the appropriate district office will be notified before well is either plug for the purpose of the spund and the description of the spund date or the well shall be completed within 30 days of the spund date or the well shall be therefore the statements made herein are true and to the best of the spund of the spund date or the well shall be conducted by that the statements made herein are true and to the best of the spund date of the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the spund date or the spund date or the spund	IDAVIT  KANSAS CORPORATION CO  CONSERVATION DIVIS  The drilling rig;  CONSERVATION DIVIS  The underlying formation.  Sistrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual pleats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the statements made herein are true and to the best of the proposition of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements made herein are true and to the statements made herein are true and to the statement are true and to the statement are true and to the stat	IDAVIT  KANSAS CORPORATION CO  Ch drilling rig;  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe Wichips, and the underlying formation.  Sistrict office on plug length and placement is necessary prior to pluggling; and god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the summary of the specified before well is either plug for the appropriate district office will be notified before well is either plug for the purpose of the spund and the description of the spund date or the well shall be completed within 30 days of the spund date or the well shall be therefore the statements made herein are true and to the best of the spund of the spund date or the well shall be conducted by that the statements made herein are true and to the best of the spund date of the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the well shall be spund date or the well shall be conducted by the spund date or the well shall be conducted by the spund date or the spund date or the spund date or the spund	IDAVIT  KANSAS CORPORATION CO  Ch drilling rig;  CONSERVATION DIVIS  The by circulating cement to the top; in all cases surface pipe Withing Res  The underlying formation.  The interpolation casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MMISSION

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 125-31164-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	415 feet from V N / S Line of Section
Lease: Fortner	1838 feet from E / V Line of Section
Well Number: 3-1	Sec. 1 Twp. 31 S. R. 14 Fast Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR of acreage: NE NW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1030		RECEIVED
1838		KANSAS CORPORATION COMMISSION
		JUL 1 1 2006
		CONSERVATION DIVISION WICHITA, KS
: : :	_ \ _ : _ : _ :	EXAMPLE
: : :		
		1980
		3390
	:	
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy C	perating II (		License Number: 33365
			Mission Woods, KS 66205
Contact Person: M. B. Nattrass			Phone Number: ( 913 ) 748 - 3987
Lease Name & Well No.: Fortner 3-1			Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>Νω NE NW</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 _Twp. 31 _R. 14 _ ✓ East ☐ West
Settling Pit	If Existing, date co	onstructed:	415 Feet from 📝 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ☐ East / ✓ West Line of Section
(III Supply All Tito. of real billies)		(bbis)	Montgomery County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?	<del>_</del>	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes ✓ N	No	Self-sealing pit
Pit dimensions (all but working pits):	BO' Length (fee	et)20'	Width (feet) N/A: Steel Pits
Down to	rom around level to de		(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	edures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COM
If the pit is lined give a brief description of the	liner	Describe proce liner integrity, in	edures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CONSERVATION DIVISION
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Depth to shallo	edures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON  JUL 1 1 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet.
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Depth to shallo	edures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON  JUL 1 1 2006  CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet.
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  New feet Depth of water well	e liner e.  e of pitfeet	Depth to shallo Source of infor	edures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON  JUL 1 1 2006  CONSERVATION DIVISION WICHITA, KS  west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  N/A feet Depth of water well	e liner e.  e of pit  feet	Depth to shallo Source of infor measu  Drilling, Worke	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON  JUL 1 1 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation:  Iredwell owner electric logKDWR  Over and Haul-Off Pits ONLY:  all utilized in drilling/workover: Fresh Water Mud
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  NA feet Depth of water well	e liner e.  e of pit  feet	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of wor	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON    JUL 1 1 2006
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  New feet Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:	e liner e.  e of pit  feet	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of wor Abandonment	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON    JUL 1 1 2006
Distance to nearest water well within one-mile  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e liner e.  e of pit  feet	Depth to shallo Source of information measurement. Drilling, Worker Type of material Number of wor Abandonment restore.	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON    JUL 1 1 2006
Distance to nearest water well within one-mile  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e liner e.  e of pit  feet  selfspilled fluids to	Depth to shallo Source of informeasu  Drilling, Worket Type of material Number of wor Abandonment restore.  Drill pits must to shallo source of the shallo shall s	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON    JUL 1 1 2006
Distance to nearest water well within one-mile  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	e liner e.  e of pit  feet  selfspilled fluids to	Depth to shallo Source of informeasu Drilling, Worker Type of material Number of wor Abandonment restore.  Drill pits must be correct to the best	Adures for periodic maintenance and determining RECEIVED KANSAS CORPORATION CON JUL 1 1 2006  CONSERVATION DIVISION WICHITA, KS  West fresh waterfeet. mation:  Iredwell owner electric logKDWR  Over and Haul-Off Pits ONLY:  all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  De closed within 365 days of spud date.
Distance to nearest water well within one-mile  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  7//0/06	e liner e.  e of pit  feet  I spilled fluids to  ements are true and co	Depth to shallo Source of informeasu Drilling, Worker Type of material Number of wor Abandonment restore.  Drill pits must be correct to the best	west fresh water electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.
Distance to nearest water well within one-mile    Na   feet   Depth of water well	e liner e.  e of pit  feet  I spilled fluids to  ements are true and co	Depth to shallo Source of information measurement.  Drilling, Worker Type of material Number of wor Abandonment restore.  Drill pits must be correct to the best correct to the best Source of the best Source of the source of the best Source of the source of the best Source of the best Source of the best Source of the best Source of the source of the best Source of the source of	west fresh water electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let Evaporate until dry and then backfill  be closed within 365 days of spud date.