For KCC Use: Effective Date: District # Y Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUL 1 1 2006

RECEIVED

Form C-1 December 2002 Form must be Typed

NOTICE OF INTENT TO DRILL

Form must be Signed

Expected Spud Date July 16, 2006 month day year	Spot
33268	E2SW - SE - NW Sec. 13 Twp. 8 S. R. 25 ✓ We 2310 feet from N / S Line of Section
DPERATOR: License# 33268	1790 feet from E / / W Line of Section
lame: RE investment, EEC	Is SECTION Regular
city/State/Zip: Morland, KS 67650	·
Contact Person: Leon Pfeifer	(Note: Locate well on the Section Plat on reverse side) County: Graham
Phone: (785) 627-5711	
	Lease Name: MiniumWell #: 1
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
lame: WW Drilling, LLC	Target Formation(s): Lansing/Kansas City
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2309' feet M
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
☐ OWWO ☐ Disposal ✓ Wildcat ✓ ☐ Cable	Depth to bottom of fresh water: 160'
Seismic; # of Holes Other	Depth to bottom of usable water: 1,200'
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,980'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Lansing/Kansas City
	Water Source for Drilling Operations:
Pirectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
Van true vertical deaths	
res, true vertical depth	DWR Permit #:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:	
AFF The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling ri
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plute 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: SIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Sich drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sidistrict office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the pest of the complete of the c	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: SIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Sich drilling rig; Sich drilling rig; Sich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sidistrict office on plug length and placement is necessary prior to plugging greed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Siding Manuala. Title: Agent Remember to:
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be setherough all unconsolidated materials plus a minimum of 20 feet into tea.</i> 4. If the well is dry hole, an agreement between the operator and the complete of the spud date or the well shall thereby certify that the statements made herein are true and to the pest of the complete. Signature of Operator or Agent: July 11, 2006 Signature of Operator or Agent:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: SIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Sich drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sidistrict office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Sof my knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the pest of the complete of the c	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the constitution of the surface of the spund deferment of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spund date or the well shall thereby certify that the statements made herein are true and to the pest of the post of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the pest of the spund of the spund of the spund of the pest of the spund of the spund of the spund of the pest of the spund of the sp	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the member to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason and the control of the state of the well is dry hole, an agreement between the operator and the control of the substitution of t	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the member to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set through all unconsolidated materials plus a minimum of 20 feet into to the set through all unconsolidated materials plus a minimum of 20 feet into to the set in the set through all unconsolidated materials plus a minimum of 20 feet into the set in the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in the set i	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified before well is either plug to the surface pipe as specified before well is either plug to the surface pipe shall be cement or pursuant to district office will be notified before well is either plug to the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the pest of the surface pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required None feet per Alt. (2) Approved by: Part 7-11-00 This authorization expires: 1-11-07	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the member to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the first through all unconsolidated materials plus a minimum of 20 feet into to the surface well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the surface of the post of the surface of the post of the post of the post of the surface of the post of the post of the surface of the post	Will Cores be taken? If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling
AFF The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be set into the surface pipe as specified below shall be set into the surface pipe shall be cement. 5. The appropriate district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the post of the surface pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required None feet per Alt. (2) Approved by: Part 7-11-00 This authorization expires: 1-11-07	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23202-000	Location of Well: County: Graham		
Operator: RL Investment, LLC	2310 feet from V N / S Line of Section		
Lease: Minium	1790 feet from E / V W Line of Section		
Well Number: 1	Sec. 13 Twp. 8 S. R. 25 ☐ East ✓ Wes		
Field: wildcat			
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular		
QTR / QTR / QTR of acreage: E2SW _ SE _ NW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

}							•
 							•
	•		•			•	•
ì				Ι.			
1							
1			•				•
	•		•				•
	•						•
							· · · ·
		. 1 .		١.			
		. 1 .					
				:	:		
		· ·				•	
 				:		•	
	: 	: :		: 			
				: 			
		: :		: 			
				: 			
				: : : : : : : : : : : : : : : : : : :			
				: : : : : : : : : : : : : : : : : : :			
				: : : : : : : : : : : : : : : : : : :			
				: : : : : : : : : : : : : : : : : : :			
				: : : : : : : : : : : : : : : : : : :			
		· · · · · · · · · · · · · · · · · · ·		: : : : : : : : : : : : : : : : : : :			
		· · · · · · · · · · · · · · · · · · ·		: : : : : : : : : : : : : : : : : : :			· ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

JUL 1 1 2006 **KCC WICHITA**

Submit in Duplicate

License Number: 33268 Operator Name: RL Investment, LLC Operator Address: 217 Saint Peter Street, Morland, KS 67650 Phone Number: (785)627 -5711 Contact Person: Leon Pfeifer Lease Name & Well No.: Minium #1 Pit Location (QQQQ): E2 SW SE NW Pit is: Type of Pit: Sec. 13 Twp. 8 R. 25 East V West ✓ Proposed Existing Emergency Pit Burn Pit If Existing, date constructed: Settling Pit ✓ Drilling Pit Feet from 🗸 North / South Line of Section 1790 Workover Pit Haul-Off Pit Feet from East / Vest Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Graham 3,500 (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes **√** No Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? Yes ✓ No ✓ Yes No native clay 70 70 Length (feet) _ Width (feet) N/A: Steel Pits Pit dimensions (all but working pits): Depth from ground level to deepest point: 4 If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. material, thickness and installation procedure. Depth to shallowest fresh water 40 Distance to nearest water well within one-mile of pit 15-065-23202-000 Source of information: 1800 ∠ feet _well owner _ KDWR Depth of water well _ feet measured electric loa Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: Type of material utilized in drilling/workover: drilling mud Producing Formation: _ Number of working pits to be utilized: $\frac{3}{2}$ Number of producing wells on lease: _ Abandonment procedure: air dry and backfill Barrels of fluid produced daily: _ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. July 11, 2006 Signature of Applicant or Agent Date

	KCC OFFICE USE ONLY	DIST		
Date Received: 7/(1/04 Permit Number:	Permit Date: 7/11/06	_ Lease Inspection: Yes 🗶 No		