For KCC Use:	<b>7</b> " 0
Effective Date	7-16-06
District #	<u>4</u>
	[5.0]

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed

			0000		,	100'					
Expected Spud Date	07	14	2006	Spot	•	E- 90'					Ea
	month	day	year			_ NW_	Sec. 21	_ Twp. 6	S. R	. 21	√We
OPERATOR: License# 32	2686 🗸			1750		_/	feet from	n ✓N			
Name: Reilly Oll Compa	any, Inc.			1120			feet fro		/ 🗸 W	Line of	Section
Address: P. O. Box 277				Is SEC	TION	Regula	arirr	egular?			
City/State/Zip: WaKeene	y, Kansas 676	72					well on the Se	ection Plat	on revers	e side)	
Contact Person: Dusty RI	hoades				Graha						
Phone: 785-743-6774				Lease	Name: V	oss			N	/ell #: 1-	21
	33575			Field N	ame: W	ildcat_					
CONTRACTOR: License# <sub>-</sub> Name: <mark>WW Drilling, Ll</mark>	I.C.					d / Spaced				\	∕es 🗸
vame: **** Diming, El						n(s): Arb					
Well Drilled For:	Well Class:	Туре	Equipment:				ndary: <u>890</u>				
✓ Oil ✓ Enh Re	ec Infield	1	Mud Rotary			Elevation:		<u> </u>			_ feet M
Gas Storag		H	Air Rotary			n one-quar					res ✓
OWWO Dispos		ı / 📋	Cable				thin one mile	e: 		'	∕es ✓
Seismic;# of	Holes Other					of fresh w	water: 1125				
Other								7		•	
						Alternate:	1 ✓ anned to be	2 set: 200'			
f OWWO: old well informa	tion as follows:						required: n		/		
Operator:						Depth: 39					
Well Name: Original Completion Da		Original Tate	ol Dooth:	Format	ion at To	tal Depth:	Arbuckl	e -			
Original Completion Da	ite:	_Original lota	ai Depin:			or Drilling C					
Directional, Deviated or Ho	rizontal wellbore	?	Yes ✓ No			Farm Po	•	r			
f Yes, true vertical depth:_				DWR P	ermit #: _						
Bottom Hole Location:						(Note:	Apply for Per	mit with DV	WR 🔲 )		
Bottom Hole Location: KCC DKT #:				Will Co	res be ta		Apply for Per	mit with DV	WR 🗌 )		Yes
KCC DKT #:						ken?				ヘ.	
The undersigned hereby a lt is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed	affirms that the oring minimum relate district office oved notice of intuit of surface pipolidated materials le, an agreement rict office will be I COMPLETION sendix "B" - East within 30 days or surface of the compact of the compac	drilling, comp quirements v prior to sputent to drill so be as specificated by the spus a minist between the notified belowern Kansas of the spud of	AFF  oletion and eventual provided by the second of the se	If Yes, FIDAVIT Discontinuous of the drilling ref by circulathe underlyidistrict office gged or protect from be #133,891-be plugged	ig; ating cerng formate on pluiduction of elow any C, which	will comply nent to the tion. g length ar casing is c usable wa applies to cases, No	with K.S.A top; in all of and placemented in; ter to surface the KCC I	. 55 et. se cases surf nt is nece ce within District 3 a	face pipe ssary processary proces	VICE shall be rior to pure of spure renate II	CEIVE 200 lugging d date. cement
The undersigned hereby a It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to App	affirms that the oring minimum relate district office oved notice of intuit of surface pipolidated materials le, an agreement rict office will be I COMPLETION sendix "B" - East within 30 days or surface of the compact of the compac	drilling, comp quirements v prior to sputent to drill so be as specificated by the spus a minist between the notified belowern Kansas of the spud of	AFF  oletion and eventual provided by the second of the se	If Yes, FIDAVIT Discontinuous of the drilling ref by circulathe underlyidistrict office gged or protect from be #133,891-be plugged	ig; ating cerng formate on pluiduction of elow any C, which	will comply nent to the tion. g length ar casing is c usable wa applies to cases, No	with K.S.A top; in all of and placemented in; ter to surface the KCC I	. 55 et. se cases surf nt is nece ce within District 3 a	face pipe ssary processary proces	VICE shall be rior to pure of spure renate II	CEIVE 200 lugging d date. cement
The undersigned hereby a It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed	affirms that the oring minimum relate district office oved notice of intuit of surface pipolidated materials le, an agreement rict office will be I COMPLETION sendix "B" - East within 30 days or surface of the compact of the compac	drilling, comp quirements v prior to sputent to drill so be as specificated by the spus a minist between the notified between the spud to	AFF  pletion and eventual primary in the met:  adding of well;  adding of well is either plu  pipe shall be cemer  surface casing orde  addate or the well shall  arue and to the best	If Yes,  IDAVIT  Including of the control of the underlying district office gged or protected from between the plugged of my knowledged of my knowledged of the underlying the plugged of the underlying	ig; ating cerning formation of the control of the c	will comply nent to the ation. g length ar casing is c usable wa applies to cases, NO d belief.	with K.S.A top; in all of and placemented in; ter to surfactor the KCC I	. 55 et. se cases surf nt is nece ce within District 3 a	face pipe ssary pr 120 day area, alt	VICE shall be rior to pure of spure renate II	CEIVE 200 lugging d date. cement
The undersigned hereby a lt is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement trict office will be I COMPLETION lendix "B" - East within 30 days of tatements made	drilling, comp quirements v prior to sputent to drill so be as specificated by the spus a minist between the notified between the spud to	AFF  pletion and eventual primary in the met:  adding of well;  adding of well is either plu  pipe shall be cemer  surface casing orde  addate or the well shall  arue and to the best	If Yes, IDAVIT Industrial Industr	ig; ating cerning formate on pluiduction of the control of the con	will comply ment to the tition. g length an casing is c usable wa applies to cases, No d belief.	with K.S.A.  top; in all of top; in all of top; in all of top; in all of the top; in all	cases surfict office	face pipe ssary pr 120 day area, alte prior to	wich e shall be rior to poss of spurernate II any cerr	CEIVE 200 lugging d date. cement
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st  Date: 7/7/06	affirms that the oring minimum relate district office oved notice of intuit of surface pilolidated materials le, an agreement rict office will be I COMPLETION rendix "B" - East within 30 days of tatements made	drilling, comp quirements v prior to sputent to drill so be as specificated between the enotified between the notified between Kansas of the spud of herein are to	AFF  pletion and eventual primary in the met:  adding of well;  adding of well is either plu  pipe shall be cemer  surface casing orde  addate or the well shall  arue and to the best	If Yes,  IDAVIT  Industry  Inch drilling ref by circulathe underlying district office gged or protected from be #133,891-be plugged of my knowledged from the plugged of my knowledged from the plugged of my knowledged from the plugged from the p	ig; ating cerning formate on pluiduction of the control of the con	will comply ment to the ation. g length an casing is c usable wa applies to cases, No d belief.	with K.S.A  top; in all of and placemented in; atter to surfar the KCC I  OTIFY distri-	cases surfact is necestated as the second is necestated as the second is necessarily as the second is n	face pipe ssary pr 120 day area, altr prior to dent	wice shall be started to provide the started to provide the started to the starte	CEIVE 200 lugging d date. cement
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st  Date: 7/7/06	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement trict office will be I COMPLETION rendix "B" - East within 30 days at the ments made  Signature of the completion of the	drilling, comp quirements v prior to sputent to drill so be as specificated between the enotified between the notified between Kansas of the spud of herein are to	AFF  pletion and eventual primary in the met:  adding of well;  adding of well is either plu  pipe shall be cemer  surface casing orde  addate or the well shall  arue and to the best	If Yes,  IDAVIT  Including of the control of the underlying district office gged or protected from better at 133,891-be plugged of my knowledged from the control of the underlying the plugged of the underlying the plugged of the underlying the un	ig; ating cerning formate on pluiduction of the control of the con	will comply ment to the ation. g length an casing is c usable wa applies to cases, No d belief.  poplication (f	with K.S.A  top; in all of and placemented in; atter to surfar the KCC I  OTIFY distri-	cases surfact is necestated as the surface of the s	face pipe ssary pr 120 day area, altr prior to dent	wice shall be shall b	CEIVE 200 lugging d date. cement
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the step of the property of the	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement rict office will be I COMPLETION rendix "B" - East within 30 days attacements made  Signature of Sign	drilling, comp quirements v prior to sputent to drill so be as specificated between the enotified between the notified between Kansas of the spud of the herein are to the spud of the spu	AFF  pletion and eventual primary in the met:  adding of well;  adding of well is either plu  pipe shall be cemer  surface casing orde  addate or the well shall  arue and to the best	If Yes,  IDAVIT  Industriated from better	ig; ating cerning formate on pluiduction of the control of the con	will comply ment to the ation. g length ar casing is c usable wa applies to cases, No d belief.  pplication (f n Form AC attribution p	with K.S.A  top; in all of and placemented in; atter to surfar the KCC I  OTIFY distri-	cases surfact office  with Intended growth of the control of the c	face pipe ssary pi 120 day area, altr prior to dent	wich e shall be shall be shall be shall be shall be shall be so of sput ernate III any certain any certain shall be shal	200 Jugging d date. cement enting.
The undersigned hereby a tis agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the step to the complete of the co	affirms that the oring minimum relate district office oved notice of infunt of surface piplidated materials le, an agreement trict office will be I COMPLETION endix "B" - East within 30 days attacements made  Signature of Sign	Irilling, comp quirements v prior to sputent to drill so be as specific so plus a minion to between the notified beto, production ern Kansas of the spud of herein are to	AFF eletion and eventual prill be met: adding of well; thall be posted on eated below shall be simum of 20 feet into he operator and the fore well is either plupipe shall be cemer surface casing ordedate or the well shall true and to the best or Agent:	If Yes,  IDAVIT  Industrial of the underlying of	ig; ating cerng forma e on plui duction elow any C, which I. In all edge an Completio creage a appropr it pluggir	will comply ment to the ation. g length ar casing is c usable wa applies to cases, No d belief.  pplication (f n Form AC attribution p inted district ng report (6)	with K.S.A  top; in all of top; in all of the top;	cases surfact office  with Intended to days of get of field purs prior to lougging is	face pipe ssary prince to 120 day area, alter prior to dent to Drill; of spud of proration to workors complete	late; orders; ver or reled;	200 Jugging d date. cement enting.
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st Date: 7/7/06  For KCC Use ONLY API # 15 - 065  Conductor pipe required.	affirms that the oring minimum relate district office oved notice of infunt of surface piplidated materials le, an agreement trict office will be I COMPLETION endix "B" - East within 30 days attacements made  Signature of Sign	Irilling, comp quirements v prior to sputent to drill so be as specific so plus a minion to between the notified beto, production ern Kansas of the spud of herein are to	AFF  pletion and eventual price will be met:  adding of well;  hall be posted on existed below shall be simum of 20 feet into the operator and the fore well is either plu pipe shall be cemer surface casing orde date or the well shall true and to the best or Agent:  Agent:	If Yes,  IDAVIT  Industrial of the underlying of	ig; ating cerng forma e on plui duction elow any C, which I. In all edge an Completio creage a appropr it pluggir	will comply ment to the ation. g length ar casing is c usable wa applies to cases, No d belief.  pplication (f n Form AC attribution p inted district ng report (6)	with K.S.A  top; in all of top; in all of the top;	cases surfact office  with Intended to days of get of field purs prior to lougging is	face pipe ssary prince to 120 day area, alter prior to dent to Drill; of spud of proration to workors complete	late; orders; ver or reled;	200 Jugging d date. cement enting.
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amout through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st Date: 7/7/06  For KCC Use ONLY API # 15 - 065  Conductor pipe required. Minimum surface pipe re Approved by: 14 Times of the control of the contro	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement rict office will be I COMPLETION rendix "B" - East within 30 days of tatements made  Signature of Sig	Irilling, comp quirements v prior to sputent to drill so be as specific so plus a minion to between the notified beto, production ern Kansas of the spud of herein are to	AFF  pletion and eventual price will be met:  adding of well;  hall be posted on existed below shall be simum of 20 feet into the operator and the fore well is either plu pipe shall be cemer surface casing orde date or the well shall true and to the best or Agent:  Agent:	If Yes,  IDAVIT  Industry  Inch drilling ref by circulathe underlying district office gged or protected from between the second many knowledge of my knowledge	ig; ating cerning formate on pluiduction of the certification of the cer	will comply ment to the attion. g length an casing is c usable wa applies to cases, No d belief.  poplication (f n Form AC attribution p iate district ng report (( approval b nas expired	with K.S.A  top; in all of top; in all of the form the form the form the form office 48 hopes of the form of the f	cases surfact is necessive with Intensity 20 days of ground prior to lougging is sing or injurized expirates.	face pipel ssary print to dent to Drill; of spud corporation to workows completecting sarration da	e shall be rior to posses of spurernate II any cerrior reded; alt water.	Jugging d date. cement lenting.
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the st  Date: 7/7/06  For KCC Use ONLY  API # 15 - 065 -  Conductor pipe required.  Minimum surface pipe re	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement trict office will be I COMPLETION rendix "B" - East within 30 days attachments made  Signature of Sig	drilling, comp quirements v prior to sputent to drill so be as specificated between the enotified between the production ern Kansas of the spud of herein are to	AFF eletion and eventual privil be met: adding of well; thall be posted on ear tied below shall be s timum of 20 feet into the operator and the fore well is either plu pipe shall be cemer surface casing orde date or the well shall true and to the best or Agent:	If Yes,  IDAVIT  Industry  Inch drilling ref by circulathe underlying district office gged or protected from between the second many knowledge of my knowledge	ig; ating cerng forma e on pluiduction elow any C, which I. In all edge an where to: will Pit Ap completio creage a r appropr it pluggir n written e permit i	will comply ment to the attion. g length an casing is c usable wa applies to cases, No d belief.  poplication (f n Form AC attribution p iate district ng report (( approval b nas expired	with K.S.A  top; in all of and placemented in; ater to surfact the KCC E  OTIFY distri-  Title  orm CDP-1) O-1 within 1 ata according office 48 ho CP-4) after perfore dispose	cases surfact is necessive with Intensity 20 days of ground prior to lougging is sing or injurized expirates.	face pipel ssary print to dent to Drill; of spud corporation to workows completecting sarration da	e shall be rior to posses of spurernate II any cerrior reded; alt water.	Jugging d date. cement lenting.
The undersigned hereby a lit is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed I hereby certify that the standard to	affirms that the oring minimum relate district office oved notice of intuit of surface piplidated materials le, an agreement rict office will be I COMPLETION rendix "B" - East within 30 days of tatements made  Signature of Sig	drilling, comp quirements v prior to sputent to drill so be as specificated between the enotified between the production ern Kansas of the spud of herein are to	AFF eletion and eventual privil be met: adding of well; thall be posted on ear tied below shall be s timum of 20 feet into the operator and the fore well is either plu pipe shall be cemer surface casing orde date or the well shall true and to the best or Agent:	If Yes,  IDAVIT  Industry  Inch drilling ret by circula  Inch dril	ig; ating cerng forma e on plu duction of elow any C, which i. In all edge an completio completio completio creage a appropr it pluggir n written permit it the box Vell Not	will comply ment to the ation. glength ar casing is c usable wa applies to cases, No d belief.  pplication (f n Form AC attribution pri attribution pri approval to approval to approval to as expired below and	with K.S.A  top; in all of the property of the top of t	cases surfact office  with Inten 20 days of g to field nours prior to lougging is sing or injurized expire address	face pipel ssary print to dent to Drill; of spud corporation to workows completecting sarration da	e shall be rior to posses of spurernate II any cerrior reded; alt water.	Jugging d date. cement lenting.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23201-0000	Location of Well: County: Graham
Operator: Reilly Oil Company, Inc.	1750 feet from $\sqrt{N/N}$ S Line of Section
Lease: Voss	1120 feet from E / V W Line of Section
Well Number: 1-21 Field: Wildcat	Sec. 21 Twp. 6 S. R. 21 East ✓ Wes
Number of Acres attributable to well: 40  QTR / QTR / QTR of acreage: NE _ SW _ NW	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

- 1120	RECEIVE JUL 10 200 KCC WICHITA
	EXAMPLE : :
	1980
	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Reilly Oil Company, Inc.			License Number: 32686			
Operator Address: P. O. Box 277-WaKeeney, Kansas 67672						
Contact Person: Dusty Rhoades			Phone Number: (785)743 -6774			
Lease Name & Well No.: Voss # 1-21			Pit Location (QQQQ):			
Type of Pit:			SE NE SW NW			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 21 Twp. 6 R. 21 East V West			
Settling Pit	If Existing, date constructed:		1750 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1120 Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	900	(bbls)	Graham			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
	A 115-1111-10		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Ves No	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?  Native Soil			
	O Length (fe	eet) 60				
ζ,	Com ground level to de	_	Width (feet) N/A: Steel Pits			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
material, thickness and installation procedure			edures for periodic maintenance and determining notuding any special monitoring.			
		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  **CC WCHIA**  Depth to shallowest fresh water 70 feet				
			WICHIN			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water 70feet.			
1700		Source of infor	rmation:			
4720feet Depth of water wellfeet			measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Water-Bentonite				
Producing Formation:			king pits to be utilized: 3			
Number of producing wells on lease:  Barrels of fluid produced daily:		Abandonment procedure: Air Dry-Backfill When Dry				
, ,		, and a second s	procedure.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
7/07/06			usty Phoods			
Date			ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 7/10/06 Permit Number: Permit Date: 7/10/06 Lease Inspection: Yes Vo						
Date Received: 1606 Permit Num	nic Date. The LOW Lease Inspection. The No					