For KCC Use:	7-19-06
Effective Date: _	7-17-00
District #	3
0040 🗆 ٧	TV No.

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

July 17, 2006	
Expected Spud Date July 17, 2006 month day year	Spot ✓ East
	C - E2 - SW Sec. 17 Twp. 28S S. R. 15 West
OPERATOR: License# 33342	1320' feet from N / S Line of Section
Name. Blue Jay Operating, LLC	1980' feet from ☐ E / ✓ W Line of Section Is SECTION ✓ Regular Irregular?
Address: 4916 Camp Bowie Blvd., Suite 204	is SectionRegularIrregular?
City/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jimmy McGuire	County: Wilson Lease Name: R. Timmons Well #: A-1
Phone: 405-279-4313	Lease Name: R. Timmons Well #: A-1 Field Name: Cherokee Basin Coal Gas
CONTRACTOR: License# 33072	
Name: Well Refined Drilling Co., Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian Yes V No
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Unknown feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No ✓
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1350'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into table 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the beat of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the beat of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the surface	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into tea. If the well is dry hole, an agreement between the operator and the constitution of the surface pipe is either plus to the surface district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat of the surface of the su	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the beat of Date: 7/10/06 Signature of Operator or Agent: **Date: 7/10/06 **Date: 205-26856-0000** **Date: 7/10/06 **Date: 205-26856-0000** **Date: 15 - 26856-0000** **Date: 15 - 26856-0000** **Date: 16 - 26856-0000** **Date: 17 - 26856-0000** **Date: 17 - 26856-0000** **Date: 17 - 26856-00000** **Date: 18 - 26856-0000**	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the beat of Date: 7/10/06 Signature of Operator or Agent: None For KCC Use ONLY API # 15 - Conductor pipe required None feet	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of 1. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat of the constitution of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to helpest of Date: 7/10/06 Signature of Operator or Agent: **Document of the performance of the performa	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the completed is trict office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26856-0000 Conductor pipe required feet fe	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to helpest of Date: 7/10/06 Signature of Operator or Agent: **Document of the performance of the performa	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the completed with the statement between the operator and the computation of 20 feet into the well is district office will be notified before well is either plus for the well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat of the well shall. I hereby certify that the statements made herein are true and to the beat of the well shall. For KCC Use ONLY API # 15 - 205-26856-0000 Conductor pipe required None feet per Alt. Approved by: Put 7-14-00 This authorization expires: 1-14-07	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-26856-0000	Location of Well: County: Wilson
Operator: Blue Jay Operating, LLC	
Lease: R. Timmons	feet from N / V S Line of Section 1980' feet from E / V W Line of Section
Well Number: A-1 Field: Cherokee Basin Coal Gas	Sec. 17 Twp. 28S S. R. 15 VEast West
Number of Acres attributable to well: 80 acres QTR / QTR / QTR of acreage: C E2 SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · ·	:	: :
·			
:			
		:	
•	·	7— <u>·</u>	· ·
:			
1980) 		
	:	:	· · · · ·
	3714		
	1,30		
			· · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 fREGENED CG-8 for gas wells).

JUL 13 2006 KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Blue Jay Operating, LLC			License Number: 33342	
Operator Address: 4916 Camp B	owie Blvd.,	Suite 204		
Contact Person: Jimmy McGuire			Phone Number: (405) 279 -4313	
Lease Name & Well No.: R. Timmons #A-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		CE2 _ SW4	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 17 _{Twp.} 28S _{R.} 15	
Settling Pit	If Existing, date constructed:		1320' Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1980' Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	400	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: None mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	15 Length (fe	et) 15	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	epest point: 10	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
N/A Source		Source of infor	Depth to shallowest fresh water 100+feet. Source of information:	
City Water feet Depth of water well		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation:	•		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water	
Number of producing wells on lease:			Number of working pits to be utilized: One	
Barrels of fluid produced daily:			Abandonment procedure: Remove fluids, Allow to Dry, Level Surface	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
7/10/06 Date A Construct of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 7/13/06 Permit Number: Permit Date: 7/15/06 Lease Inspection: Yes A No				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

JUL 13 2006 KCC WICHITA