For KCC Use:	7-23-06
Effective Date: _	7-25-00
District #	1
2010	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

COM.	e (5) days prior to commencing well  All blanks must be Filled
Expected Spud Date July 20, 2006	Spot East  NE NW NE Sec 36 Two 25S S R 20   ✓ Woot
	Street
OPERATOR: License# 5003'	330 feet from VN / S Line of Section  3630 feet from E / VW Line of Section
Name: McCOY PETROLEUM CORPORATION  Address: 8080 E. CENTRAL, SUITE 300	Is SECTIONRegular _ ✓ Irregular?
Address.	
City/State/Zip: WICHITA, KS 67206  Contact Person: SCOTT HAMPEL	(Note: Locate well on the Section Plat on reverse side) County: EDWARDS
Phone: (316) 636-2737	County: EDWARDS  Lease Name: FROETSCHNER 'E' Well #: 1-36
	Field Name: WILDCAT
CONTRACTOR: License# 5142'	Is this a Prorated / Spaced Field? Yes ✓ No
Name: STERLING DRILLING COMPANY	Target Formation(s): MISSISSIPPIAN.
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
	Ground Surface Elevation: 2207' feet MSL
Oil Enh Rec Infield ✓ Mud Rotary  ✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No /
✓ Gas     Storage     Pool Ext.     Air Rotary       OWO     Disposal     ✓ Wildcat     Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 🗹 1 🔲 2
If OWWO: old well information as follows;	Length of Surface Pipe Planned to be set: 300 +
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 4700' MISSISSIPPIAN
Original Completion Date:Original Total Depth:	Formation at Total Deptil.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	✓ Well Farm Pond Other
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	<b>NCC WICHIT</b>
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;
I hereby certify that the statements made herein are true and to the best o	f my knowledge and belief.
Date: 7/12/2006 Signature of Operator or Agent:	Title: VICE PRESIDENT - PRODUCTION
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 047-21527-0000	- The Bill Fit Application (form CBF-1) with Intent to Dilli,
API # 15	- File Completion Form ACO-1 within 120 days of spud date;
1/04	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
Conductor pipe required Long feet	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>
Conductor pipe required  Minimum surface pipe required  280  feet per Alt. (1)	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
Conductor pipe required  Minimum surface pipe required  Approved by: Pth 7-18-06	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
Conductor pipe required  Minimum surface pipe required  Approved by: Pth 7-18-06  This authorization expires: 1-18-07	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
Conductor pipe required  Minimum surface pipe required  Approved by: Pth 7-18-06	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
Conductor pipe required	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  - Well Not Drilled - Permit Expired
Conductor pipe required  Minimum surface pipe required  Approved by: Pth 7-18-06  This authorization expires: 1-18-07	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  - Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 047 - 21527-0000	Location of Well: County:EDWARDS
Operator:McCOY PETROLEUM CORPORATION	
Lease: FROETSCHNER 'E'	330 feet from VN/ S Line of Section  3630 feet from E / V W Line of Section
Well Number: 1-36	Sec. 36 Twp. 25S S. R. 20 East ✓ Wes
Field: WILDCAT	
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used:   NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	•	<u> </u>		<u> </u>		•
i			•		•	
				:		
	·					
			•	:	:	
				:		
	<u>.                                    </u>	·			<u>·</u>	
İ				:	:	
	· ·			:	:	
					· · · · · · ·	
					•	· · · · · · ·
		· · · · · · · · · · · · · · · · · · ·		  :	:	· · · ·
	•	· · · · · · · · · · · · · · · · · · ·		  ; .  ; .	: : :	
	•	· · · · · · · · · · · · · · · · · · ·		: : :		
	•			: : :		
	•			: : :		





NOTE: In all cases locate the spot of the proposed drilling locaton.

Edwards Co.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Address: 8080 E. CENTRAL, SUITE 300 WICHITA, KS 67206  Contact Person: SCOTT HAMPEL  Lease Name & Well No: FROETSCHNER E # 1-36  Type of PI:    Green   Pit   P	Operator Name: McCOY PETROLEUM CORPORATION			License Number: 5003			
Lease Name & Well No.: FROETSCHNER E # 1-36  Type of Pit:    Type of Pit:   Pit Is:   Proposed   Existing   Sec. 36 Twp, 25S R, 20   East   West	Operator Address: 8080 E. CENT	Operator Address: 8080 E. CENTRAL, SUITE 300 WICHITA, KS 67206					
Type of Pit:    Emergency Pit   Bum Pit   Pit is:   Settling Pit   Drilling Pit   Maul-Off Pit   Pit Existing. date constructed:   Workover Pit   Haul-Off Pit   Pit capacity:   Pit capacity:				Phone Number: ( 316 ) 636 - 2737			
Emergency Pit   Burn Pit   Proposed   Existing   Sec. 36 Twp. 25S R. 20   East   West   Settling Pit   Drilling Pit   Proposed   Existing   Sec. 36 Twp. 25S R. 20   East   West   Section   Sec. 36 Twp. 25S R. 20   East   West   Section   Sectio							
Setting Pit							
Workover Pit	Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 36 Twp. 25S R. 20 ☐ East ✓ West			
Pit capacity:	Settling Pit	If Existing, date c	onstructed:	330 Feet from North / South Line of Section			
Start   Section   Sectio		Pit capacity:		3630 Feet from East / V West Line of Section			
Standard   Settling Pits only	(II VVP Supply API No. or fear Drilled)		(bbls)	EDWARDS	County		
Steel Dettom below ground level?   Artificial Liner?   How is the pit lined if a plastic liner is not used?	Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l		
Pit dimensions (all but working pits): Length (feet) Width (feet) X				(For Emergency Pits and Settling I	Pits only)		
Pit dimensions (all but working pits): Length (feet)	Is the bottom below ground level?			How is the pit lined if a plastic liner is not us	ed?		
Depth from ground level to deepest point:	Yes ✓ No	Yes ✓	No				
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity including any special monitoring.  Describe procedures fresh water	Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet) X N/	A: Steel Pits		
Distance to nearest water well within one-mile of pit  2380 feet Depth of water well 75 feet  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my howledge and belief.  KCC OFFICE USE ONLY  Depth to shallowest fresh water  Loet Teet.  Source of information:  PRIKES  Well owner electric log KDWR  Producing Formation:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  STEEL PITS  Abandonment procedure:  REMOVE FREE FLUIDS TO WETZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  JUL 14 2006  KCC OFFICE USE ONLY  KCC WICHITA	Depth fro	om ground level to de	eepest point:	(feet)			
Distance to nearest water well within one-mile of pit    2380   feet   Depth of water well   75   feet   Depth of water well   Multiple    , ,			•	ning			
Source of information:	material, thickness and installation procedure		liner integrity, in	ncluding any special monitoring.			
Source of information:							
Source of information:							
Source of information:							
Source of information:							
RECEIVED   Recommend   Recom	Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water			
Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my howledge and belief.  T/13/2006  Date  RECEIVED  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  JUL 14 2006	2200				KDWR		
Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my howledge and belief.  T/13/2006  Date  RECEIVED  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  JUL 14 2006	<del></del>			kover and Haul-Off Pits ONLY:			
Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my howledge and belief.  T/13/2006  Date  RECEIVED  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  JUL 14 2006	Producing Formation: Type of material		rial utilized in drilling/workover: NONE				
Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my howledge and belief.  T/13/2006  Date  RECEIVED  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Abandonment procedure: REMOVE FREE FLUIDS TO WEIZEL R HAUL  OFF PIT  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  JUL 14 2006			working pits to be utilized: STEEL PITS				
Thereby certify that the above statements are true and correct to the best of mythowledge and belief.    Total			it procedure: REMOVE FREE FLUIDS TO WETZEL R HAUL				
Thereby certify that the above statements are true and correct to the best of mythowledge and belief.    Total	Does the slope from the tank battery allow all spilled fluids to OFF PI			OFF PIT			
Thereby certify that the above statements are true and correct to the best of mythowledge and belief.    Total	flow into the pit? Yes No Drill pits mus			pe closed within 365 days of spud date.			
7/13/2006 Date Signature of Applicant or Agent  KCC OFFICE USE ONLY  SHEEL PITS KCC WICHITA	I hereby certify that the above statements are true and correct to the best of my howledge and belief.						
Signature of Applicant or Agent  Signature of Applicant or Agent  JUL 1 4 2006  KCC OFFICE USE ONLY  SHEEL PITS KCC WICHITA	RECEIVED						
KCC OFFICE USE ONLY SHEEL PITS KCC WICHITA	7/13/2006 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						
	Date Signature of Applicant or Agent JUL 1 4 2005						
Date Received: 7 N Cos Permit Number: Permit Date: 7/14/06 Lease Inspection: Yes A No	KCC OFFICE USE ONLY SHEEL PITS KCC WICHITA						
,							