For KCC Use:	7-23-06
Effective Date:	7-03-04
ک	
SGA? Yes	∇ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date August 30, 2006	Spot East
month day year	NE - NW - SW Sec. 23 Twp. 27 S. R. 21 West
OPERATOR: License# 33503	2495feet from N / V S Line of Section
Name: Paxton Grant, LLC	1060 feet from E / W Line of Section
Address: 132 N. Otsego Ave	ls SECTIONRegularIrregular?
City/State/Zip: Gaylord, MI 49735	(Note: Locate well on the Section Plat on reverse side)
Contact Person. David Fleming	County: Bourbon
Phone: 620-252-9985	Lease Name: hrman Well #: A3-23
	Field Name: Wildcat
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air Rotary, LLC	Target Formation(s): Arbuckle Dotomite
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1060
	Ground Surface Elevation: 1015 feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle Dolomite
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
Cil ? bas Leuce Attached	
Oil & bas Leuce Attached	Will Cores be taken? If Yes, proposed zone: RECORD
Oil & bas Leuce Attached AFFI	Will Cores be taken? If Yes, proposed zone: RECORD
Oil is bas Leave Attached AFFI The undersigned hereby affirms that the drilling, completion and eventual place.	Will Cores be taken? If Yes, proposed zone: RECORD
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECORD
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: RECORD
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken? If Yes, proposed zone: RECORD
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be to the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the diffusion of the district of the well is dry hole, an agreement between the operator and the district of the specific of the spec	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be in underlying formation. istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the proportion of the sporopriate district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED JUL 10 2006 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED JUL 10 2006 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be an enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED Land 2006 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be an underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED JUL 10 2006 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be suffered in the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the sear	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED Land 2006 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be an underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: RECEIVED JUL 10 2006 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be suffered in the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set of the specified below shall be set into the specified below shall be completed within 30 days of the spud date or the well shall be set of the specified below shall be set of the specified below shall be set into the specified below shall b	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Carra to s. Manager.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the died. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 7-8 CC Use ONLY	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Practices Remember 16: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 7-8-32. Signature of Operator or Agent: 1-23197-0000	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be sufficient office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Prations Manager Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the later of the plug shall be completed. I hereby certify that the statements made herein are true and to the best of Date: 7-8-60. Signature of Operator or Agent: 1000 Date: 15-60. For KCC Use ONLY API # 15 - 011 - 23197-0000 feet More feet 1500 Date: 1500 Da	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be sufficient office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Praticus Manager: Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an accordance of the approved notice of intent to drill shall be posted on each an accordance of the approved notice of intent to drill shall be posted on each an accordance of the approved notice of intent to drill shall be posted on each an accordance of the approved of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the distribution of the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the distribution of the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the distribution of the specified below shall be set through a specified below shall be set through and shall be set through a specified below shall be set thr	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be for to plugging; to by circulating cement to the top; in all cases surface pipe shall be for to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approved before disposing or injecting sell water.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the state which well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be therefore the statements made herein are true and to the best of Date: 7-8 CC Signature of Operator or Agent: Signature of Operator or Agent: More feet Minimum surface pipe required feet per Alt. (2) Approved by: 244 7-18-06	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be a light of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent to the sent sent through all unconsolidated materials plus a minimum of 20 feet into the sent from the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be sent to the sent of the spud state of the spud date or the well shall be sent to the spud shall be completed. I hereby certify that the statements made herein are true and to the best of Date: 7-8 completed. Signature of Operator or Agent: 1 feet Minimum surface pipe required 100 feet per Alt. (2) Approved by: 1-18-06 This authorization expires: 1-18-07	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. **RECEIVED** **RECEIVED** **CC WCCIVED** In 2006 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. **Title: **Correction** **Remember 16:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the state which well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be therefore the statements made herein are true and to the best of Date: 7-8 CC Signature of Operator or Agent: Signature of Operator or Agent: More feet Minimum surface pipe required feet per Alt. (2) Approved by: 244 7-18-06	Will Cores be taken? If Yes, proposed zone: **PRECEIVED** **PRE
AFFI The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 7-8 CC Signature of Operator or Agent: Signature of Operator or Agent: Minimum surface pipe required None feet per Alt. (2) Approved by: 244 7-18-06 This authorization expires: 1-18-07 (This authorization void if drilling not started within 6 months of effective date.)	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ACC WASHINGTON TO THE TOWN TO THE TOWN TO THE TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOWN
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the displayment of the well is either plug in the set of the s	Will Cores be taken? If Yes, proposed zone: **PRECEIVED** **PRE

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 011-23197-0000	Location of Well: County: Bourbon
Operator: Paxton Grant, LLC	2495 feet from N / S Line of Section
Lease: Inman	1060 feet from E / W Line of Section
Well Number: A3-23 Field: Wildcat	Sec. 23 Twp. 27 S. R. 21 East Wes
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: NE - NW - SW	Is Section:

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Paxton Grant, LLC		License Number: 33503		
Operator Address: 132 N Otsego Ave, Gaylord, MI 49735				
Contact Person: David Fleming		Phone Number: (620) 252 - 9985		
Lease Name & Well No.: Inman A3-23	3		Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 23 Twp. 27S R. 21	
Settling Pit	If Existing, date constructed:		2495 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1060 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	200	(bbls)	Bourbon County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes V No		Native Mud	
Pit dimensions (all but working pits): 40 Length (feet) 20 Width (feet) N/A: Steel				
Depth fr	om ground level to de	eepest point: 8	(feet)	
			edures for periodic maintenance and determining including any special monitoring. **RECEIVED** **JUL 1 0 2006 **KCC WICHIA** **west fresh water	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
NA feet Depth of water wellfeet		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	rilling, Workover and Haul-Off Pits ONLY:	
		I	Type of material utilized in drilling/workover:	
Number of producing wells on lease: Number of		Number of wor	umber of working pits to be utilized: 1	
Barrels of fluid produced daily: Abandonment		procedure: Dispose of fluids and cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill p		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
7-8-06 Date		Which !	t of my knowledge and belief. JUL 17 2006 KCC WICHITA	
KCC OFFICE USE ONLY				
Date Received: 7/17/06 Permit Number: Permit Date: 7/17/06 Lease Inspection: Yes K No				