For KCC Use: Effective Date: 7-23-06 District # 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date July 17, 2006	Spot WW NENW NE NW Sec 32 Two 158 S.R. 21 West
,	Ост
OPERATOR: License# 32834	5225' feet from N / S Line of Section S S S S S S S S S
Name. JTC Oil, Inc.	
Address: P.O. Box 910	Is SECTION✓RegularIrregular?
Address: Louisburg, Kansas 66053	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tom Cain	County: Franklin
Phone: 913-208-7914	Lease Name: Moldenhauer Well #: 36
CONTRACTOR: License#_8509	Field Name: Paola-Rantoul
Name: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 825
✓ Oil	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water:
Other_	Depth to bottom of usable water: 200'+
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 800' Formation at Total Depth: Squirrel
Original Completion Date: Original Total Depth:	Pormation at rotal Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: No Well Farm Pond Other X JUL 17 2006
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	,
Oil & bas Lease Attached	Will Cores be taken?
() I Gas Cease Action	
J	If Yes, proposed zone:
	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eve	AFFIDAVIT RECEIVED
	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 0 2006
The undersigned hereby affirms that the drilling, completion and ever	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. Sec VED
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted. 3. The minimum amount of surface pipe as specified below <i>shall</i> .	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; lift be set by circulating cement to the top; in all cases surface pipe shall be set.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; lif be set by circulating cement to the top; in all cases surface pipe shall be to the underlying formation.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator as 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; lif be set by circulating cement to the top; in all cases surface pipe shall be the plugged or production. Indeed, the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT antual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be at into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the we	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; lif be set by circulating cement to the top; in all cases surface pipe shall be the plugged or production. Indeed, the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT antual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be at into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; their plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT antual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 do on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be formation. and the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Use ONLY	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; but be set by circulating cement to the top; in all cases surface pipe shall be entered into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; their plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Nove feet	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; fill be set by circulating cement to the top; in all cases surface pipe shall be entited to the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; their plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If you can all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the complete to the specific statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25151-0000 Conductor pipe required Nove feet per Alt.	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; but be set by circulating cement to the top; in all cases surface pipe shall be entited to the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; their plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. If you can all cases, NOTIFY district office prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: Signature of Operator or Agent	AFFIDAVIT entual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 d on each drilling rig; lift be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indeed the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Be dest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the complete to the specific statements of the spud date or the well hereby certify that the statements made herein are true and to the complete statements of the spud date or the well hereby certify that the statements made herein are true and to the complete statements of the spud date or the well hereby certify that the statements made herein are true and to the specific statements of the spud date or the well hereby certify that the statements made herein are true and to the specific statements of the spud date or the well hereby certify that the statements made herein are true and to the specific statements of the spud date or the well hereby certify that the statements made herein are true and to the specific statements of the spud date or the well and the specific statement of the spud date or the well and the specific statement of the spud date or the well and the specific statement of the spud date or the spud date or the well and the specific statement of the spud date or the spud date or the specific statement of the spud date or the specific statement of the spud date or the spud d	AFFIDAVIT Initial plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 do no each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be at into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below sharthrough all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 2S1S1-OCCC Conductor pipe required Nove feet per Alt. Approved by: Put 7-18-00	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 Intual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 KCC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA CONTROLOGY ACC WICHETA ACC WI
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below sharthrough all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - QSISI-OCCC Conductor pipe required Signature of Operator or Agent: Minimum surface pipe required feet per Alt. Approved by: Put 7-18-06 This authorization expires: 1-18-07 (This authorization void if drilling not started within 6 months of approval of	AFFIDAVIT antual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 CCC WICHETA and on each drilling rig; Ill be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. At the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. Be dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below sharthrough all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eit 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 251 S1 - OCOC Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. Approved by: LH 7-18-06 This authorization expires: 1-18-07	AFFIDAVIT Intual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 Intual plugging of this well will comply with K.S.A. 55 et. seq. JUL 10 2006 KCC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA ACC WICHETA CONTROLOGY ACC WICHETA ACC WI

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced fleid, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No.	15. <u>05</u>	9-25	515/-	0000			Loc	ation of Well:	County: Franklin		
Operator: JTC Oil, Inc. Lease: Moldenhauer							522	25'	feet from N / S Line of Section		
							368	3685' feet from 🗸 E / W Line of Secti			
Well Number: 36							Sec. 32 Twp. 15S S. R. 21 ✓ East Wes				
Field:_Pa	aola-Rantoul										
Number	of Acres att	ributabla te	a wall				ls S	ection:	Regular or Irregular		
	TR / QTR of			_ NE		NW					
QIN/Q	in/Qin oi	acreage.					If S	ection is Irre	gular, locate well from nearest corner boundary.		
							Sec	tion corner use	ed: NE NW SE SW		
			Show loca	(Show		shade attri		creage for pro or unit bounda	KCC WICHITA		
	' ' '					• • •			RECEIVED JUL 1 0 2006 KCC WICHITA		
				•		:			NECEIVED		
									JUI 10 0		
									2006		
									KCCun		
									WICHITA		
									MIM		
					١.	•			EXAMPLE		
		•		3	⋺	· .	•		EXAMPLE		
		· .									
					-		-				
		· · · ·		· · · ·					10 1980		
		· •		•		•					
			• • •						· · · 3390' ·		
				•		•	:				
			•	•							
							• • •				
			•	•							
		•	•	•		-	•		SEWARD CO.		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.		License Number: 32834				
Operator Address: P.O. Box 910 Louisburg, KS 66053						
Contact Person: Tom Cain		Phone Number: (913) 208 - 7914				
Lease Name & Well No.: Moldenhaue	er #36	Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>NE - NW - NE - NW</u>			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 32 Twp. 15S R. 21			
Settling Pit	If Existing, date of	onstructed:	5225' Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		3685' Feet from ✓ East / West Line of Section			
(If WP Supply API No. or Year Drilled)	100	(bbls)	Franklin County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
la the batter below and I wall	A #15 = 1 1 1 = = 0		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Ves No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?			
			Drilling mud			
Pit dimensions (all but working pits):1			Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point: 4'	(feet)			
If the pit is lined give a brief description of the		Describe proce	edures Reput preinternance and determining any special punitoring.			
material, thickness and installation procedure	.	JUL 17 2006 RECEIVED				
		JUL 17 2006 RECEIVED KCC WICHITA JUL 1 0 2006				
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	owest fresh water 40 feet. CHITA			
	60 feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Drlg mud				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: contents sucked out and filled with dirt				
Does the slope from the tank battery allow all	spilled fluids to					
flow into the pit? Yes No		Drill pits must	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
7671) ,				
1.000						
Date Signature of Applicant & Agent						
KCC OFFICE USE ONLY						
Date Received: 7/10/06 Permit Number: Permit Date: 7/10/06 Lease Inspection: Yes No						
			Lease mapection. Lies (140			