For KCC Use: Effective Date:	7-23-06
District #	3
SGA? Yes	s 🔀 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

, , , , , , , , August 30, 2006	Spot	✓ East
expected Spud Date August 30, 2006 month day year	Spot <u>NESWSWSec. ²³Twp. ²⁷</u>	
_	750 feet from N / V	
PERATOR: License# 33503	950 feet fromE /	
ame: Paxton Grant, LLC	is SECTION Regular Irregular?] ** =
ddress: 132 N. Otsego Ave	·	
ty/State/Zip: Gaylord, MI 49735	(Note: Locate well on the Section Plat on re	verse side)
ontact Person: David Fleming	County: Bourbon Lease Name: Westoff	Well #: A4-23
hone: 620-252-9985	Field Name: Wildcat	
ONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	Yes V No
ame: Thornton Air Rotary, LLC	Target Formation(s): Arbuckle Dolomite	, ,,,,,
	Nearest Lease or unit boundary: 750	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1010	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other	Surface Pipe by Alternate: 1 2	
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 1500	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle Dolomite	
	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	
CC DKT #:	Will Cores be taken?	Yes VNo
	If Yes, proposed zone:	
AFFI he undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.	JUI
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	istrict office on plug length and placement is necessarged or production casing is cemented in; and from below any usable water to surface within 120 and #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	y <i>prior to plugging;</i> days of spud date. alternate II cementing
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	istrict office on plug length and placement is necessarged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior my knowledge and belief.	y prior to plugging; days of spud date. alternate II cementing to any cementing.
 If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	istrict office on plug length and placement is necessaringed or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in my knowledge and belief. Remember to:	y prior to plugging; days of spud date. alternate II cementing to any cementing.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 011-23196-0000	istrict office on plug length and placement is necessaringed or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Remember 10: File Drill Pit Application (form CDP-1) with Intent to Employed and possible completion form ACO-1 within 120 days of spin File acreage attribution plat according to field prora	y prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; ud date; tion orders;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of late: T-8 OL Signature of Operator or Agent: For KCC Use ONLY API # 15 - OII - 23196 COOO Conductor pipe required Nore feet Minimum surface pipe required teet per Alt. X (2)	istrict office on plug length and placement is necessaringed or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Empty of the Completion Form ACO-1 within 120 days of spin	prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; and date; tion orders; priores to plugging;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the sate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 011 - 23196 - 0000 Conductor pipe required	istrict office on plug length and placement is necessariged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Earlie Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is committed.	prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; ad date; tion orders; prikover or re-entry; inpleted; g salt water.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of state: T-8-C Signature of Operator or Agent: For KCC Use ONLY API # 15 - OII - 23196 - COOV Conductor pipe required None feet Minimum surface pipe required 2D feet per Alt. (2) Approved by: Put 7-18-06 This authorization expires: I-8-07	istrict office on plug length and placement is necessaringed or production casing is cemented in; and from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spit File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is come Obtain written approval before disposing or injecting	prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; ud date; tion orders; prkover or re-entry; ppleted; g salt water. In date) please
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugi 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements of the statements of the statement of the stat	istrict office on plug length and placement is necessaringed or production casing is cemented in; and from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in the my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spit is acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work is Submit plugging report (CP-4) after plugging is come in Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration)	prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; ad date; tion orders; prkover or re-entry; ppleted; g salt water. a date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 011-23196-0000	Location of Well: County: Bourbon	
Operator: Paxton Grant, LLC	750 feet from N / V S Line of Section	
Lease: Westoff	950 feet from E / 🗸 W Line of Section	
Well Number: A4-23	Sec. 23 Twp. 27 S. R. 21 ✓ East Wes	
Field: Wildcat		
Number of Acres attributable to well: 40	Is Section: Regular or Irregular	
QTR / QTR / QTR of acreage: NE - SW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WCHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Paxton Grant, LLC			License Number: 33503		
Operator Address: 132 N Otsego Ave, Gaylord, MI 49735					
Contact Person: David Fleming			Phone Number: (620) 252 - 9985		
Lease Name & Well No.: Westoff A4-23			Pit Location (QQQQ):		
Type of Pit:	Pit is:		S2 - NE - SW - SW		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 23 Twp. 27S R. 21 Fast West		
Settling Pit	If Existing, date of	onstructed:	750 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Dit geneelte:		950 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	_ (bbis)	Bourbon County		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No 	Native Mud		
Pit dimensions (all but working pits):	O Length (fe	eet)20	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 8	(feet)		
			RECEIVED JUL 1 0 2006 KCC WICHITA		
		Depth to shallo	west fresh waterfeet.		
NA feet Depth of water wellfeet			rred well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure Dispose of fluids and cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
7-8-0'¢ Date	7.	Jank K	t of my knowledge and belief. JUL 17 2006 KCC WICHITA		
KCC OFFICE USE ONLY					
Date Received: 7/11/04 Permit Num	ber:	Perm	it Date: 7/17/06 Lease Inspection: Yes 1 No		