SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date	Spot East
month day year	150'S - NW-NW - SE Sec. 36 Twp. 15 S. R. 14 V West
OPERATOR: License# 32325	2160 feet from N / S Line of Section
Name: Popp Operating, Inc	feet from VE / W Line of Section
Address: PO Box 187	Is SECTION RegularIrregular?
Address: PO Box 187 City/State/Zip: Hoisington, KS 67544	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rickey Popp	County: Russell
Phone: 620-786-5514	Lease Name: Michaelis "A" Well #: 1
	Field Name: Trapp
CONTRACTOR: License# 31548 Name: Discovery Drilling, Inc	Is this a Prorated / Spaced Field?
Name: Discovery Drining, Inc	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 1885' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water: 230'
Other	Depth to bottom of usable water: 410'
	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 880'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 3400'
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Haul Water
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #;	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΔFFI	DAVIT Wasting of this well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will comply with K.S.A. EE at any Management of the well will be approximately at a second of the well will be approximately at a second of the well will be approximately at a second of the well will be approximately at a second of the well at a se
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be met:	JUL 18 200c
Notify the appropriate district office <i>prior</i> to spudding of well:	KCO L
2. A copy of the approved notice of intent to drill shall be posted on each	th drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
 The appropriate district office will be notified before well is either plug. 	istrict office on plug length and placement is necessary prior to plugging;
	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	pe plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: 7/17/06 Signature of Operator or Agent: 5	Key / President
Orginatore of Operator of Agent.	Time.
	_/
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15. 167-23373-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 167 - 23373 - DOOD Conductor pipe required	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 167 - 23373 - DOOD Conductor pipe required None feet Minimum surface pipe required 430 feet per Alt. (1) X	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
API # 15 - 167 - 23373 - 0000 Conductor pipe required None feet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
API # 15 - 167 - 23373 - DOOD Conductor pipe required None feet Minimum surface pipe required 430 feet per Alt. (1) X	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
API # 15 - 167 - 23373 - DOOD Conductor pipe required Nort feet Minimum surface pipe required 430 feet per Alt. 1 X Approved by: Pull 749-04	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
API # 15	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

whe intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 167-23373-0000	Location of Well: County: Russell	
Operator: Popp Operating, Inc		
Lease: Michaelis "A"	2310 feet from VE / W Line of Section	
Well Number: 1 Field: Trapp	Sec. 36 Twp. 15 S. R. 14 East [/] Wes	
Number of Acres attributable to well: 160	Is Section: 🗸 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: 150'S - NW-NW - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1 .	•	
		1
		• • •
i		1
}		1
:		
i ·		
,	•	
i		
1		1
Į.		
	:	
	· ·	
	•	
		* * *
	•	
	•	· · · · · · · · · · · · · · · · · · ·
*		·
		\\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\
•	 -	
1 -		
1		2.3ic
1	•	2.50
		1 A.
1		
		{
1		
1	•	
		[· ·] · · · · · · · · · ·
		ļ '
		2160
		1716C
		,
1	i	
	. 1	
	:	
Russell	: :C.	



the Cop

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Popp Operating, Inc.		License Number: 32325		
Operator Address: PO Box 187 Hoisington, KS 67544				
Contact Person: Rickey Popp		Phone Number: (620) 786 - 5514		
Lease Name & Well No.: Michaelis "A"	#1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		150'S NW NW SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 15 R. 14 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		2160 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2310 Feet from 🗸 East / 🗌 West Line of Section	
	2000	(bbls)	Russell County	
Is the pit located in a Sensitive Ground Water Area? Yes Vo		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes ✓	No	native clay	
Pit dimensions (all but working pits):2	Pit dimensions (all but working pits): 20 Length (feet) 40 Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	dures for periodic maintenance and determining	
monitor for		dures for periodic maintenance and determining including any special monitoring. dryness then backfill as soon as possible RECEIVED JUL 18 2006 west fresh water 20 32 fee CCC LAT		
· · · · · · · · · · · · · · · · · · ·				
Source of infor		red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	***	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		Type of materia	il utilized in drilling/workover: chemical mud	
Number of producing wells on lease: Number of worl		working pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment p		procedure: Allow fluids to dry then backfill as soon as possible		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		e closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
7/17/06 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 7/18/06 Permit Number: Permit Date: 7/18/06 Lease Inspection: Yes ANO				