# For KCC Use: 7-24-06 Effective Date: 4 SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date Aug 10, 2006  | Spot   |
|--|--|
| month day year   | E/2 - E/2 - SE Sec. 36 Twp. 15 S. R. 14 V West   |
|  | 1320 Feet from N / VS Line of Section  |
| OPERATOR: License# 32325   | 330 feet from $\sqrt{E}$ W Line of Section   |
| Name: Popp Operating, Inc.   | Is SECTION Regular Irregular?  |
| Address: PO Box 187  |  |
| City/State/Zip: Hoisington, KS 67544   | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person: Rickey Popp  | County: Russell 1 SWD  |
| Phone: 620-786-5514  | Lease Name: Michaelis "A" Well #: 1 SWD  |
| CONTRACTOR: License# 31548   | Field Name: Trapp  |
| Name: Discovery Drilling, Inc.   | Is this a Prorated / Spaced Field?   |
| Name.  | Target Formation(s): Arbuckle  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary: 330'   |
| Oil Enh Rec / Infield / Mud Rotary   | Ground Surface Elevation: 1920 feet MSL  |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile: Yes ✓ No.  |
|  | Public water supply well within one mile:  |
| OWO ✓ Disposal Wildcat Cable   | Depth to bottom of fresh water: 230'   |
| Seismic;# of Holes    Other  | Depth to bottom of usable water: 410'  |
| Other  | Surface Pipe by Alternate: 🗸 1 📄 2   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 450'   |
| Operator:  | Length of Conductor Pipe required: none  |
| •  | Projected Total Depth: 3650'   |
| Well Name:   | Formation at Total Depth: Arbuckle   |
| Original Completion Date:Original Total Depth:   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No   | Well Farm Pond Other haul water  |
| If Yes, true vertical depth:   |  |
| Bottom Hole Location:  | DWR Permit #:  |
|  | (Note: Apply for Permit with DWR )   |
| KCC DKT #:   | Will Cores be taken? Yes ✓ No  |
|  |  |
|  | If Yes, proposed zone:   |
| AFF  | RECEIVED   |
|  | RECEIVED   |
| The undersigned hereby affirms that the drilling, completion and eventual pl   | MECEIVED ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1.8 2000   |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  | MECEIVED ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1.8 2000   |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | MECEIVED ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1.8 2000   |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | UDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA   |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  the by circulating cement to the top; in all cases surface pipe shall be set   |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.   |
| The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the described before well is either plug.   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before shall be cement.  | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.   |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill shall be district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order  | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall be districted to the district of the spud date or the well shall be districted to the district of the spud date or the well as the district of the spud date or the well as the district of the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the spud date or the district of           | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.   |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill shall be district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order  | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.   |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before action or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud that the statements made herein are true and to the best of the spud case.   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall the district of the spud date or the well shall be districted to the district of the spud date or the well shall be districted to the district of the spud date or the well as the district of the spud date or the well as the district of the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the well as the district of the spud date or the spud date or the district of           | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHITA  the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.   |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before action or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud that the statements made herein are true and to the best of the spud case.   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drilling of the properties of the well is either plug of the appropriate district office will be notified before well is either plug of the properties of the spud date or the well shall be completed within 30 days of the spud date or the well shall be plants.  I hereby certify that the statements made herein are true and to the best of the plants.  Signature of Operator or Agent:  For KCC Use ONLY   | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Femember to:  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the analyse of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the control of the spud date.  For KCC Use ONLY  The appropriate district office prior to spudding of the spud date or the well shall be completed within 30 days of the spud date or the well shall be determined by the statements made herein are true and to the best of the control of the spudding of           | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the propriate of the propriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be possible to the pest of the propriate of the statements made herein are true and to the best of the propriate of the spud date or Agent:    The minimum amount of surface prior to the propriate of the propr           | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drilling that the statements of the spuddate or the well is either plug of the spuddate or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be hereby certify that the statements made herein are true and to the best of the plants of the spuddate or the well shall be considered.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 167 - 23372 - 0000  Conductor pipe required.   | ugging of this well will comply with K.S.A. 55 et. seq.  **CC WICHT**  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drill drill the well is dry hole, an agreement between the operator and the drill drill the appropriate district office will be notified before well is either plug of the propriate of the appropriate district office will be notified before well is either plug of the appropriate of the drill the statement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired to the best of the propriate of the spud date or the well shall be posted to the best of the propriate of the propri | ugging of this well will comply with K.S.A. 55 et. seq.  **CC WICHT**  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President  **Title: President**  **File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drill drill the well is dry hole, an agreement between the operator and the drill drill the appropriate district office will be notified before well is either plug of the propriate of the appropriate district office will be notified before well is either plug of the appropriate of the drill the statement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired to the best of the propriate of the spud date or the well shall be posted to the best of the propriate of the propri | ugging of this well will comply with K.S.A. 55 et. seq.  **CC WICHT**  The underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  **Remember to:*  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;   |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the well is either plug to the appropriate district office will be notified before well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be comment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be provided by the statements made herein are true and to the best of the provided state of the spud date or the well shall be provided by the statement of the provided statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the spud date or the spud date or the well shall be provided by the spud date or the spud dat                     | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Femember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drough all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drough all unconsolidated materials plus a minimum of 20 feet into the season of the well is either plug to the spurp of the season of the season of the season of the spurp of the well shall be remented by the season of the spurp of the well shall be represented by the statements made herein are true and to the best of the spurp of                     | ugging of this well will comply with K.S.A. 55 et. seq.  **DAVIT**  Unugging of this well will comply with K.S.A. 55 et. seq.  **JUL 1 8 2006  **KCC WICHT**  The production can be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  **File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.   |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the well is either plug to the appropriate district office will be notified before well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be comment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be provided by the statements made herein are true and to the best of the provided state of the spud date or the well shall be provided by the statement of the provided statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the well shall be provided by the statement of the spud date or the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the spud date or the spud date or the well shall be provided by the spud date or the spud dat                     | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Femember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.                                       |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drope of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of Date: 7/17/06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 167 - 23372 - 000  Conductor pipe required   | ugging of this well will comply with K.S.A. 55 et. seq.  **CC WICHITA**  The drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  **File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired |
| The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drough all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drough all unconsolidated materials plus a minimum of 20 feet into the season of the well is either plug to the spurp of the season of the season of the season of the spurp of the well shall be remented by the season of the spurp of the well shall be represented by the statements made herein are true and to the best of the spurp of                     | ugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 8 2006  KCC WICHTA  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Femember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.                                       |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 167-23372-0000                | Location of Well: County: Russell  |
|--|--|
| Operator: Popp Operating, Inc.             | 1320 feet from N / S Line cf Section   |
| Lease: Michaelis "A"                       | 330 feet from $\checkmark$ E / W Line of Section   |
| Well Number: 1 SWD                         | Sec. 36 Twp. 15 S. R. 14 East / Wes  |
| Field: Trapp                               |  |
| Number of Acres attributable to well: 160  | Is Section: Regular or Irregular   |
| QTR / QTR / QTR of acreage: E/2 - E/2 - SE | If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| 1   | •   |   |              |     | •   |            |                     |
|-----|-----|---|--------------|-----|-----|------------|---------------------|
|     |     | • |              |     | •   |            |                     |
|     |     |   |              |     |     |            |                     |
| !   |     |   |              | ,   | • • | , ,<br>, , |                     |
|     |     |   |              |     |     |            |                     |
| 1   |     |   |              |     |     |            |                     |
| 1   | ٠ . |   |              |     | ٠ . |            | i                   |
| 1   |     |   | ` . <i>.</i> |     |     |            |                     |
| İ   |     |   |              |     |     |            |                     |
| İ   | . , |   |              |     |     | •          |                     |
|     |     |   | 3            | ,   |     |            |                     |
| ! . |     |   |              | · * |     |            |                     |
|     |     |   | -,           |     | •   |            |                     |
|     |     |   |              |     | •   |            |                     |
|     |     |   |              |     | ·   |            | , .                 |
|     |     |   |              |     |     |            | 330                 |
|     |     |   |              |     |     |            | 330                 |
|     |     |   |              |     |     |            | $Q \leftrightarrow$ |
|     |     |   |              |     |     |            | 8                   |
|     |     |   |              |     |     |            | <b>A</b> ⇔          |
|     |     |   |              |     |     |            | <b>A</b> ⇔          |
|     |     |   |              |     |     |            | <b>A</b> ⇔          |



NOTE: in all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# 15-167-233

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Popp Operating, Inc.  |                                |                                    | License Number: 32325  |  |  |  |
|--|--------------------------------|------------------------------------|--|--|--|--|
| Operator Address: PO Box 187 Hoisington, KS 67544  |                                |                                    |  |  |  |  |
| Contact Person: Rickey Popp  |                                |                                    | Phone Number: ( 620 ) 786 - 5514   |  |  |  |
| Lease Name & Well No.: Michaelis "A" #1 SWD  |                                |                                    | Pit Location (QQQQ):   |  |  |  |
| Type of Pit:   | Pit is:                        |                                    | <u>E/2</u> <u>E/2</u> <u>SE</u> _  |  |  |  |
| Emergency Pit Burn Pit   | ✓ Proposed                     |                                    | Sec. 36 Twp. 15 R. 14 ☐ East ✓ West  |  |  |  |
| Settling Pit   | If Existing, date constructed: |                                    | 1320 Feet from North / South Line of Section                                 |  |  |  |
| Workover Pit Haul-Off Pit  | Pit capacity:                  |                                    | Feet from 🗸 East / 🗀 West Line of Section                                    |  |  |  |
| (If WP Supply API No. or Year Drilled)   | 2000                           | (bbls)                             | Russell  |  |  |  |
| Is the pit located in a Sensitive Ground Water   | Area? ☐ Yes 🔽                  | No                                 | Chloride concentration:mg/l  |  |  |  |
|  |                                |                                    | (For Emergency Pits and Settling Pits only)                                  |  |  |  |
| Is the bottom below ground level?  ✓ Yes No  | Artificial Liner?              | No                                 | How is the pit lined if a plastic liner is not used?                         |  |  |  |
|  |                                |                                    | native clay  |  |  |  |
| Pit dimensions (all but working pits):2  | O Length (fe                   | eet)40                             | Width (feet) N/A: Steel Pits   |  |  |  |
| Depth fr   | om ground level to de          | eepest point: 4                    | (feet)   |  |  |  |
| If the pit is lined give a brief description of the material, thickness and installation procedure   |                                |                                    | edures for periodic maintenance and determining                              |  |  |  |
| material, uncontess and instanation procedure  | •                              |                                    | ncluding any special monitoring.   |  |  |  |
|  |                                | monitor for                        | dryness then backfill as soon as possible                                    |  |  |  |
|  |                                |                                    |  |  |  |  |
|  |                                |                                    | 20   |  |  |  |
| Distance to nearest water well within one-mile   | of pit                         | Depth to shallo<br>Source of infor | Depth to shallowest fresh water <u>20                                   </u> |  |  |  |
| 3\13 feet Depth of water well  |                                | measu                              | red well owner electric log KDWR   |  |  |  |
| Emergency, Settling and Burn Pits ONLY:  |                                | Drilling, Work                     | over and Haul-Off Pits ONLY:   |  |  |  |
|  |                                | Type of materia                    | aterial utilized in drilling/workover: chemical mud                          |  |  |  |
|  |                                | ring pits to be utilized: 3        |  |  |  |  |
|  |                                | Abandonment (                      | procedure: Allow pits to dry then backfill as soon as possible               |  |  |  |
| Does the slope from the tank battery allow all spilled fluids to   |                                |                                    |  |  |  |  |
| flow into the pit? Yes No Drill pits m   |                                | Drill pits must b                  | pe closed within 365 days of spud date.                                      |  |  |  |
| Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  JUL 1 8 2006  KCC WICHITA  Signature of Applicant or Agent |                                |                                    |  |  |  |  |
| JUL 18 2006  |                                |                                    |  |  |  |  |
| 7/17/06  |                                | Suku                               | KCC WICHITA  |  |  |  |
| DateSignature of Applicant or Agent  |                                |                                    |  |  |  |  |
| KCC OFFICE USE ONLY  |                                |                                    |  |  |  |  |
| Date Received: 7 18 0 - Permit Numb  | per:                           | Permi                              | t Date: 7/18/06 Lease Inspection: Yes X No                                   |  |  |  |
| 1  |                                |                                    |  |  |  |  |

# **KANSAS**

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.