For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date	Spot Fast
month day year	<u>SW</u> - <u>SW</u> - <u>SW</u> Sec. <u>36</u> Twp. <u>30</u> S. R. <u>16</u> West
DPERATOR: License#_33365	331feet from N / ✓ S Line of Section
lame: Layne Energy Operating, LLC	114feet from E / W Line of Section
1900 Shawnee Mission Parkway	Is SECTION RegularIrregular?
ity/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
ontact Person: M. B. Nattrass	County: Wilson
none: 913-748-3987	Lease Name: Mahaffey Well #: 13-36 SWD
	Field Name: Neodesha
ONTRACTOR: License# 33606	Is this a Prorated / Spaced Field? Yes ✓ No
tme: Thorton Air	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 114
	Ground Surface Elevation: 889 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1500 Feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken? Yes ✓ No
	D
	If Yes, proposed zone: KANSAS CORPORTED
AFF	If Yes, proposed zone: KANSAS CORPORATION OF
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: KANSAS CORPORATION OF
he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: KANSAS CORPORATION COMMISS IUQUIT RESCRIVED LUCY L
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:	If Yes, proposed zone: KANSAS CORPORATION COMMISS IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION -
The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: KANSAS CORPORATION COMMISS IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION -
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear	If Yes, proposed zone: Composed Zone
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: Conservation Division Conservation Commiss
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the content of the set	If Yes, proposed zone: Composed Zone
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the control of the set of the s	If Yes, proposed zone: RESCRIVED
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the control of the set. The appropriate district office will be notified before well is either plug to the set of the s	If Yes, proposed zone: KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set	If Yes, proposed zone: KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the se	If Yes, proposed zone: KANSAS CORPORATION COMMISS REGISTRY Rugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; set from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the control of the specific propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the spud date or the well shall be the statements made herein are true and to the spud date or the well shall be the statements made herein are true and to the spud date or the well shall be the spud date or the spud date or the well shall be the spud date or th	If Yes, proposed zone: KANSAS CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	If Yes, proposed zone: KANSAS CORPORATION COMMISS REGISTRY Rugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; set from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before	If Yes, proposed zone: KANSAS CORPORATION COMMISS
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the state of the set of	If Yes, proposed zone: KANSAS CORPORATION COMMISS
the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the state of the state of the state of the state of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the state o	If Yes, proposed zone: KANSAS CORPORATION COMMISS
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the control of the surface propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the control of the details of the control of the cont	If Yes, proposed zone: KANSAS CORPORATION COMMISS
the undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the complete of the surface will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of	If Yes, proposed zone: KANSAS CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the statements of the construction of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before the spud date or the well shall hereby certified before the spud date or the well shall hereby certified before the spud date or the well shall hereby certified before the spud date or the spud date	If Yes, proposed zone: KANSAS CORPORATION COMMISS
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the composition of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the	IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Jugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION List by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Jugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the number of the specified before well is either plus of the spund of the spund of the well shall be completed within 30 days of the spund date or the well shall be the spund of	IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Conservation
he undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the state of th	IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Justicitic office on plug length and placement is necessary prior to plugging; Justicity office on plug length and placement is necessary prior to plugging; Justicity office on plug length and placement is necessary prior to plugging; Justicity office on plug length and placement is necessary prior to plugging; Justicity of the constant of the c
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is a complete of the well be notified before well is either plus of the spund of the well is a complete of the well of the property of the spund date or the well shall hereby certify that the statements made herein are true and to the best of the property of the spund of the well shall hereby certify that the statements made herein are true and to the best of the property of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the state of the well is dry hole, an agreement between the operator and the construction of the state of the well is dry hole, an agreement between the operator and the construction of the well is dry hole, an agreement between the operator and the construction of the well is dry hole, an agreement between the operator and the construction of the well is dry hole, and agreement of the state of the well shall nereby certify that the statements made herein are true and to the best of the state of the well shall nereby certify that the statements made herein are true and to the best of the state of the well shall nereby certify that the statements made herein are true and to the best of the state of the well shall nereby certify that the statements made herein are true and to the best of the state of the well shall nereby certify that the statements made herein are true and to the best of the statements of t	IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. UL 2 0 2006 CONSERVATION DIVISION Ch drilling rig; At by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Justicit office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-205-26873-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	331 feet from N / S Line of Section
Lease: Mahaffey	114 feet from E / V W Line of Section
Well Number: 13-36 SWD	Sec. 36 Twp. 30 S. R. 16 ✓ East West
Field:_Neodesha	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

							•
	· · · ·		· · · ·			• • •	· · · · ·
	·		· 				·
			: ع	do :	•		•
		•					
	· .			•			· ·
			· · · · ·			,	· · · · · · · · · · · · · · · · · · ·
114 1233							
k33	<u> </u>		•				•





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawne	e Mission	Parkway,	Mission Woods, KS 66205		
Contact Person: M. B. Nattrass		Phone Number: (913) 748 - 3987			
Lease Name & Well No.: Mahaffey 13-36 SWD		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW. SW. SW. SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 30 R. 16 ✓ East West		
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No /	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes	☐ Yes 🗸		Self-sealing pit		
Pit dimensions (all but working pits):					
Depth fr	om ground level to de	eepest point: 3'	edures for periodic maintenance and the spring CEIVED including any special monitoring.		
			JUL 2 0 2006 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile of pit Depth to shallo Source of information of the shallo		west fresh waterfeet. mation:			
feet Depth of water well	Ifeet measu		iredwell owner electric logKDWB47		
Emergency, Settling and Burn Pits ONLY: Drilling, Wo			kover and Haul-Off Pits ONLY:		
		Type of materia			
		orking pits to be utilized: Two			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure: Section Procedure: Sect					
	KCC OFFICE USE ONLY				
Date Received: 7/20/01 Permit Number: Permit Date: 7/20/06 Lease Inspection: Yes 4No					

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.