For KCC Use: Effective Date: 7-25-06 District # 2 SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

| | Form C-1 |
|-----|-----------------------|
| | December 2002 |
| | Form must be Typed |
| | Form must be Signed |
| ΑII | blanks must be Filled |
| | |

| Must be approved by KCC five | (5) days prior to commencing well |
|---|--|
| Expected Spud Date 7-15-2006 | Spot East |
| | C - NW/4 - SW Sec. 10 Twp. 23 S. R. 7 West |
| OPERATOR: License# 33787 | 1980" feet from N / VS Line of Section |
| Name. Tiger Oil & Gas LLC | leet from E / V W Line of Section |
| Address: 9313 E. 34th St. N. Suite 200 | ls SECTION |
| City/State/Zip: Wichita, Ks. 67226 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Bill Herndon | County: Reno |
| Phone: 316-630-0808 | Lease Name: WilkeWell #: 2 |
| CONTRACTOR: License# 33549 | Field Name: Infield |
| Name: Landmark Drilling Co. | Is this a Prorated / Spaced Field? |
| Name: | Target Formation(s): Lansing, Mississippi |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 810 |
| Oil Enh Rec Infield Infield Infield | Ground Surface Elevation: 1598feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile:Yes ✓ No |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Yes Yes |
| Seismic;# of Holes Other | Depth to bottom of fresh water: 80' |
| Other | Depth to bottom of usable water: 178-200 |
| | Surface Pipe by Alternate: |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 250' |
| Operator: | Length of Conductor Pipe required: n/a |
| Well Name: | Projected Total Depth: 3850 Formation at Total Depth: Kinderhook shale/Mississippi |
| Original Completion Date:Original Total Depth: | |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| If Yes, true vertical depth: | ✓ Well Farm Pond Other |
| Bottom Hole Location: | DWR Permit #: |
| KCC DKT #: | (Note: Apply for Permit with DWR) |
| Area of potential shallow gas | Will Cores be taken? Yes ✓ No |
| Area of potactial similar gas | If Yes, proposed zone: |
| | IDAVIT RECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: | lugging of this well will comply with K.S.A. 55 et. seq. JUL !! 5 2006 |
| 1. Notify the appropriate district office prior to spudding of well; | 140 |
| 2. A copy of the approved notice of intent to drill shall be posted on each | |
| 3. The minimum amount of surface pipe as specified below shall be se | |
| through all unconsolidated materials plus a minimum of 20 feet into the | ne underlying formation. listrict office on plug length and placement is necessary prior to plugging ; |
| | |
| 5. The appropriate district office will be notified before well is either plug | |
| The appropriate district office will be notified before well is either plugIf an ALTERNATE II COMPLETION, production pipe shall be cement | |
| If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. |
| If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of | aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of | ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of | aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY | aged or production casing is cemented in; seed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: Signature of Operator Signature Signa | gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 Conductor pipe required Nonl feet | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 Conductor pipe required Nore feet Minimum surface pipe required 280 feet per Alt. 1 | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 Conductor pipe required Nove feet Minimum surface pipe required 220 feet per Alt. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 Conductor pipe required Nove feet Minimum surface pipe required 220 feet per Alt. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 | ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /55 - 21506 - OOO Conductor pipe required Nove feet Minimum surface pipe required 220 feet per Alt. 1 Y Approved by: Put 7-20-06 This authorization void if drilling not started within 6 months of approval date.) | ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6-29-2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 155-21506-0000 Conductor pipe required NorL feet Minimum surface pipe required 220 feet per Alt. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 155-21506-0000 | Location of Well: County: Reno |
|---|--|
| Operator: Tiger Oil & Gas LLC | 1980" feet from N / ✓ S Line of Section |
| Lease: Wilke | 660" feet from E / ✓ W Line of Section |
| Well Number: 2 | Sec. 10 Twp. 23 S. R. 7 East ✓ West |
| Field: Infield | |
| Number of Acres attributable to well: | Is Section: 🗸 Regular or 🔃 Irregular |
| QTR / QTR / QTR of acreage: C NW/4 _ SW | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | : : : | | | | |
|-------|---------------------------------------|---------------|-----------------|---------------------------------------|----------------|
| | · · · · · · · · · · · · · · · · · · · | | • | : | |
| : | · · · · · · · · · · · · · · · · · · · | : | : | : | · |
| | | | · · · · · · · · | · · · · · · · · · · · · · · · · · · · | |
| : | <u>:</u> : | lc |) — <u>:</u> | : : | · · |
| 660 1 | · · · · · · · · · · · · · · · · · · · | | | | |
| 1 | · · · · · · · · · · · · · · · · · · · | | | · · · · · · · · · · · · · · · · · · · | · |
| | 1980 | · · · · · · · | | | · · · · · · |

RECEIVED
JUL 8 5 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Tiger Oil & Gas | | | |
|---|--------------------------------|--|---|
| riger on a das | LLC | | License Number: 33787 |
| Operator Address: 9313 E. 34th | | 200 Wid | hita, Ks. 67226 |
| Contact Person: Bill Herndon | | Phone Number: (316) 630 - 0808 | |
| Lease Name & Well No.: Wilke # 2 | | | Pit Location (QQQQ): |
| Type of Pit: | Pit is: | | |
| Emergency Pit Burn Pit | ☐ Burn Pit | | Sec. 10 _{Twp.} 23 _{R.} 7 ☐ East ✓ West |
| Settling Pit | | onstructed: | 1980" Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from East / 🗸 West Line of Section |
| (If WP Supply API No. or Year Drilled) | | (bbls) | Reno County |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l |
| | T | | (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? |
| Yes No | Yes ✓ | | Solids from Drlg operations will self seal pits |
| Pit dimensions (all but working pits): | BO Length (fe | eet) 80' | Width (feet) N/A: Steel Pits |
| Depth fr | rom ground level to de | eepest point: 4 | (feet) |
| If the pit is lined give a brief description of the | | 1 | edures for periodic maintenance and determining |
| material, thickness and installation procedure | e. | liner integrity, i | ncluding any special monitoring. RECEIVED |
| | | | VECEIVED |
| | | | |
| | | | JUL 0 5 2006 |
| | | | 1/00 1/10 |
| Distance to nearest water well within one-mile | e of pit | | west fresh water 718 KCC WICHITA |
| Distance to nearest water well within one-mile | 70 | Source of info | west fresh water 718 KCC WICHITA |
| 00 | 70 feet | Source of info | west fresh water KCC WICHITA feet. |
| feet Depth of water well | 70 feet | Source of info | west fresh water KCC WICHITA feet. rmation: |
| feet Depth of water well Emergency, Settling and Burn Pits ONLY: | 70 feet | Source of informal measurements Drilling, Work Type of material Number of work | west fresh water KCC WICHITA feet. mation: |
| feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: | 70 feet | Source of informal measurements Drilling, Work Type of material Number of work | west fresh water KCC WICHITA feet. KHKG KDWR electric log KDWR well owner electric log KDWR well owner and Haul-Off Pits ONLY: all utilized in drilling/workover: chemical mud |
| 90 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: | 70 feet | Source of informease Drilling, Work Type of materi Number of work Abandonment | west fresh water KCC WICHITA feet. mation: |
| 90 feet Depth of water well | 70 feet | Drilling, Work Type of materi Number of work Abandonment Drill pits must | west fresh water KCC WICHITA feet. KHKG well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: chemical mud rking pits to be utilized: 3 procedure: Pits are allowed to dry completely and backfilled when conditions allow the closed within 365 days of spud date. |
| feet | 70 feet : Il spilled fluids to | Source of informed measurement Drilling, Worke Type of materi Number of worked Abandonment Drill pits must correct to the besides | west fresh water KCC WICHITA feet. KHKG well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: chemical mud rking pits to be utilized: 3 procedure: Pits are allowed to dry completely and backfilled when conditions allow the closed within 365 days of spud date. |
| feet | 70 feet : Il spilled fluids to | Drilling, Work Type of materi Number of work Abandonment Drill pits must | west fresh water KCC WICHITA feet. KHKG well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: chemical mud rking pits to be utilized: 3 procedure: Pits are allowed to dry completely and backfilled when conditions allow the closed within 365 days of spud date. |
| | 70 feet : Il spilled fluids to | Source of informease Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes | west fresh water KCC WICHITA feet. KHKG well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: chemical mud rking pits to be utilized: 3 procedure: Pits are allowed to dry completely and backfilled when conditions allow the closed within 365 days of spud date. |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Date Received: 7/5/06 Permit Number:



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

July 20, 2006

Mr. Bill Herndon Tiger Oil & Gas, LLC 9313 E. 34th St. No. Ste 200 Wichita, KS 67226

Re: I

Drilling Pit Application Wilke Lease Well No. 2 SW/4 Sec. 10-23S-07W Reno County, Kansas

Dear Mr. Herndon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File