For KCC Use:

Effective Date:

District # 2

SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approv	ved by KCC five (5) days prior to commencing well All blanks must be Filled
Expected Spud Date May 31,	2006 Snot
month day	Spot East year NW NE NW Sec. 05 Twp. 31 S. R. 08 ✓ West
OPERATOR: Lisamont 5214	NW NE NW Sec. 05 Twp. 31 S. R. 08 ✓ West feet from N / S Line of Section
OFERAION: License#	1650 feet from E / V W Line of Section
301 South Market St	Is SECTION ✓ Regular Irregular?
Address: Wichita, KS 67202	
Contact Person: Jay G. Schweikert	(Note: Locate well on the Section Plat on reverse side) County: Harper
Phone: 316-265-5611	Lease Name: Blackwell Well #: 6
	Field Name: Spivey-Grabs-Basil
CONTRACTOR: License# 5123	Is this a Prorated / Spaced Field?
Name: Pickrell Drilling Co., Inc.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equip	Nearest Lease or unit boundary: 330 ft
	Ground Surface Elevation: 1675 est 4act MCI
✓ Oil	Rotary Water well within one-quarter mile: Yes V No
OWWO Disposal Wildcat Cable	Public water supply well within one mile / Yes / No.
Seismic; # of Holes Other	Depth to bottom of fresh water: 150 ft
Other	Depth to bottom of usable water:180 ft
Onio	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250 ft
Operator:	
Well Name:	Projected Total Depth: 4500 ft.
Original Completion Date:Original Total Dep	
Discotional Designal - Designal well-	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes V No Well V Farm Pond Other
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply to A circle was 5 Miles)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion	and eventual plugging of this well will comply with K.S.A. 55 et. seq. MAY 0 4 2006 met: of well; e posted on each drilling rig; low shall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be	met: 0 4 2006
Notify the appropriate district office <i>prior</i> to spudding	of well:
2. A copy of the approved notice of intent to drill shall be	e posted on each drilling rig:
• • • • • • • • • • • • • • • • • • • •	low shall be set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of	
•	erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before we	chall be cemented from below any usable water to surface within 120 days of spud date.
· · · · · · · · · · · · · · · · · · ·	e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or	the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true an	d to the best of my knowledge and belief.
-1-1	Charles Sellen Services
Date: $5/5/6$ Signature of Operator or Agent	t: Yay & Jeffwellik Title: Operations Engineer
	Jay G. Schweikert Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 077 - 21558-0000	- File Completion Form ACO-1 within 120 days of spud date;
11-00	- File acreage attribution plat according to field proration orders:
400	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 600 feet per	
Approved by: <u>Ru4</u> 7-21-06	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 1-21-07	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of ap	check the box below and return to the address below.
	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Lease: Blackwell 1650 feet from E / V W Line of Section Well Number: 6 Sec. 05 Twp. 31 S. R. 08 East V We Field: Spivey-Grabs-Basil Number of Acres attributable to well: Is Section: Regular or Irregular	API No. 15		Lario	Oil & Ga	s Co.						ation of \ 3	30	-	feet fron	n 🔽 N	/ 🗆 s	Line of	Section
Well Number: 5 Section: Regular or Irregular		pperator																
Spivey-Grabs-Basil Is Section: Regular or Irregular										Sec.			31			, (18)		
Number of Acres attributable to well: OTR / QTR of acreage: NW NE NW NE NW Section is Irregular, locate well from nearest corner boundary. Section corner used: NNE NW SE SW PLAT Lease (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show locate to the nearest lease or unit boundary line.) 18 Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NNE NW SE SW PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show location of the nearest lease or unit boundary line.) 1330' 1650' 18 EXAMPLE		Spivev-G	rabs-Bas	il		-				360		IWP	-	0, 11.		_		
Number of Acres attributable to well: OTR / QTR / QTR of acreage: NW NE NW Section Is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Lease (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show location of the nearest lease or unit boundary line.) 1330' 1650' 0 #6 EXAMPLE 1980	rieiu:									ls S	ection:	✓ Re	egular o	r 🗌 Im	egular			
If Section Is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Number of	Acres at	tributable									·		L	J			
Lease (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) 1650' #6 EXAMPLE 1980	QTR / QTF	R/QTR o	f acreag	e:N	IW	- <u>NE</u>		NW		lf S	ection i	s Irregu	lar, loca	te well f	rom near	est corr	ner bou	ndary.
(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) 330'										Sec	tion corn	er used	: NE	: NW	SE	SW		
1650' > 0 #6 EXAMPLE 1980	Lease	_	<i>\</i>	(Show	v locatio				attribu	itable a				paced we	lls.)			
EXAMPLE	ſ				330'				•			7						
EXAMPLE		-	•	>	عبد ٥				•	-								
1980			1650'															
1980																		
1980	ļ			٠					•									
1980	1				• • •					• •								
1980					:													
1980			•	•	•				•	•								
1980				• • •					• • •	• •								
1980			•	•						,							 j	
			-	-	•		5						EXA	MPĻE			Ì	
	_			-						•				٠	•	•		
			-					•		•						╗		
														:	1 ##		80	
3390'				•	•				•	•			1		.10 <u> </u>			
3390'			•	•	:			•										
		1							• •					•	- 3 3	390' :		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. section 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:	Lario Oil & Ga	s Co.		License Number: 5214					
Operator Address:	301 South M	arket St.	Wichit	ta, KS 67202					
Contact Person:	Jay G. Schwei	kert		Phone Number: (316) 265 - 5611					
Lease Name & Well No.: Blackwell #6				Pit Location (QQQQ):					
Type of Pit:		Pit is:		<u>NW - NE</u> - <u>NW</u>					
Emergency Pit	Burn Pit	✓ Proposed	Existing	Sec. 05 Twp. 31 R. 08 ☐ East ✓ West					
Settling Pit	✓ Drilling Pit	If Existing, date of	onstructed:	330 Feet from 🗸 North / 🗌 South Line of Section					
Workover Pit (If WP Supply API No. or Ye	Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✓ West Line of Section					
		5100	(bbis)	Harper Coun					
Is the pit located in a Se	ensitive Ground Water	Area? 🗸 Yes	No	Chloride concentration: mg/l					
Is the bottom below gro	ound level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?					
✓ Yes . No		☐ Yes 🗸	No						
Pit dimensions (all but v	Pit dimensions (all but working pits): 90 Length (feet) 80 Width (feet) N/A: Steel Pits								
	Depth from ground level to deepest point:4 (feet)								
				MAY 0 4 200 KCC WICHIT					
Distance to nearest wat	er well within one-mile	of pit	Depth to shallow Source of inform	1000					
feet	Depth of water well	90 feet	measured well owner electric log KDWR						
Emergency, Settling a	nd Burn Pits ONLY;		Drilling, Workover and Haul-Off Pits ONLY:						
Producing Formation:_			Type of material utilized in drilling/workover: Bentonite Mud						
Number of producing wells on lease:			Number of working pits to be utilized: 2 Abandonment procedure: Allow for evaporation. Fill in and cover pits.						
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to			Abandonment procedure: Allow for evaporation. Fill in and cover pits.						
	es No	spilled fluids to	Drill pits must be closed within 365 days of spud date.						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.									
Date Signature of Applicant or Agent									
KCC OFFICE USE ONLY RFAS									
Date Received: S	Permit Numb	per:	Permit	Date: 7 21 06 Lease Inspection: 🗶 Yes 🗌 No					



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

July 21, 2006

Mr. Jay G. Schweikert Lario Oil & Gas Co. 301 South Market St Wichita, KS 67202

Re: Drilling Pit Application

Blackwell Lease Well No. 6 NW/4 Sec. 05-31S-08W Harper County, Kansas

Dear Mr. Schweikert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File