For KCC Use: Effective Date: District # 3 SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 1, 2006	Spot ✓ East
month day year	SE/A SIN/A SIN/A 34 10 16 FF
33247 🗸	430 Sec. Twp. S. R. West
OPERATOR: License# 33247 Name: Petrol Oil and Gas, Inc.	1090 feet from E / V W Line of Section
Address: 401 Pearson Ave. Box 447	Is SECTION ✓ Regular Irregular?
City/State/Zip: Waverly, KS 66871	·
Contact Person: Brad Kramer	(Note: Locate well on the Section Plat on reverse side) County: Coffey
Phone: 785 733-2158	Lease Name: Greathouse Well #: 34-3
	Field Name: Hatch NE
CONTRACTOR: License# 30567	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Rig 6 Drilling Company	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 430'
Oil Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 1174feet MSL
✓ Gas ✓ Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No_
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 100+
Other	Depth to bottom of usable water: 200+
	Surface Pipe by Alternate: 1 \(\sqrt{2} \)
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1750'
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	If Yes, proposed zone:
ΔEFI	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
ΔEFI	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION Ingging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DAVIT CONSERVATION DIVISION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT Seging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006 CONSERVATION DIVISION WICHITAL KS The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006 CONSERVATION DIVISION WICHITALIAN The drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006 CONSERVATION DIVISION MICHITA KS a underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006 CONSERVATION DIVISION MICHITA KS a underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq.JUL 2 1 2006 CONSERVATION DIVISION MICHITA KS a underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office will be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plust of the spud to the best of the spud control of the set of the spud to the best of the spud control of the set of the spud to the best of the spud to the best of the spud to the best of the spud to the set of the spud to the best of the spud to the best of the spud to the best of the spud to the set of the spud to the best of the spud to the spud to the best of the spud to the set of the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the set of the spud to the s	CONSERVATION DIVISION Michigan of this well will comply with K.S.A. 55 et. seq. JUL 2 1 2006 CONSERVATION DIVISION Michigan KS The production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dientification of the state of	DAVIT KANSAS CORPORATION COMMISSION agging of this well will comply with K.S.A. 55 et. seq. JUL 2 1 2006 CONSERVATION DIVISION MICHITALIAN To by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the seid through all unconsolidated materials plus a minimum of 20 feet into the seid seid seid of the seid seid seid seid seid seid seid sei	CONSERVATION DIVISION Michigan of this well will comply with K.S.A. 55 et. seq. JUL 2 1 2006 CONSERVATION DIVISION Michigan KS The production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	DAVIT KANSAS CORPORATION COMMISSION In giging of this well will comply with K.S.A. 55 et. seq. JUL 2 1 2006 CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation. It is office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing It is plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the surface well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 031 - 22232-0000 Conductor pipe required None feet	DAVIT KANSAS CORPORATION COMMISSION In giging of this well will comply with K.S.A. 55 et. seq. JUL 2 1 2006 CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is construct office on plug length and placement is necessary prior to plugging; It is defended by the following is cemented in; It is defended by the following is cemented in; It is defended by the following is cemented in; It is defended by the following is cemented in; It is defended by the following is cemented in; It is defended by the following is cemented in; It is defended by the following is cemented in; It is is the following is cemented in; It is is the following is the following is set of the following is the following is set of the fol
The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232-0000 Conductor pipe required Nove feet per Alt. 122	If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232 - OWO Conductor pipe required None feet Minimum surface pipe required Approved by: Publ 7-31-06	If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232 - OWO Conductor pipe required None feet per Alt. (2) Approved by: Publ 7-21-06 This authorization expires: /- 21-07	If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232 - OWO Conductor pipe required None feet Minimum surface pipe required Approved by: Publ 7-31-06	DAVIT KANSAS CORPORATION COMMISSION In drilling rig; In drillin
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232 - OWO Conductor pipe required None feet per Alt. (2) Approved by: Publ 7-21-06 This authorization expires: /- 21-07	ANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHTANDS Set to seq JUL 2 1 2006 CONSERVATION DIVISION WICHTANDS Set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. Plass, 891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 6. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order of must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 20, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22232 - OWO Conductor pipe required None feet per Alt. X2 Approved by: Putt 7-21-06 This authorization expires: 1-21-07 (This authorization void if drilling not started within 6 months of approval date.)	DAVIT KANSAS CORPORATION COMMISSION In drilling rig; In drillin

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22232-0000	Location of Well: County: Coffey
Operator: Petrol Oil and Gas, Inc.	430 feet from N / V S Line of Section
Lease: Greathouse	1090 feet from E / V W Line of Section
Well Number: 34-3	Sec. 34 Twp. 19 S. R. 16 ✓ East Wes
Field: Hatch NE	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SE/4 - SW/4 - SW/4 - SW/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	•
	•
	· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	
······································	
	
· · · · · · · · · · · · · · · · · · ·	

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 1 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Petrol Oil and Gas, Inc.		License Number: 33247	
Operator Address: 401 Pearson		47, Wave	erly, KS 66871
Contact Person: Brad Kramer		Phone Number: (785) 733 - 2158	
Lease Name & Well No.: Greathous	se 34-3		Pit Location (QQQQ):
Type of Pit:	Pit is:	1	ESE SW SW
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 34 Twp. 19 R. 16
Settling Pit	If Existing, date of	onstructed:	430 Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / 🗸 West Line of Section
(II WE Supply AFT No. of Teal Office)		(bbls)	Coffey County
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No V	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓	No	Native Clay
Pit dimensions (all but working pits):	0 Length (fe	eet) 10	Width (feet) N/A: Steel Pits
	om ground level to de		(feet)
If the pit is lined give a brief description of the	liner		edures for periodic maintenance and determining notations and special monitoring.
material, thickness and installation procedure) .	liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMMISS
			JUL 2 1 2006
			CONSERVATION DIVISION
Distance to nearest water well within one-mile			THE PROPERTY OF THE PROPERTY O
	e of pit	Depth to shallo	
Distance to nearest water wer warm one-man	e of pit	Depth to shallo Source of info	west fresh waterfeet.
feet Depth of water well	NA feet	Source of info	west fresh waterfeet. mation:
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	N A feet	Source of info	west fresh waterfeet. mation:
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informeast Drilling, Work Type of materi	west fresh waterfeet. mation:feet. well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of information Measu Drilling, Work Type of materia Number of work	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	feet	Source of information Measu Drilling, Work Type of materia Number of work	west fresh waterfeet. mation:feet. well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Drilling, Work Type of materi Number of work Abandonment	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date.
Feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date.
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state July 20, 2006	feet feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh water
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date.
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state July 20, 2006	feet feet	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh water
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state July 20, 2006	spilled fluids to	Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	west fresh water