For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Shiloh
Expected Spud Date 09/01/06	Spot ✓ East
month day year	NE SW - NE - SE Sec. 26 Twp. 26S S. R. 17 West
	1955 feet from N / V S Line of Section
OPERATOR: License# 33583 Name: Admiral Bay (USA) Inc.	715 feet from F E / W Line of Section
	Is SECTION Regular Irregular?
Address: 7060B S. Tucson Way City/State/Zip: Centennial, CO 80112	13 OLO 11014 ITOGUIAI :
City/State/Zip: Staven Tedesco	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Steven Tedesco	County: Allen
Phone: 303-350-1255	Lease Name: Young Well #: 9-26
5786	Field Name: Humboldt-Chanute
CONTRACTOR: License# 5786 Name: McGown Drilling	Is this a Prorated / Spaced Field?
Name: McSown Drilling	Target Formation(s): Riverton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 715 FEL
	Ground Surface Elevation: 972feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ▼ No
Gas ′ Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200'+
Other	
_	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1400'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
AF	FIDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. 4991 3 E 2006
It is agreed that the following minimum requirements will be met:	JUL 2 5 2006
Notify the appropriate district office <i>prior</i> to spudding of well;	0010
2. A conv of the approved notice of intent to drill shall be nosted on a	ach drilling rig: CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be	set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.
·	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either pla	, , , , , , , , , , , , , , , , , , , ,
6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	nted from below any usable water to surface within 120 days of spud date.
	or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall	It be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best	of my knowledge and belief.
Λ.	
Date: 07/24/06 Signature of Operator or Agent:	Title: CEO/President
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 001-29488-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 00 1-29488-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15 - 00 1 - 29488 - 0000 Conductor pipe required None feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 00 I - 29488-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X 2	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
API # 15 - OO I - 29488-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. Approved by: 447-25-06	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water.
API # 15 - 00 I - 29488-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X 2	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water If this permit has expired (See: authorized expiration date) please
API # 15 - OO I - 29488-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: LH 7-25-06	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water.
API # 15 - OO I - 29488-0000 Conductor pipe required NOIL feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 447-25-05 This authorization expiree: 1-25-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water If this permit has expired (See: authorized expiration date) please
API # 15 - OO I - 29488-0000 Conductor pipe required NONL feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 447-25-05 This authorization expires: 1-25-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - OO I - 29488-0000 Conductor pipe required NONL feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 447-25-05 This authorization expires: 1-25-07 (This authorization void if drilling not started within 6 months of effective date.)	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or Injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29488-0000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	<u> </u>
Lease: Young	1955 feet from N / S Line of Section 715 feet from E / W Line of Section
Well Number: 9-26 Field: Humboldt-Chanute	Sec. <u>26</u> Twp. <u>26S</u> S. R. <u>17</u>
Number of Acres attributable to well: 40	ls Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					RECEIVED KANSAS CORPORATION COMMISSION JUL 2 5 2006 CONSERVATION DIVISION WICHITA, KS
. , .		· · · · · · · · · · · · · · · · · · ·	26 —		EXAMPLE : :
		· · · · · · · · · · · · · · · · ·	·	O	715
	· · · · · ·			1955	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Julian Daprout					
Operator Name: Admiral Bay (USA) Inc.			License Number: 33583		
Operator Address: 7060B S. Tucson Way Centennial CO 80112					
Contact Person: Steve Tedesco			Phone Number: (303) 350 - 1255		
Lease Name & Well No.: Young 9-26	,		Pit Location (QQQQ):		
Type of Pit:	Pit is:	NE SW NE SE			
Emergency Pit Bum Pit	Proposed	Existing	Sec. 26 Twp. 26S R. 17		
Settling Pit	If Existing, date constructed:		Feet from North / _/ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		715 Feet from		
(If WP Supply API No. or Year Drilled)	150	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓] No ∽	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	now is the pit inted it a plastic liner is not used?		
Pit dimensions (all but working pits):	O Length (fe	et) 20	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring. KANSAS CORPORATION COMMISSION COMMISSIO		
			JUL 2 5 2006		
			CONSERVATION DIVISION WIGHTIA, KS		
Distance to nearest water well within one-mile	of pit NA	Depth to shallo Source of infor	west fresh waterfeet.		
N/A feet Depth of water well	feet	measu	ired well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of mat			al utilized in drilling/workover: Fresh Water & Native mud		
		1	Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment procedure: Evaporation and back fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. Correct to the best of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		1600	8		
07/24/06 Della Tilla					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 7/25/06 Permit Number: Permit Date: 7/25/06 Lease Inspection: Yes 2100					