For KCC Use: Effective Date: District # SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 12, 2006	Spot East
month day year	SE NW SW Sec. 5 Twp. 17 S. R. 32 West
OPERATOR: License# 33629	1680'feet fromN / ✓S Line of Section
Name: Great Plains Energy, Inc. a NE Corp.	1185'feet from E / V W Line of Section
Address: 429 N Linden PO Box 292	ls SECTIONRegularIrregular?
City/State/Zip: Wahoo, NE 68066	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dan Blankenau	County: Scott
Phone: 402-277-5336	Lease Name: ZanobiaWell #:1
	Field Name: Wildcat
CONTRACTOR: License# 33724 V	Is this a Prorated / Spaced Field?
Name: Warren Drilling Co.	Target Formation(s): LKC/Morrow
Wall Dallad Face Wall Olars Tree Facility and	Nearest Lease or unit boundary: 1185'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2976feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: ✓ Yes No
☐ Gas ☐ Storage ✓ Pool Ext. ☐ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 220'
Seismic; # of Holes Other	Depth to bottom of usable water: 1525
Other	Surface Pipe by Alternate: ✓ 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 280'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4760'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Bate.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	✓ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If You appared zone:
	If Yes, proposed zone:
A 555	
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT ugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	payor pugging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2006 The drilling rig; The by circulating cement to the top; in all cases surface who will be underlying formation. The interest office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ugging of this well will comply with K.S.A. 55 et. seq. FIGURED JUL 2 4 2006 The drilling rig; The by circulating cement to the top; in all cases surface with the underlying formation. The interest office on plug length and placement is necessary prior to plugging; The ged or production casing is cemented in; The drived from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	ugging of this well will comply with K.S.A. 55 et. seq. FIGURED JUL 2 4 2006 The drilling rig; The by circulating cement to the top; in all cases surface with the sequence of the complete
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall It	payor bugging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2006 The drilling rig; The by circulating cement to the top; in all cases surface production. The underlying formation. The interpolation of the plug length and placement is necessary prior to plugging; The ged or production casing is cemented in; The defined production casin
The undersigned hereby affirms that the drilling, completion and eventual please of the undersigned hereby affirms that the drilling, completion and eventual please of the undersigned hereby affirms that the drilling, completion and eventual please of the undersigned hereby affirms that the drilling hereby affirms that the statements made herein are true and to the best of the drilling hereby affirms that the statements made herein are true and to the best of the drilling hereby affirms that the statements made herein are true and to the best of the drilling hereby affirms that the statements made herein are true and to the best of the drilling hereby affirms that the statements made herein are true and to the best of the drilling hereby affirms that the drilling hereby affirms the	ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 4 2006 The drilling rig; The by circulating cement to the top; in all cases surface with the plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Secretary
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set of the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the set of the	ugging of this well will comply with K.S.A. 55 et. seq. **The property of the
The undersigned hereby affirms that the drilling, completion and eventual plear it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the description of the well is dry hole, an agreement between the operator and the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for the well is either plug for the well is either plug for the proposition of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the proposition of the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the proposition of the p	ugging of this well will comply with K.S.A. 55 et. seq. **PL 2 4 2006** The drilling rig; the by circulating cement to the top; in all cases surface the underlying formation. In the underlying formation. In the underlying formation are underlying formation. It is underlying formation. It is underlying formation. It is underlying formation are underlying formation. It is underlying formation are underlying formation are underlying formation are underlying formation are underlying formation formation are underlying formation are underlying formation are underlying formation orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set into the set of th	ugging of this well will comply with K.S.A. 55 et. seq. **Proceedings of this well will comply with K.S.A. 55 et. seq. **Jul 2 4 2006 **The drilling rig; **The process of the complete the complete the complete the complete the complete the complete to the top; in all cases surface within 120 days of spud date. **Jul 2 4 2006 **The process of the complete the com
The undersigned hereby affirms that the drilling, completion and eventual pleats agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set into the set of th	ugging of this well will comply with K.S.A. 55 et. seq. **RECEIVED** **JUL 2 4 2006** **In drilling rig; ** **the production cases to the top; in all cases surface with the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. **#133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. **In all cases, NOTIFY district office** prior to any cementing. **Title: Secretary** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 171-20639-0000	Location of Well: County: Scott
Operator: Great Plains Energy, Inc. a NE Corp.	1680' feet from N / J S Line of Section
Lease: Zanobia	1185' feet from E / W Line of Section
Well Number: 1 Field: Wildcat	Sec. 5 Twp. 17 S. R. 32 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SE NW SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	-	•		-		
	1		-	-				.
	1				1			
	1				1			
	1				I			
					I			
	1				I			
					• • •			
	1				I			I
	1				I			I
	1				I			. 1
	1		•		I			
	1				I			
	1		-	•	l	•		•
					l			
				-	ı			-
	1				l			
	1				1			
	1				1			1
	1		•		1	•		.
	1				1			
			-					.
			-					.
						-		_
		•	-			-	•	·
			•	•		•	•	•
								.
								.
		•				•		.
								.
					I			
					.		·	
							· ·	
		· ·					· · ·	
		: : 					· · · · ·	
		: 						
		: : 					· · · · ·	
		: : 					· · · · ·	
185,		: 					· · · · · · · · · · · · · · · · · · ·	
185 -		: : •					· · · · · · · · · · · · · · · · · · ·	
185' —		 γ					· · · · · · · · · · · · · · · · · · ·	
185' —		⋮ 					· · · · · · · · · · · · · · · · · · ·	
185 <u> </u>		: 					· · · · · · · · · · · · · · · · · · ·	
185' —		: 					· · · · · · · · · · · · · · · · · · ·	
185' —		÷					· · · · · · · · · · · · · · · · · · ·	
185' —		: 					· · · · · · · · · · · · · · · · · · ·	
185' —		: 						
185° —		: 					· · · · · · · · · · · · · · · · · · ·	
185' —		: 						
185' —		: 						
185° —		: 				· · · · · · · · · · · · · · · ·		
185 <u>—</u>		: 				· · · · · · · · · · · · · · · ·		
185' —		: 				· · · · · · · · · · · · · · · ·		
185° —		: 				· · · · · · · · · · · · · · · ·		
185 <u>—</u>		: 				· · · · · · · · · · · · · · · ·		
185' —		: 						
185° —		: 						
185 —		:						
185' —		:						
185° —		:						
185 —		:						
185' —		:						
185° —		:						
185° —		:						
185' —		:						

RECEIVED
JUL 2 4 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Great Plains Energy, Inc. a NE Corp.			License Number: 33629			
Operator Address: 429 N Linden, PO Box 292, Wahoo, NI			E 68066			
Contact Person: Dan Blankenau			Phone Number: (402) 277 -5336			
Lease Name & Well No.: Zanobia #1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		_NE _ SE _ NW _ SW _			
Emergency Pit Burn Pit	√ Proposed		Sec. 5 Twp. 17 R. 32 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		1680' Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1185' Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	600	(bbls)	Scott County			
Is the pit located in a Sensitive Ground Water	Area? Yes ✓] No	Chloride concentration: mg/l			
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	☐ Yes 🗸	No	Bentonite & Drilling Solids for Self Seal			
Pit dimensions (all but working pits):	Length (fe	et) 60	Width (feet)N/A: Steel Pits			
Depth fr	om ground level to de	epest point: 4S	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.			
material, disenses and installation proceeds	··	mier megney, r	RECEIVED			
			JUL 2 4 2006			
Distance to nearest water well within one-mile	e of pit		west fresh water 60 Feet. WICHITA			
Source of infor		rriation. iredwell owner electric logKDWR				
			cover and Haul-Off Pits ONLY:			
Producing Formation: Type of mater		Type of materia	rial utilized in drilling/workover: Bentonite			
		orking pits to be utilized: 4S				
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Allow to evaporate then cover for farming.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
	^	O - 1 10				
July 20, 2006 Date		MAC 1	ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
71						
Date Received: / 24 AL Permit Num	ber:	Perm	it Date: // 24/06 Lease Inspection: Yes No			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

G