For KCC Use: Effective Date: District # 3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 10, 2006	
	Spot East
month day year	SW - NW - NE Sec. 30 Twp. 21 S. R. 14 West
OPERATOR: License# 33247	feet from N / S Line of Section
Name. Petrol Oil and Gas, Inc.	2300feet from V E / W Line of Section
Address: 401 Pearson Ave. Box 447	Is SECTIONRegularIrregular?
City/State/Zip: Waverly, KS 66871	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Kramer	County: Coffey
Phone: 785 733-2158	Lease Name: BardsleyWell #: 30-2
	Field Name: Hatch NE
CONTRACTOR: License# 30567	Is this a Prorated / Spaced Field?
Name: Rig 6 Drilling Company	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1200'
	Ground Surface Elevation: 1143 feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
	Depth to bottom of fresh water: 100+
	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 1850'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seg.
	299.19 01 210 100 110 100 100 100 100 100 100
	JUL 2 6 2006
It is agreed that the following minimum requirements will be met:	JUL 2 6 2006
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig: CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; th by circulating cement to the top; in all cases surface pipe set ne underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the definition.	ch drilling rig; th by circulating cement to the top; in all cases surface piper set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the second of	ch drilling rig; th by circulating cement to the top; in all cases surface piper to plugging; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the driving that the state of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; th by circulating cement to the top; in all cases surface piper set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the driving that the state of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug	ch drilling rig; th by circulating cement to the top; in all cases surface piper by set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the driving that the state of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug to the appropriate district office will be notified before well as either plug	ch drilling rig; the by circulating cement to the top; in all cases surface pile the set on the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the driving that the state of the appropriate district office will be notified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the driving that the state of the state of the spudding or the spudding or the well shall. I hereby certify that the statements made herein are true and to the best of the spudding of the spudding of the spudding or the well shall.	ch drilling rig; th by circulating cement to the top; in all cases surface piper is set to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of t	ch drilling rig; the by circulating cement to the top; in all cases surface pile the set on the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the driving that the state of the appropriate district office will be notified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the driving that the state of the state of the spudding or the spudding or the well shall. I hereby certify that the statements made herein are true and to the best of the spudding of the spudding of the spudding or the well shall.	ch drilling rig; th by circulating cement to the top; in all cases surface piper is set to be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the well is either plug to the surface will be notified before well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the well shall. I hereby certify that the statements made herein are true and to the best of the surface of the	conservation densition of the desired production cases are conservation densition. Title: Conservation densition of the desired production cases are considered and placement is necessary prior to plugging; ged or production casing is cemented in; end from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20 feet into the set of the well is either plug to the surface will be notified before well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the well shall. I hereby certify that the statements made herein are true and to the best of the surface of the	conservation DMSion In the drilling rig; In the by circulating cement to the top; in all cases surface piles in the set of the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation. It is the underlying f
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of the second of the	conservation densition of the desired process of the conservation densition of the conservation of the con
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug to the specified before well is either plug to the specified	conservation DMSion the by circulating cement to the top; in all cases surface piles set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	conservation DMSion In the drilling rig; In the by circulating cement to the top; in all cases surface pipe to set In the underlying formation. In the underlying formation is set to the underlying of spud date. In the underlying formation is set to the underlying of spud date. In the underlying formation is set to the underlying formation orders. In the underlying formation orders, In the underly
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all be competed within the seen of the well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date or the well shall. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22237-0000 Conductor pipe required Nove feet per Alt. V (2) Approved by: 24 7-26-00	conservation design to the top; in all cases surface piles in the set of the underlying formation. In the underlying formation is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	CONSERVATION DMISION of by circulating cement to the top; in all cases surface piles it by circulating cement to the top; in all cases surface piles it by circulating cement to the top; in all cases surface piles it by circulating cement to the top; in all cases surface piles it is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of 20 feet	CONSERVATION DMISION of by circulating cement to the top; in all cases surface piles in the content of the top; in all cases surface piles in the content of
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the search of the approved notice of intent to drill shall be posted on each at the search of the minimum amount of surface pipe as specified below shall be search of the minimum amount of surface pipe as specified below shall be search through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dry of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the propriate of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the propriate of the propriat	CONSERVATION DIMISION of by circulating cement to the top; in all cases surface piles in the condensity of the underlying formation. Set is included in the underlying is cemented in; and the underlying is cemented in the underlying is prior to any usable water to surface within 120 days of spud date. Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall of the specified before well is either plus of the spud date or the well shall of the set of the spud date or the well shall of the spud date or the spud date or the well shall of the spud date or the spud date or the well shall of the spud date or the well shall of the spud date or the spud date	CONSERVATION DMISION of by circulating cement to the top; in all cases surface piles in the content of the top; in all cases surface piles in the content of

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031- 22237-0000	Location of Well: County: Coffey
Operator: Petrol Oil and Gas, Inc.	1200 feet from N / S Line of Section
Lease: Bardsley	2300 feet from VE / W Line of Section
Well Number: _30-2	Sec. 30 Twp. 21 S. R. 14 V East West
Field: Hatch NE	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW - NW - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

:	: : :	: : :
	1	
:		
:	: : :	
	· · · · · · · · · · · · · · · · · · ·	

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 2 6 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		biliik iii bapiicat			
Operator Name: Petrol Oil and Gas,	Inc.		License Number: 33247		
Operator Address: 401 Pearson Av	e #447, Wave	erly, KS 668	371		
Contact Person: Brad Kramer			Phone Number: (785) 733 - 2158		
Lease Name & Well No.: Bardsley 30-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		56 <u>572</u> _ <u>SW/4</u> _ <u>NW/4</u> _ <u>NE/4</u>		
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 30 Twp. 21 R. 14 🗾 East	West	
Settling Pit Drilling Pit	If Existing, date constructed:		1200 Feet from 🗹 North / 🗌 South	Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2300 Feet from 🗸 East / West	Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Coffey	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: (For Emergency Pits and Settling Pits of		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Native Clay		
Pit dimensions (all but working pits):	60 Length (fe	eet) 10	Width (feet) N/A:	Steel Pits	
Depth fr	om ground level to de		(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	JUL Conser	CEIVED CORATION COMMISSION 2 6 2006 VATION DIVISION CHITALKS	
Distance to nearest water well within one-mile	e of pit WA	Depth to shallo Source of info	owest fresh water feet		
feet Depth of water well _	NIA		rmation:	NA Jor	
		measu	rmation: uredwell owner electric log	NA L	
Emergency, Settling and Burn Pits ONLY:				. "	
Producing Formation:		Drilling, Work	uredwell owner electric log	KDWR	
		Drilling, Work	ured well owner electric log cover and Haul-Off Pits ONLY:	KDWR S	
Producing Formation:		Drilling, Work Type of materi Number of work	well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud	KDWR // /S -03/-	
Producing Formation:		Drilling, Work Type of materi Number of work Abandonment	well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1	KDWR // /S -03/-	
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	spilled fluids to	Drilling, Work Type of materi Number of work Abandonment ————————————————————————————————————	well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date.	KDWR // /S -03/-	
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	well owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date.	KDWR S	
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	spilled fluids to ements are true and	Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	well ownerelectric log sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 1 procedure: Air dry and backfill be closed within 365 days of spud date. st of my knowledge and belief. Signature of Applicant or Agent	KDWR // /S -03/-	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

h