For KCC Use:	£2-1-0/a
Effective Date: _	8-1-06
District #	<u> </u>
SGA? Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date August 10, 2006	Spot NW SW NW Sec 31 Two 21 S.R. 14 West
	1000
OPERATOR: License# 33247	1800 feet from VN / S Line of Section 350 feet from E / VW Line of Section
Name: Petrol Oil and Gas, Inc. Address: 401 Pearson Ave. #447	Is SECTION RegularIrregular?
Address: 401 Feaison Ave. #447	is Sectionnegularinegular?
City/State/Zip: Waverly, KS 66871	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Kramer Phone: 785 733-2158	County: Coffey Lease Name: Lafferty Well #: 31-1
Shone: 733 733-2130	
CONTRACTOR: License# 30567	Field Name: Hatch
Name: Rig 6 Drilling Company	Is this a Prorated / Spaced Field? Target Formation(s): Mississippi
	Nearest Lease or unit boundary: 350'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; 1155 feet MSL
Oil Enh Rec Infield I Mud Rotary —	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 1850'
Original Completion Date: Original Total Depth:	- Mississinni
Original Completion DateOriginal Total Depth	Water Source for Drilling Operations:
tirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFE	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	
is agreed that the following minimum requirements will be met:	rogging of this well will comply with N.O.A. 35 et. 384.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 	
2. A copy of the approved house of intent to drift shall be posted on ea	ch drilling rig:
	et by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constraints. 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either plug. 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the confidence of the set. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. *#133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constitution of the set through the set throug	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either plus of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the set of the set. 	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. in all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20. If the well is dry hole, an agreement between the operator and the constitution of 20. The appropriate district office will be notified before well is either plug to the set of the set	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of 20. If the well is dry hole, an agreement between the operator and the constitution of 20. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plus of the set o	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plus of the set of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plus of the set of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plus of the set of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is district office will be notified before well is either plug of the set of the	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. in all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set of th	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSI

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22249-0000	Location of Well: County: Coffey
Operator: Petrol Oil and Gas, Inc.	feet from V N / S Line of Section
Lease: Lafferty	feet from E / V W Line of Section
Well Number: 31-1	Sec. 31 Twp. 21 S. R. 14 ✓ East Wes
Field: Hatch	
Number of Acres attributable to well: OTR / OTR / OTR of coreage: NW SW NW	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - SW - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1 1						
			•	•		
1 3						•
1						
1 · · · 1						
	-					•
1 1						
1 1						
1						•
1						
1		-				
			•			•
				_		
			•			
						•
					•	· .
					•	
					•	
			· · ·		•	
					: 	:
						:
					: 	:
						:
						:
•		 	· · · · · · · · · · · · · · · · · · ·	: 	· · · · · · · · · · · · · · · · · · ·	: :
•			· · · · · · · · · · · · · · · · · · ·	:	: 	
•		 	· · · · · · · · · · · · · · · · · · ·	:	· · · · · · · · · · · · · · · · · · ·	
•			· · · · · · · · · · · · · · · · · · ·	: 	: 	: :
•			· · · · · · · · · · · · · · · · · · ·	: 	:	: :
•			· · · · · · · · · · · · · · · · · · ·	: 	:	: :
•			· · · · · · · · · · · · · · · · · · ·	: 	:	: :
•			· · · · · · · · · · · · · · · · · · ·	: 	:	: :
•			· · · · · · · · · · · · · · · · · · ·		:	: :
•			· · · · · · · · · · · · · · · · · · ·		:	: :
•			· · · · · · · · · · · · · · · · · · ·		:	: : :



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- RECEIVED 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached within a prorated or spaced field a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution plat must be attached by the spaced field as a certificate of acreage attribution attribut CG-8 for gas wells).

JUL 27 2006

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Petrol Oil and Gas, Inc.			License Number: 33247		
Operator Address: 401 Pearson /		Waverly, I	KS 66871		
Contact Person: Brad Kramer			Phone Number: (785) 733 - 2158		
Lease Name & Well No.: Lafferty 31-1			Pit Location (QQQQ): NESW NEW SW		
Type of Pit:	Pit is:		E/2 NW NW		
Emergency Pit Bum Pit	✓ Proposed		Sec. 31 _{Twp.} 21 _{R.} 14		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1800 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		350 Feet from East / 🗸 West Line of Section		
(II WP Supply APT No. of Year Drilled)		(bbls)	<u>Coffey</u> County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No 🗸	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes No	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used?		
			Native Clay		
	Length (fe	_	Width (feet) N/A: Steel Pits		
Distance to nearest water well within one-mile	e of pit A NO		west fresh waterfeet.		
Source of infor			mation: iredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease: Number of wor			king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment			procedure: Air Dry and Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	be closed within 365 days of spud date. t of my knowledge and belief. KANSAS CORPORATION COMMISS		
7/24/00 Date			ignature of Applicant or Agent		
	KCC	OFFICE USE O	CONSERVATION DIVIS		
Date Received: 7/27 06 Permit Num			it Date: 7/27/61 Lease Inspection: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202