For KCC		0-1-	06	
Effective	Date:	0-7-	00	
District #	3			
SGA?	Yes	No		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	Spot	<b>✓</b> East
xpected Spud Date August 10, 2006 month day year	NW - NW - SE Sec. 34 Twp. 19 S. R.	
22247	- 100 <u> </u>	Line of Section
PERATOR: License# 33247	Total Control	Line of Section
ame: Petrol Oil and Gas, Inc.	Is SECTION Regular Irregular?	Line of Section
ddress: 401 Pearson Ave. #447	is Sectionneguialnregular?	
ty/State/Zip: Waverly, KS 66871	(Note: Locate well on the Section Plat on reverse	side)
ontact Person: Brad Kramer	County: Coffey	04.4
none: 785 733-2158	Lease Name: RowleyW	ell #: 34-1
30567	Field Name: Hatch	
ONTRACTOR: License# 30567 / ame: Rig 6 Drilling Company	Is this a Prorated / Spaced Field?	Yes ✔ No
ame: Nig o brilling company	Target Formation(s): Mississippi	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 430'	
	Ground Surface Elevation: 1161'	feet MSL
Oil Enh Rec V Infield V Mud Rotary —	Water well within one-quarter mile:	Yes VNo
Gas' Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate: 1 2	
ONATALO: ald well information on follows:	Length of Surface Pipe Planned to be set: 40'	
OWWO: old well information as follows:	Length of Conductor Pipe required: N/A	
Operator:	Projected Total Depth: 1800'	
Well Name:	Formation at Total Depth: Mississippi	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?		
Yes, true vertical depth:		
ottom Hole Location:	DWR Permit #:	
CC DKT #:	(Note: Apply for Permit with DWR )	
OO DK1 #	Will Cores be taken?	Yes V No
	If Yes, proposed zone:	
AFFI	DAVIT	
be a section of a set be referred from the title of 200 as a second of the section of the set of the	udding of this well will comply with K.S.A. 55 et. seg	
	agging of this from this comply than those is do on body.	
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:		
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;		
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;	
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> .	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe	shall be set
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe to underlying formation.	
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> </ol>	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe to underlying formation.  istrict office on plug length and placement is necessary pri	
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe to underlying formation.  It is is the contraction of the contract of the con	or to plugging;
<ol> <li>agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> </ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days	or to plugging;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	th drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	th drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. In the comparison of the compar	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dientification of the set o	th drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall the nereby certify that the statements made herein are true and to the best of	th drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	th drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. Sistrict office on plug length and placement is necessary pringed or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altered to plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each and the posted on each and the posted of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the set of the set of the statements made herein are true and to the best of the set o	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  Remember to:	or to plugging; of spud date. mate II cementing
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each and the second of the approved notice of intent to drill <b>shall be</b> posted on each and the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kensas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the second of the spud half the statements of Operator or Agent:    The improvement of the province of the spud half the statements of Operator or Agent:	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe the underlying formation.  In this content is necessary prices or plug length and placement is necessary prices ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter to plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; of spud date. mate II cementing ny cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each and the second of the approved notice of intent to drill <b>shall be</b> posted on each and the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion of the appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the second of the spud of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statements of the spud date of the well shall be the statement of the spud date of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days	or to plugging; of spud date. mate II cementing ny cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dient of the set	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe the underlying formation.  In this istrict office on plug length and placement is necessary printing of the production casing is cemented in; and from below any usable water to surface within 120 days  If 133,891-C, which applies to the KCC District 3 area, altered to plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration of	or to plugging; of spud date. mate II cementing ny cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dient of the set	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.	or to plugging; of spud date. mate II cementing ny cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dient of the set	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is complete	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kensas surface casing order is must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of sate:  7 / 3 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe the underlying formation. Istrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d; water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dient of the set	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  In this permit has expired (See: authorized expiration of the low production casing is cemented in; and from below any usable water to surface within 120 days  If this permit has expired (See: authorized expiration date  In the production casing is cemented in; and from below any usable water to surface within 120 days  If this permit has expired (See: authorized expiration date  Is the production cases, NOTIFY district office prior to a my knowledge and belief.  Title:  Title:	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d; water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kensas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of late:  7/30/00 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O31- 22244-0000  Conductor pipe required North feet  Minimum surface pipe required feet  Approved by: Put 7-27-00	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. Instrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  If 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt  If this permit has expired (See: authorized expiration date check the box below and return to the address below.	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d; water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved on each and a copy of the approved of set into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. Instrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt  If this permit has expired (See: authorized expiration date check the box below and return to the address below.  Well Not Drilled - Permit Expired	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d; water.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the surface of t	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation. Instrict office on plug length and placement is necessary pri ged or production casing is cemented in; and from below any usable water to surface within 120 days  If 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt  If this permit has expired (See: authorized expiration date check the box below and return to the address below.	or to plugging; of spud date. mate II cementing ny cementing.  te; orders; or or re-entry; d; water.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22244-0000	Location of Well: County: Coffey
Operator: Petrol Oil and Gas, Inc.	2160 feet from N / V S Line of Section
Lease: Rowley	2210 feet from V E / W Line of Section
Well Number: 34-1	Sec. 34 Twp. 19 S. R. 16 ✓ East Wes
Field: Hatch	_
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - NW - SE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		•	•	•	
				•	
1					
				•	
			-	•	•
	•		•		
		•		•	
			-		
		•	•		:
	:	•			· ·
		•			
		:		· · · · · · · · ·	:
		: 			
		: 			
: 	:	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:
: :		· · · · · · · · · · · · · · · · · · ·			:
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	:

EXAMPLE	: :
	<b>□</b> 1980
	. 10
	3390'
SEWARDCO	<u> </u>

NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

RECEIVED KANSAS CORPORATION COMMISSION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section 2 7 2006 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

CONSERVATION DIVISION

- 3. The distance to the nearest lease or unit boundary line.
- The distance to the nearest lease or unit boundary line.
   If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Petrol Oil and Ga	s Inc	License Number: 33247	
Operator Address: 401 Pearson A			
	<del>1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1</del>	Phone Number: ( 785 ) 733 - 2158	
Contact Person: Brad Kramer		Pit Location (QQQQ):	
Lease Name & Well No.: Rowley 34-		NW NW SE	
Type of Pit:	Pit is:  Proposed Existing		
Emergency Pit Burn Pit	If Existing, date constructed:	2160	
Settling Pit  Vorkover Pit  Haul-Off Pit		Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	Feet from East / West Line of Section	
		(bbls) Coffey County	
Is the pit located in a Sensitive Ground Water	Area? Yes No V	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	How is the pit lined if a plastic liner is not used?	
res No		Native Clay	
Pit dimensions (all but working pits):5	Length (feet)	10 N/A: Steel Pits	
Depth fro	om ground level to deepest poir	nt: 4(feet)	
Distance to nearest water well within one-mile		o shallowest fresh waterfeet. of information:	
feet Depth of water well	feet	measured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		, Workover and Haul-Off Pits ONLY:	
Producing Formation:		material utilized in drilling/workover: Drilling Mud  of working pits to be utilized: 1	
Number of producing wells on lease:		of working pits to be utilized: 1  nment procedure: Air Dry and Backfill	
Barrels of fluid produced daily:		nment procedure.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill p		Drill pits must be closed within 365 days of spud date.	
i hereby certify that the above state	ements are true and correct to t	he best of my knowledge and belief.  RECEIVED  KANSAS CORPORATION COMMISS	
7/34/8C Date		Signature of Applicant or Agent	
	KCC OFFICE I	CONSERVATION DIVISION USE ONLY WICHITA, KS	
Date Received: 7/2 7/11 Permit Num	KCC OFFICE U	Permit Date: 7/27/06 Lease Inspection: Yes 4N6	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202