For KCC	Use:	8-1-06
Effective	Date:	0-7-00
District #	3	<u> </u>
SGA?	Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 10, 2006	Spot East
month day year	NW NW SE Sec. 30 Twp. 21 S. R. 14 West
33247	2300feet from N / VS Line of Section
OPERATOR: License#_33247 Name: Petrol Oil and Gas, Inc.	2300 feet from E / W Line of Section
Address: 401 Pearson Ave. #447	Is SECTION Regular Irregular?
Address: City/State/Zip: Waverly, KS 66871	
Contact Person: Brad Kramer	(Note: Locate well on the Section Plat on reverse side) County: Coffey
Phone: 785 733-2158	Lease Name: Wilson Well #: 30-1
Pnone:	Field Name: Hatch
CONTRACTOR: License# 30567	Is this a Prorated / Spaced Field?
Name: Rig 6 Drilling Company	Target Formation(s): Mississippi
	Nearest Lease or unit boundary: 340'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1139 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Length of Conductor Pipe required: N/A
Operator:	Projected Total Depth: 1850'
Well Name:	Formation at Total Depth: Mississippi
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	
If Yes, true vertical depth:	Well Farm Pond Other
•	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plut. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in; littled from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ac
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into e. 4. If the well is dry hole, an agreement between the operator and the formulation of the strict office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best the plus of the spud shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 222 SD - OXX Conductor pipe required	If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: This authorization expires: 1-27-04 This authorization expires: 1-27-07	FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; logged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. In the file Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluce. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 7 2 4 0 5 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 22250-000 Conductor pipe required	If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to prior to any cementing to fine prior to any cementing. File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: This authorization expires: 1-27-04 This authorization expires: 1-27-07	FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; logged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. In the file Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 031-22250-0000	Location of Well: County: Coffey
Operator: Petrol Oil and Gas, Inc.	2300 feet from N / S Line of Section
Lease: Wilson	2300 feet from VE / W Line of Section
Well Number: 30-1	Sec. 30 Twp. 21 S. R. 14
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - NW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1							
1							
1				1			•
1						,	•
				1			
1				ł			
1							•
Į.							
ì							
1							
						,	
1							
1						'	•
			-	-			
							•
				•			
				•			
				•			-
				•			
	:	: :					
	:						
		: :					
					· · · · · · · · · · · · · · · · · · ·		
					· · · · · · · · · · · · · · · · · · ·		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oippicEIVED CG-8 for gas wells).

JUL 27 2006

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Petrol Oil and G	as <u>, Inc.</u>		License Number: 33247	
Operator Address: 401 Pearson	Ave. #447, V	Waverly, ł	KS 66871	
Contact Person: Brad Kramer			Phone Number: (785) 733 - 2158	
Lease Name & Well No.: Wilson 30	-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		EZ NW NW SE	
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit	✔ Proposed If Existing, date co	Existing onstructed:	Sec. 30 Twp. 21 R. 14 Fast West 2300 Feet from North / South Line of Section	on
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	2300 Feet from East / West Line of Section	on
is the pit located in a Sensitive Ground Wate	er Area? Yes	No (Louis)	Chloride concentration:mg/l	
s the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Native Clay	
te difference (all but from any pro-).		eet) 10	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of th material, thickness and installation procedu	ne liner	,	edures for periodic maintenance and determining ncluding any special monitoring.	
	ne liner ire.	liner integrity, i	ncluding any special monitoring.	
material, thickness and installation procedu	ne liner ire.	Depth to shallo Source of infor	west fresh waterfeet.	KG
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	ne liner lile of pit feet Y:	Depth to shallo Source of informeast Drilling, Work Type of materia	west fresh waterfeet. rmation: liredwell owner electric logKDWR / over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud	RES
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease:	ne liner lile of pit feet Y:	Depth to shalld Source of infor measu Drilling, Work Type of materia	west fresh waterfeet. mation: well ownerelectric logKDWR / over and Haul-Off Pits ONLY: at utilized in drilling/workover:Drilling Mud	R.G.
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONL	ne liner line. nile of pit feet Y:	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work	west fresh waterfeet. rmation: liredwell owner electric logKDWR / over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud	
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	ne liner line. nile of pit feet Y:	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. mation: well ownerelectric logKDWR / over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air Dry and Backfill be closed within 365 days of spud date. t of my knowledge and belief.	
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit?	ne liner line. nile of pit feet Y:	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the best	west fresh waterfeet. mation: well owner electric log KDWR / over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud king pits to be utilized: 1 procedure: Air Dry and Backfill be closed within 365 days of spud date. It of my knowledge and belief.	10N C
Distance to nearest water well within one-m feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above sta	ne liner line. nile of pit feet Y: all spilled fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the best	west fresh waterfeet. mation: well ownerelectric logKDWR / over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud iking pits to be utilized: 1 procedure: Air Dry and Backfill be closed within 365 days of spud date. It of my knowledge and belief. KANSAS CORPORAT JUL 2 7	10N C