



Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.



Locate well correctly on above
Section Plat

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines... MITCHELL County. Sec. 16 Twp. 8 Rge. 10 (W)

Lease Owner: George Siedhoff

Lease Name: Grief Well No. 1

Office Address: Broadview Hotel, Wichita, Kansas

Character of Well (Completed as Oil, Gas or Dry Hole) D&A

Date, well completed..... 1937

Application for plugging filed..... November 9, 1937

Application for plugging approved..... November 9, 1937

Plugging Commenced..... November 17, 1937

Plugging Completed..... November 29, 1937

Reason for abandonment of well or producing formation.....

If a producing well is abandoned, date of last production..... 1937

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well..... Guy Wiershing, Lyons, Kansas

Producing formation..... Depth to top..... Bottom..... Total Depth of Well 4065 Feet.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-----------|---------|------|----|------|--------|------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from..... feet to..... feet for each plug set.

Cable tool hole. Filled hole with mud from 4065 feet to about 3000 feet. Bridged with plug and rock and 15 feet of cement at 200 feet. Just below fresh water. Filled hole with mud from 200 feet to top of hole. Bridged with plug and rock and 10 feet of cement at top of hole.

FILED 16 8 10W
BOOK PAGE 116 LINE 38

Pd. 12/10/37

(If additional description is necessary, use BACK of this sheet)
Correspondence regarding this well should be addressed to George H. Siedhoff
Address Broadview Hotel, Wichita, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
(employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Geo. H. Siedhoff

SUBSCRIBED AND SWORN TO before me this 10 day of December, 1937
My commission expires Jan 11, 1938
G. Oleson Notary Public.

15-123-00004-00-00

Siedhoff, No. 1 Grief, NW SW SE Sec. 16, T.8S., R.10W.

Log as given at Wichita Log Check as collected by scouts from the well.

| | | | | | |
|------|----------------|----------------------|------|-------------|-----------------|
| 35 | Clay | | 1340 | Red rock | |
| 40 | Gravel | | 1390 | Sand | |
| 50 | Shale | | 1490 | Lime | |
| 55 | Sand | Water | 1500 | Red rock | |
| 100 | Shale | | 1570 | Broken lime | |
| 155 | Lime | | 1585 | Shale | |
| 180 | Shale | | 1695 | Broken lime | |
| 190 | Sandy shale | | 1725 | Red rock | |
| 210 | Red rock | | 1750 | Lime | |
| 230 | Sand | HFW | 1790 | Broken lime | |
| 250 | Sandy shale | | 1805 | Shale | |
| 275 | Sand | HFW | 1830 | Lime | |
| 285 | Lime | | 1860 | Shale | |
| 318 | Shale | | 1870 | Black shale | |
| 330 | Sandy shale | | 1900 | Lime | |
| 335 | Shale | | 1905 | Shale | |
| 350 | Sandy lime | | 1960 | Broken lime | |
| 408 | Sand | | 1980 | Shale | |
| 415 | Lime | | 2000 | Sandy lime | |
| 420 | Red rock | W 440 to 532 | 2060 | Shale | |
| 440 | Shale | | 2070 | Sand | |
| 545 | Sand | | 2075 | Red rock | |
| 547 | Shale | | 2080 | Lime | |
| 550 | Lime and Iron | | 2095 | Red rock | |
| 565 | Shale | | 2105 | Sand | HFW |
| 570 | Lime | | 2135 | Shale | Show gas |
| 592 | Shale | | 2140 | Lime | |
| 600 | Sand | HFW | 2175 | Shale | |
| 625 | Red rock | | 2265 | No log | |
| 635 | Sand | | 2285 | Lime | |
| 700 | Red rock | | 2340 | Shale | |
| 710 | Sand | | 2358 | Lime | 5 bailers water |
| 800 | Red rock | | 2370 | Shale | |
| 810 | Sandy lime | | 2373 | Lime | |
| 825 | Shale | | 2383 | Shale | |
| 830 | Lime | Top Wellington salt | 2392 | Lime | |
| 840 | Shale | Base Wellington salt | 2403 | Shale | |
| 890 | Red rock | | 2412 | Sandy lime | |
| 1050 | Lime and shale | | 2475 | Lime | |
| 1060 | Lime | | 2495 | Sandy lime | 1 bailer water |
| 1160 | Shale and lime | | | | 2480 |
| 1170 | Red rock | | 2505 | Lime | 1 bailer water |
| 1200 | Lime | | | | 2495 |
| 1205 | Red rock | | 2510 | Shale | |
| 1215 | Lime | | 2545 | Sandy lime | 4 bailers water |
| 1225 | Shale | | 2550 | Shale | |
| 1250 | Lime | | 2568 | Sandy lime | |
| 1275 | Red rock | | 2620 | Lime | |
| 1310 | Lime | | 2640 | Shale | |

PLUGGING
FILE SEC 16 T. 8 S. R. 10 W.
BOOK PAGE 116 LINE 38

| | | | | |
|------|-----------------------------|---------------------------|------|-----------------------------|
| 2643 | Lime | | 3697 | Shale and shale green |
| 2652 | Shale | | 3700 | Lime and chat |
| 2660 | Lime | | 3907 | Lime |
| 2663 | Red rock | | | <u>Correction</u> 3725=3716 |
| 2670 | Lime | | 3910 | Sand |
| 2677 | Broken lime | | 3955 | Lime |
| 2690 | Shale | | 3968 | Sand Top Simpson 3970 |
| 2710 | Lime | Oswald 2710 | 3995 | Lime |
| 2730 | Shale | | 4020 | Sandy shale |
| 2803 | Lime | | 4043 | Shale HFW 4022 |
| 2816 | Shale | | 4053 | Lime Top Viola 3716 ? |
| 2835 | Lime | | | |
| 2845 | Sand | HFW | 4047 | Total depth 4053 |
| 2870 | Lime | Top Lansing 2710 | 4065 | - Sil. lime H.F.W. |
| 2878 | Shale | | | |
| 2990 | Lime | | | |
| 2904 | Shale | | | |
| 2928 | Lime | | | |
| 2940 | Broken lime | 2 bailers water | | |
| 2948 | Lime | | | |
| 2970 | Sand | HFW | | |
| 2998 | Lime | | | |
| 3002 | Shale | | | |
| 3035 | Lime | | | |
| 3043 | Shale | | | |
| 3054 | Lime | | | |
| 3077 | Black shale | | | |
| 3115 | Shale and chat | | | |
| 3161 | Shale | | | |
| 3170 | Lime | | | |
| 3185 | Black shale and shale green | | | |
| 3200 | Lime | | | |
| 3210 | Shale brown | | | |
| 3220 | Shale | | | |
| 3255 | Lime | | | |
| 3265 | Shale | Small show gas 3524 | | |
| 3275 | Conglomerate | | | |
| 3325 | Limestone and conglomerate | | | |
| 3333 | Lime | HFW 3483 | | |
| 3359 | Lime | | | |
| 3385 | Red rock | Top Mississippi lime 3418 | | |
| 3392 | Conglomerate | | | |
| 3400 | Sand | Water | | |
| 3502 | Lime | Underreamed 6 inch | | |
| 3504 | Sandy lime | | | |
| 3509 | Lime | | | |
| 3514 | Shale | | | |
| 3518 | Shale and lime | | | |
| 3525 | Lime | | | |
| 3548 | Lime | | | |
| 3584 | Chat and lime | Water at 3616 | | |
| 3640 | Lime | | | |

