

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Shiloh
COPY

Operator: License # 32977
Name: Dorado Gas Resources, LLC
Address: 14550 E Easter Ave., Ste. 1000
City/State/Zip: Centennial, CO 80112
Purchaser: Seminole Energy
Operator Contact Person: Steven Tedesco
Phone: (303) 327-7016
Contractor: Name: McGown Drilling
License: 5786
Wellsite Geologist: None
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>5/17/05</u>	<u>5/18/05</u>	<u>Waiting on pipe</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 15 2005
 CONSERVATION DIVISION
 WICHITA, KS

API No. 15 - 15-099-23733-00-00
County: Labette
SE SW Sec. 32 Twp. 32S S. R. 19 East West
634 feet from S N (circle one) Line of Section
1991 feet from E W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Froebe Well #: 14-32
Field Name: Humboldt-Chanute
Producing Formation: _____
Elevation: Ground: 864 Kelly Bushing: _____
Total Depth: 862 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 810
feet depth to 6 w/ 115 sx cmt.
Actual Well 5-16-06
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Executive Asst. Date: 8/12/05
Subscribed and sworn to before me this 12th day of August
20 05
Notary Public: [Signature]

KCC Office Use ONLY

Letter of Confidentiality Received _____
If Denied, Yes Date: _____
Wireline Log Received _____
Geologist Report Received _____
C/C Distribution _____



Operator Name: Dorado Gas Resources, LLC Lease Name: Froebe Well #: 14-32
 Sec. 32 Twp. 32S S. R. 19 East West County: Labette

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Dual Induction Resistivity Compensated Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Ft. Scott Limestone</td> <td>246</td> <td></td> </tr> <tr> <td>Cherokee</td> <td>250</td> <td></td> </tr> <tr> <td>Bevier</td> <td>371</td> <td></td> </tr> <tr> <td>Cattleman</td> <td>513</td> <td></td> </tr> <tr> <td>Weir-Pittsburg</td> <td>642</td> <td></td> </tr> <tr> <td>Mississippian</td> <td>761</td> <td></td> </tr> </table>	Name	Top	Datum	Ft. Scott Limestone	246		Cherokee	250		Bevier	371		Cattleman	513		Weir-Pittsburg	642		Mississippian	761	
Name	Top	Datum																				
Ft. Scott Limestone	246																					
Cherokee	250																					
Bevier	371																					
Cattleman	513																					
Weir-Pittsburg	642																					
Mississippian	761																					

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8-5/8		40	Class A	20	
Long String	6.75	4-1/2	9.5	856	OWC	115	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>
		Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Waiting on pipeline					
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		20			

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

CONSOLIDATED OIL WELL SERVICES, INC.
211 W. 14TH STREET, CHANUTE, KS 66720
620-431-9210 OR 800-467-8676

TICKET NUMBER 3347
LOCATION BU
FOREMAN Jeff Guban

TREATMENT REPORT & FIELD TICKET
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
5-20-05	2529	Froebe #14-32	32	32	19	Lakette
CUSTOMER <u>DORADO</u>			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS			419	Kent		
CITY			235	Mark		
STATE			415/764	Jeff G.		
ZIP CODE			407	Shate		

JOB TYPE LS HOLE SIZE 6 3/4 HOLE DEPTH 862 CASING SIZE & WEIGHT 4" 9.5
 CASING DEPTH 856 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 13.9 DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Ran W/L to check depth - Est. circ - pumped 2 sx gel ahead of
H₂O spacer - pumped 115 sx OWC, 10#, 1/2 # F15 - shut down
washed out 115es & pump - dropped plug - displaced to bottom & set shoe
5 ft in

Followed plug
to TD w/ wte
- Circ. cmt. to surface -

RECEIVED
KANSAS CORPORATION COMMISSION

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	AUG 5 2005	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE LONG STRING CONSERVATION DIVISION			765.00
5406	70	MILEAGE WICHITA, KS			175.00
5407		TON mileage			385.00
5501C	3 1/2 HR	TRAD SPORT			308.00
5502C	3 1/2 HR	80 VAC			287.00
1126	115 SX	Cement - OWC	*		1495.00
1170	23 SX	GILSONITE	*		502.55
1107	2 SX	FLO SEAL	*		85.50
1118	2 SX	GEL	*		26.50
1123	3800 GAL	CITY H ₂ O	*		46.36
4404	1 ea	4 1/2 rubber plug	*		38.00
5402	856'	FOOTAGE			N/C
					143.71
			*	SALES TAX	125.22
				ESTIMATED TOTAL	125.22

197350

AUTHORIZATION _____

TITLE _____

DATE _____

4257.73