For KCC Use:	0-2-06
Effective Date:_	8-2-06
District #3_	
CC40	Cru-

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

	(5) days prior to commercing well
Expected Spud Date August 7, 2006	Spot S2 SE NE so 14 Tur 30 S B 14E □ West
	Sec Iwp S. n I west
OPERATOR: License# 33074	3250 FSL feet from N / VS Line of Section 660 FEL feet from VE / W Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	Is SECTIONRegularIrregular?
Address: 211 W. Myrtle	
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams Phone: 620-331-7870	County: Wilson
Phone: 020-331-7870	Lease Name: Bracken Well #: B4-14 Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License#_Unknown	
Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field? Yes ✓ No Target Information(s): Mississippian
	Nearest Lease or unit boundary: 610 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 944
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No.
Gas Storage ✓ Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 175' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Bine by Alternate: 1 1 2
f OMMO: ald wall information as follows:	Length of Surface Pipe Planned to be set: 40'
f OWWO: old well information as follows: Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΛFF	RECEIVED KANSAS CORPORATION CONTROL
The undersigned hereby affirms that the drilling, completion and eventual pl	olugging of this well will comply with K.S.A. 55 et. seg
t is agreed that the following minimum requirements will be met:	JUL 2 8 2006
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on each 	ch drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface pipe Charactes
through all unconsolidated materials plus a minimum of 20 feet into the	
4 If the well is double	
	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or the statements.	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or the statements.	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete. July 27, 2006	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 27, 2006	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 27, 2006	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 27, 2006	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26887-DDD Conductor pipe required 100 feet Minimum surface pipe required 400 feet per Alt.	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26887-DDD Conductor pipe required 10 feet Minimum surface pipe required 10 feet per Alt. Approved by: Lut 7-38-06	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26887-DDD Conductor pipe required 100 feet Minimum surface pipe required 400 feet per Alt.	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26887-DDD Conductor pipe required 10 feet Minimum surface pipe required 10 feet per Alt. Approved by: Left 7-38-06	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26887 - DUD Conductor pipe required	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26 887-000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	3250 FSL feet from N / S Line of Section
Lease: Bracken	660 FEL feet from VE / W Line of Section
Well Number: B4-14	Sec. 14 Twp. 30 S. R. 14E
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: S2 - SE - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			305	13			
				•		•	
				:			
RECEIVED KANSAS CORPORATION COMMISS				·			
JUL 2 8 2006				· ·		·	
CONSEDIATION	EL	. 660 I		:)
CONSERVATION DIVISION WICHITA, KS	R14					· 	
EXAMPLE : :		· · · · · · · · · · · · · · · · · · ·	14	: 		· ·	
		3250 FSL	1	:			
1980			.				
3390'		·	.	·			
		: :		:			
SEWARD CO.				•	. <u> </u>		

NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin	Operating Co. Ll	License Number: 33074			
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301		
Contact Person:Tony Williams			Phone Number: (620) 331 - 7870		
Lease Name & Well No.: Bracken	B4	1-14	Pit Location (QQQQ):		
Type of Pit:	Pit is:		S2 _ SE _ NE		
Emergency Pit Burn Pit	Proposed Existing		Sec14Twp30R14E	est	
Settling Pit	If Existing, date constructed:		3250 FSL Feet from North / South Line of		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		660 FEL Feet from 🗸 East / West Line of		
(If WP Supply API No. or Year Drilled)	926	(bbls)	Wilson	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No V	Chloride concentration: (For Emergency Pits and Settling Pits only)	- 	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Natural Clays		
Pit dimensions (all but working pits):3	5 Length (fe	eet) 30	Width (feet) N/A: Steel Pli	ts	
	om ground level to de	_	(feet)		
Distance to nearest water well within one-mile	e of nit	Denth to shallo	CONSERVATION West fresh waterfeet.	8 2006 ON DIVISION	
feet Depth of water well	M	Source of infor	mation:	A KGS	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	~	
Producing Formation:			ıl utilized in drilling/workover: Air	<u> </u>	
			king pits to be utilized: One	<u>&</u> '	
Barrels of fluid produced daily: Aban		Abandonment	Abandonment procedure: Air dry, fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Dri		Drill pits must be closed within 365 days of spud date.		$ \widetilde{\wp}_{j}^{c} $	
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	9887-0	
July 27, 2006 Date		s s	gnature of Applicant or Agent	ğ	
	KCC	OFFICE USE OI	NLY	===	
Date Received: 7/28/06 Permit Num			t Date: 7/28/01 Lease Inspection: Yes	HV6	