For KCC Use: Effective Date: ____ SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	- (-),, - [
Expected Spud Date AUGUST 14, 2006 month day year	Spot
OPERATOR: License# 5003'	330 feet from N / S Line of Section
Name: McCOY PETROLEUM CORPORATION	feet from F E / W Line of Section
Address: 8080 E. CENTRAL, SUITE 300	Is SECTION ✓ RegularIrregular?
City/State/Zip: WICHITA, KS 67206	(Note: Locate well on the Section Plat on reverse side)
Contact Person: SCOTT HAMPEL	County: SUMNER
Phone: (316) 636-2737	Lease Name: STUHLSATZ A Well #: 1-28
	Field Name: ERSKINE NORTH
CONTRACTOR: License# 32701	Is this a Prorated / Spaced Field? Yes ✓ No
Name: C & G DRILLING COMPANY	Target Formation(s): SIMPSON
W # 5 W # 5	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1315' feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No -
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWVODisposalWildcatCable	Depth to bottom of fresh water: 100'
Seismic; # of Holes Other	Depth to bottom of usable water: 230'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 4450'
Original Completion Date:Original Total Depth:	Formation at Total Depth: SIMPSON
Original Completion DateOriginal Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	If Yes, proposed zone:
	If Yes, proposed zone: PECFIVED
The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone: PECFIVED
	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone: FIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. SUL 2 7 2006
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> .	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. PLUE 2 7 2006 Pach drilling rig; set by circulating cement to the top; in all cases surface
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 reach drilling rig; set by circulating cement to the top; in all cases surface
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 rach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either place.	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 rach drilling rig; set by circulating cement to the top; in all cases surface processed by circulating formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 rach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processed by circulating formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface prior to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface prior to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processory compared to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface production. If the underlying formation. If district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent:	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processory prior to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent:	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 Each drilling rig; Set by circulating cement to the top; in all cases surface in the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. Ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 191-22478- COOO	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processory prior to plugging; under the underlying formation. district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1911-22 478- COOO Conductor pipe required 16et	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 Each drilling rig; Set by circulating cement to the top; in all cases surface in the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. Ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 rach drilling rig; set by circulating cement to the top; in all cases surface which comply the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply will accordance within 120 days of spud date. Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply of spud date. Plugging of this well will comply will comply will comply will comply will comply of spud date. Plugging of this well will comply will
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: P# 7-28-06 Approved by: P# 7-28-06	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 rach drilling rig; set by circulating cement to the top; in all cases surface which comply the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: PH 7-28-06 This authorization expires: 1-38-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processory prior to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; tugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: P# 7-28-06 Approved by: P# 7-28-06	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 ach drilling rig; set by circulating cement to the top; in all cases surface processory prior to plugging; uttenderlying formation. district office on plug length and placement is necessary prior to plugging; utgged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. at #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7/26/2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: PH 7-28-06 This authorization expires: 1-38-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUL 2 7 2006 Pach drilling rig; Set by circulating cement to the top; in all cases surface in the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VICE PRESIDENT - PRODUCTION Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 191-22478-000	Location of Well: County: SUMNER
Operator: McCOY PETROLEUM CORPORATION	feet from V N / S Line of Section
Lease: STUHLSATZ A	1650 feet from V E / W Line of Section
Well Number:	Sec. 28 Twp. 31 S. R. 3 East ✓ West
Field: ERSKINE NORTH	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE _ NW _ NE _ NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		330'	· · · · · · · · · · · · · · · · · · ·
			1650'
:		·	: :
	• • • • • • • • • • • • • • • • • • • •		
	· · · ·		
			· · · · · · · · · · · · · · · · · · ·
	· · · ·	·	
•		28 .	
,	· · · · ·	•	
	•	•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

SUMNER CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

3. The distance to the nearest lease or unit boundary line.
4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; 7 2006)

KCC WICHITA

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McCOY PETROLEUM CORPORATION			License Number: 5003	7	
Operator Address: 8080 E. CENT	RAL, SUITE	300 V	/ICHITA, KS 67206	1	
Contact Person: SCOTT HAMPEL		Phone Number: (316) 636 - 2737	7		
Lease Name & Well No.: STUHLSATZ A # 1-28		Pit Location (QQQQ):	7		
Type of Pit:	Pit is:		NE NW NE .		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 28 Twp. 31 R. 3 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		330 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1650 Feet from 🗸 East / 🗌 West Line of Section		
(If VVP Supply API No. or fear Drilled)	3,600	(bbls)	SUMNER County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No V	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? ✓ Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?		
			BENTONITE/DRILLING MUD	4	
Pit dimensions (all but working pits):1		•	Width (feet) N/A: Steel Pits		
	om ground level to de			4	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	_	Source of infor	west fresh waterfeet. mation: ired well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: BENTONITE/DRILLING MUD	12	
Number of producing wells on lease:		1	king pits to be utilized:3	5	
Barrels of fluid produced daily:		l .	procedure: EVAPORATION/CLOSE/RETURN SURFACE	173	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must to		be closed within 365 days of spud date.	91-0		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED					
7/26/2006 Date	>	Doll	ignature of Applicant or Agent Jill 2 7 200	. 1 ~	
KCC OFFICE USE ONLY KCC WICHITA					
Date Received: 7/27/06 Permit Number: Permit Date: 7/28/06 Lease Inspection: Yes No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202