

For KCC Use:	8-5-06
Effective Date: _	0-3 00
District # 3	
SGA? Yes	☐ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 1, 2006	Spot
month day year	<u>SW</u> - <u>SE</u> _ Sec. <u>20</u> _ Twp. <u>31</u> _ S. R. <u>16</u> _ West
OPERATOR: License#_33365	694feet from □ N / ✓ S Line of Section
Name: Layne Energy Operating, LLC	
Address: 1900 Shawnee Mission Parkway	Is SECTION ✓ RegularIrregular?
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Greg Embery	County: Montgomery
Phone: 913-748-3987	Lease Name: Allison Well #: 15-20
	Field Name: Neodesha
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Thornton Air Rotary	Target Formation(s): Cherokee Coals
Wall Drillad Far Wall Classe Time Favings to	Nearest Lease or unit boundary: 694
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 771 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic; — # of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 \(\sqrt{2} \)
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
•	Projected Total Depth: 1200 Feet
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion DateOriginal Iotal Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AEC	If Yes, proposed zone:
AFF	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT Ugging of this well will comply with K.S.A.SAS.CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the first an ALTERNATE to COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A.S.S.C.ORPORATION COMMISSION JUL 2 8 2006 ch drilling rig; t by circulating cement to the top; in all cases surface plue stall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the first an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ugging of this well will comply with K.S.A.SS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig: CONSERVATION DIVISION To by circulating cement to the top; in all cases surface the state of the underlying formation. In the underlying formation. In the underlying formation is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the analysis of the spuddate or the well shall well shall the completed within 30 days of the spuddate or the well shall	ugging of this well will comply with K.S.A.SS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig: CONSERVATION DIVISION The by circulating cement to the top; in all cases surface plop stail be set the underlying formation. The interpolation of the interp
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud state.	ugging of this well will comply with K.S.A.SSS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig; To ONSERVATION DIVISION The by circulating cement to the top; in all cases surface pipe strail be set the underlying formation. In all cases surface pipe strail be set the underlying formation. In all cases surface pipe strail be set the underlying formation. In all cases, NOTIFY district office prior to any cementing. The plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate appropriate district office will be notified before well is either plug of the appropriate a	ugging of this well will comply with K.S.A.S.S.C.ORPORATION COMMISSION JUL 2 8 2006 The drilling rig; CONSERVATION DIVISION of the property of the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation of the top; in all cases surface purpose set the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation. Title: Agent Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through a seen through the seen through through through	ugging of this well will comply with K.S.A.S.S.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig; To by circulating cement to the top; in all cases surface pape stall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spud below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dry of the well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	ugging of this well will comply with K.S.A.SS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig; Tonservation Division to by circulating cement to the top; in all cases surface pure stall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spud below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator at the dry of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the well is either plug of the spud date or the well shall of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall of the left of the well shall. I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	ugging of this well will comply with K.S.A.S.S.C.ORPORATION COMMISSION JUL 2 8 2006 The drilling rig; To by circulating cement to the top; in all cases surface purpose strail be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the appropriate district of suffices the copy of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the suffice of the well is dry hole, an agreement between the operator and the copy of the specified before well is either plug of the sufficient of the dry of the specified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be provided by the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Conductor pipe required None feet per Alt. Approved by: Put 7-31-000	ugging of this well will comply with K.S.A.SSS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig; To NSERVATION DIVISION by circulating cement to the top; in all cases surface piop stall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the spud below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator at the dry of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the well is either plug of the spud date or the well shall of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall of the left of the well shall. I hereby certify that the statements made herein are true and to the best of Date: July 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	ugging of this well will comply with K.S.A.SSS.CORPORATION COMMISSION JUL 2 8 2006 The drilling rig; To ONSERVATION DIVISION of the property of the underlying formation. In the underlying formation casing is cemented in; In the underlying formation casing is cemented in; In the underlying formation cases and placement is necessary prior to plugging; In the underlying formation cases are underlying in the under

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-3/185-000	Location of Well: County:_Montgomery
Operator: Layne Energy Operating, LLC	694 feet from N / S Line of Section
Lease: Allison	1801 feet from 🗸 E / 🗌 W Line of Section
Well Number: 15-20	Sec. 20 Twp. 31 S. R. 16 ✓ East Wes
Field: Neodesha	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	: :	: :
 	·	
·		: :
<u>:</u> :	: 20:	: :
· · · · · · ·	. 20	· · ·
 · ·	·	
:		: 1801. :
 	hoo)	: .
	<u>: </u>	: :

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 8 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365]	
			Mission Woods, KS 66205		
Contact Person: Greg Embery		Phone Number: (913) 748 - 3987			
Lease Name & Well No.: Allison 15-	20		Pit Location (QQQQ)		
Type of Pit:	Pit is:		SW NE SW SE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 20 Twp. 31 R. 16 V East West		
Settling Pit Drilling Pit	If Existing, date of	onstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🗸 East / West Line of Section		
		(bbls)	Montgomery County	4	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	-	
Yes No	Yes 🗸	No	Self-sealing pit		
The dimensions (all but working pits):	O' Length (fe		Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de		(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COUNTY JUL 2 8 200 CONSERVATION DIVIS WICHITA, KS	MMISSION 6	
·		Depth to shallo Source of infor	west fresh water <i>l</i> O feet.	1	
feet Depth of water well77feet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	9 3 V	
Producing Formation:			al utilized in drilling/workover: Fresh Water Mud	76	
Number of producing wells on lease:			king pits to be utilized: TWO	1	
Barrels of fluid produced daily:		Abandonment restore.	procedure: Let Evaporate until dry and then backfill	31185-000	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
Date		s	ignature of Applicant or Agent]	
Date Received: 7/28/06 Permit Number: Permit Date: 7/28/06 Lease Inspection: Yes 7/28/06					