Effective Date: 8-5-06 District #____3

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Must be approved by NOC live		
Expected Spud Date August 4, 2006	Spot	ast
month day year	NE SW 4 28 16	/est
OPERATOR: License#	1980 feet from N / V S Line of Section	
Name: Quest Cherokee LLC	1980 Feet from E / W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION ✓ RegularIrregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120		
Contact Person: Richard Marlin	(Note: Locate well on the Section Plat on reverse side) County: Wilson	
Phone: (405) 286-9316	Lease Name: Bentley, Bruce Well #: 4-1	_
	Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓	l No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	NO
	Nearest Lease or unit boundary: 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1000 feet M	 /CI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	1
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100]110
Seismic; # of Holes Other	Depth to bottom of usable water: 200	
Other Coalbed Methane	Surface Pipe by Alternate: 1 \(\sqrt{2} \)	
If CARANCE and well information on fallows	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1500	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	<u> </u>	
Bottom Hole Location:	DWR Permit #:	_/
KCC DKT #:	(Note: Apply for Permit with DWR)	1
	Will Cores be taken? Yes ✓	NO
	If Yes, proposed zone:	
	If Yes, proposed zone:))
AFF	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMPANY WITH K.S.A. 55 et. seg.	OMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone: RECEIVED IDAVIT KANSAS CORPORATION C	OMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVEL IDAVIT KANSAS CORPORATION C lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVED IDAVIT KANSAS CORPORATION C Ugging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20 CONSERVATION DAY	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	If Yes, proposed zone: IDAVIT RANSAS CORPORATION C lugging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20 CONSERVATION DIV.	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF LUGging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20 CONSERVATION DIVERSITY BY CIRCULATING COMMENTS.	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of	If Yes, proposed zone: IDAVIT KANSAS CORPORATION O JUL 3 1 20 CONSERVATION DIV ch drilling rig; to by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging in the underlying length and placement is necessary prior to plugging in the underlying formation.	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING THE PROPERTY OF TH	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING TO BY CONS	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the surface properties district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING THE LIBERT CONSERVATION	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into technique is dry hole, an agreement between the operator and the centre of the surface district office will be notified before well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING THE PROPERTY OF TH	OMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into technique is dry hole, an agreement between the operator and the centre of the surface district office will be notified before well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING THE PROPERTY OF TH	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the surface pipe is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT KANSAS CORPORATION OF CONSERVATION DIVIDING THE LIBRARY STATES AND AND CONSERVATION DIVIDING TO BY CONSERVATION DIVIDING THE LIBRARY STATES AND THE LIB	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into televity. 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either pluging the surface and the construction of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the surface casing that the surface casing the surface casing that the surface casin	If Yes, proposed zone: IDAVIT RANSAS CORPORATION OF CONSERVATION DIVIDING THE PROPERTY OF TH	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into table of the well is dry hole, an agreement between the operator and the case of the surface pipe is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT KANSAS CORPORATION OF CONSERVATION DIVIDING THE LIBRARY STATES AND AND CONSERVATION DIVIDING TO BY CONSERVATION DIVIDING THE LIBRARY STATES AND THE LIB	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be sufficiently an agreement between the operator and the constitution of the second se	If Yes, proposed zone: RESCRIVED	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second second shall be second to the well is dry hole, an agreement between the operator and the constitution of the second sec	If Yes, proposed zone: FISCEIVEL	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus	If Yes, proposed zone: IDAVIT KANSAS CORPORATION OF LUgging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20 CONSERVATION DIVIDED BY THE LOSS of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be second through all unconsolidated materials plus a minimum of 20 feet into the second second shall be compared to the well is dry hole, an agreement between the operator and the constitution of the second second second shall be compared to the well is either plug to the substitution of the shall be compared to the second shall be compared to the spud date or the well shall the shall thereby certify that the statements made herein are true and to the best of the spud second shall be compared to the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud second shall be compared to the spud date or the well shall the statements made herein are true and to the best of the spud second shall be compared to the spud date or the well shall the statements made herein are true and to the best of the spud second shall be second shall	If Yes, proposed zone: IDAVIT KANSAS CORPORATION O JUL 3 1 20 CONSERVATION DIV ch drilling rig; at by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus of the material production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the place of the spud state of the set of the spud state of the set of the statements made herein are true and to the best of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the set of the spud state of the spud s	If Yes, proposed zone: IDAVIT KANSAS CORPORATION CONSERVATION DIVIDITY IN CONSERVATION DIVIDIT	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the co 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 20895 0000 Conductor pipe required None feet Minimum surface pipe required Approved by: KH 7-31-06	IDAVIT KANSAS CORPORATION OF JUL 3 1 20 CONSERVATION DIVIDADE Co	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus of the material production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the place of the spud state of the set of the spud state of the set of the statements made herein are true and to the best of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the spud state of the set of the spud state of the set of the spud state of the spud s	IDAVIT KANSAS CORPORATION OF JUL 3 1 20 CONSERVATION DIV. ch drilling rig; at by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ded from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the set of	IDAVIT KANSAS CORPORATION OF JUL 3 1 20 CONSERVATION DIVIDADE Co	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 28, 2006	IDAVIT KANSAS CORPORATION OF JUL 3 1 20 CONSERVATION DIV. ch drilling rig; at by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ded from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 28, 2006	IDAVIT KANSAS CORPORATION OF JUL 3 1 20 CONSERVATION DIVIDATE BY THE SET OF	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plug 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26895 000 Conductor pipe required None feet per Alt. (2) Approved by: 447 731-00 This authorization expires: 1-31-07 (This authorization void if drilling not started within 6 months of approval date.)	IDAVIT KANSAS CORPORATION OF LUgging of this well will comply with K.S.A. 55 et. seq. JUL 3 1 20 CONSERVATION DIVIDED IN THE CONSERVATION D	OMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 205-26895-000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	
Lease: Bentley, Bruce	1980 feet from N / S Line of Section 1980
Well Number: 4-1	Sec4 Twp28 S. R16
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE SW	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					_				 		_		
		٠.	-				T	-					
	1												
							1						
	1												
		•				•					•		
	1	•						•			•		
	l	. •				٠	 ١.				 ٠.		
			•				 1						
							1				•		
	l						1						
							i .						
	١						 Ι.						
							1						
							. 1						
			 code.	Server Serve			 4	 	 		 		 _
							V				•		
	i						ı						
		٠.					1				•		
400	$\overline{}$,	Į.						
980					_/	ſ.,	 ∥ .		 •		 •	•	
	 `												
	l						l						
	1												
						٠.	 ۱ ·		 •	•	 •	٠	
							Į.						
	ı						ll l						
	l						ll .						
	l		•						•				
	l · · ·		 •			٠.				•	 •	•	
	i												
									•		•		
		-	•					•			•		
					_\		 				•		
					19	80	,						



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344						
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	klahoma City, Oklahoma 73120						
Contact Person: Richard Marlin			Phone Number: (405) 286 9316						
Lease Name & Well No.: Bentley, Bruce #4-1			Pit Location (QQQQ):						
Type of Pit:	Pit is:								
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit	Proposed If Existing, date of	Existing onstructed:	Sec. 4 Twp. 28 R. 16 Feet from North / South Line of Section						
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	1980 Feet from East / West Line of Section Wilson County						
Is the pit located in a Sensitive Ground Water Area? Yes V No V			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)						
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?						
	Length (fe		Width (feet) N/A: Steel Pits 10 (feet)						
material, thickness and installation procedur		ĺ	ncluding any special monitoring. Operation lasting approx 3 days						
Distance to nearest water well within one-mile of pit NA Depth to shallo Source of information of the state of the state of the shallon of the state of the sta			owest fresh waterfeet.						
			suredwell owner electric logKDWR W						
			rial utilized in drilling/workover: Air Drilled						
			orking pits to be utilized: One						
1			Abandonment procedure: Air Dry, Back Fill and Cover						
Does the slope from the tank battery allow at flow into the pit? Yes No	I spilled fluids to		be closed within 365 days of spud date.						
I hereby certify that the above statements are true and correct to the bes			t of my knowledge and belief. KANSAS CORPORATION COMM						
July 28, 2006 Date			JUL 3 1 2006 cignature of Applicant or Agent CONSERVATION DIVISION						
	KCC	OFFICE USE O	WICHITA, KS						
Date Received: 7/31/06 Permit Num	nber:	Perm	it Date: 7/31/04 Lease Inspection: Yes WNo						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

4