For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

AUGUST A COOK					
Expected Spud Date August 4, 2006	Spot East				
month day year	NE NE Sec. 5 Twp. 28 S. R. 16 West				
OPERATOR: License# 33344	660 feet from N / S Line of Section				
Name: Quest Cherokee LLC	810 feet from F L / W Line of Section				
9520 North May Avenue, Suite 300	Is SECTION _✓ _RegularIrregular?				
Address: City/State/Zip: Oklahoma City, Oklahoma 73120					
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)				
Contact Person: Richard Marlin Phone: (405) 286-9316	County: Wilson Lease Name: Bentley, Bruce Weil #: 5-1				
	Field Name: Cherokee Basin CBM				
CONTRACTOR: License# Will be licensed by the KCC					
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Yes ✓ No				
Name: ————————————————————————————————————	Target Formation(s): Cherokee Coals				
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660				
	Ground Surface Elevation: 982feet MSL				
	Water well within one-quarter mile: Yes ✓ No _				
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:				
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100				
Seismic;# of Holes Other	Depth to bottom of usable water: 200				
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2				
W 000000 14 11 11 11 11 11 11 11 11 11 11 11 11	Length of Surface Pipe Planned to be set: 25				
If OWWO: old well information as follows:	Length of Conductor Pipe required:				
Operator:	Projected Total Depth: 1500				
Well Name:					
Original Completion Date:Original Total Depth:	Torrida Dopan.				
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:				
	Well Farm Pond Other Air				
If Yes, true vertical depth:	DWR Permit #:				
Bottom Hole Location:	(Note: Apply for Permit with DWR)				
KCC DKT #:	Will Cores be taken? Yes ✓ No				
	If Yes, proposed zone:				
٨٣٢	IDAV/IT				
	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMI				
The undersigned hereby anims that the unling, completion and eventual pro-	lagging of this well will comply with K.S.A. 33 expenses CORPORATION COMMI				
It is agreed that the following minimum requirements will be met:	1111 2 1 2006				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUL 3 1 2006				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig:				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ch drilling rig; et by circulating cement to the top; in all cases surfa ce MSERMATION STVISION				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION he underlying formation. WICHITA. KS				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description.	ch drilling rig; et by circulating cement to the top; in all cases surface STATION STATION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plug.	ch drilling rig; et by circulating cement to the top; in all cases surface presentation pression he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the surface pipe is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the surface propriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the	ch drilling rig; et by circulating cement to the top; in all cases surface INSERVATION STISION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belies.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the	ch drilling rig; et by circulating cement to the top; in all cases surface INSERVATION STISION he underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belies.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the specified before well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of	ch drilling rig; et by circulating cement to the top; in all cases surface presentation pression the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belies. Title: VP				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the set of	ch drilling rig; et by circulating cement to the top; in all cases surface SERVATION DIVISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to:				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the specific o	ch drilling rig; et by circulating cement to the top; in all cases surface presentation pression the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	ch drilling rig; et by circulating cement to the top; in all cases surface DEFENATION DIVISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the construction of the production of the plug and the shall. For KCC Use ONLY API # 15 - 205 - 26899 - DOOD Conductor pipe required None feet per Alt. ** 20 *	ch drilling rig; et by circulating cement to the top; in all cases surface DISERVATION STISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the construction of the production of the plug and the shall. For KCC Use ONLY API # 15 - 205 - 26899 - DOOD Conductor pipe required None feet per Alt. ** 20 *	ch drilling rig; et by circulating cement to the top; in all cases surface DEFENATION DIVISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constitution of the set o	ch drilling rig; et by circulating cement to the top; in all cases surface DISERVATION STISION the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: Date: July 28, 2006	ch drilling rig; et by circulating cement to the top; in all cases surface presentation pression the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constitution of the set o	ch drilling rig; et by circulating cement to the top; in all cases surface prision the underlying formation. Wichita, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belied. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set in the	ch drilling rig; Let by circulating cement to the top; in all cases surface DISERVATION DIVISION The underlying formation. WICHITA, KS District office on plug length and placement is necessary prior to plugging; Used or production casing is cemented in; Used from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing Use plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: PRemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired				
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plug to the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: Date: July 28, 2006	ch drilling rig; et by circulating cement to the top; in all cases surface pristion by site by circulating cement to the top; in all cases surface prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26899-000	Location of Well: County: Wilson		
Operator: Quest Cherokee LLC	•		
Lease: Bentley, Bruce	feet from N / S Line of Section 810 feet from V E / W Line of Section		
Well Number: 5-1 Field: Cherokee Basin CBM	Sec. 5 Twp. 28 S. R. 16 ✓ East Wes		
Number of Acres attributable to well: OTR / OTR / OTR of acreage: NE NE NE	Is Section: Regular or Irregular Irregular		
QTH / QTH of acreage	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316			
Lease Name & Well No.: Bentley, Bruce #5-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		W2_ NE _NE ~		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 28 R. 1	6 ✓ East	
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section 810		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:				
	300	(bbls)	Wilson	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No 🗸	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic li	and Settling Pits only) ner is not used?	
Yes ✓ No	☐ Yes 🗸	No	,		
Pit dimensions (all but working pits):	0 Length (fe	eet)10	Width (feet)	N/A: Steel Pits	
	om ground level to de				
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining					
material, thickness and installation procedure. liner integrity, including any special monitoring.					
Air Drilling Operation lasting approx			ox 3 days		
Distance to nearest water well within one-mile of pit NA Depth to shalk Source of info		owest fresh waterfeet. rmation:			
feet Depth of water well	feet	174			
Emergency, Settling and Burn Pits ONLY: Drilling, Wo		Drilling, Work	over and Haul-Off Pits ONLY:	Y	
Producing Formation: Type of mater		terial utilized in drilling/workover: Air Drilled			
		of working pits to be utilized: One			
Barrels of fluid produced daily: Abandonment		t procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION					
July 28, 2006 July 28, 2006					
Date		S	ignature of Applicant or Agent	CONSERVATION DIVISION	
KCC OFFICE USE ONLY					
7/21/					
Date Received: 7/3 1/06 Permit Number: Permit Date: 1/31/06 Lease Inspection: Yes No					
Mail to: KCC - Conservation Division 130 S. Market - Room 2078 Wighita Kansas 67202					