

For KCC Use:	8-5-00
Effective Date:_	0.300
District # 3	
CCA2 FA	□ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 1, 2006		1
	Spot S	East
,		West
OPERATOR: License# 33365		
Name: Layne Energy Operating, LLC	leet from [7] E / [] W Line of Sect	on
Address: 1900 Shawnee Mission Parkway	Is SECTION RegularIrregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Greg Embery	County: Montgomery	
Phone: 913-748-3987	Lease Name: ClubineWell #: 8-2	
33606	Field Name: Neodesha	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	√ No
Name: Thornton Air Rotary	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 601	
	Ground Surface Elevation: 745fe	t MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	√ No,_
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	√ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1200 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	✓No
	If Yes, proposed zone:	
	DAVIT RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual plu	raging of this well will comply with K.S.A. 9544104346UKPUKAIIUN CU	
	agging of this will comply with the set, so on dark and a set of the	MISSIO
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUL 2 8 2006	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUL 2 8 2006	i
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	JUL 2 8 2006 th drilling rig; the by circulating cement to the top; in all cases surface gipe, state to the	i
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	th drilling rig; CONSERVATION DIVIS by circulating cement to the top; in all cases surface with the conservation.	QN:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the second of	th drilling rig; CONSERVATION DIVIS thy circulating cement to the top; in all cases surface with the surface of the surface	QN:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	th drilling rig; CONSERVATION DIVIS To by circulating cement to the top; in all cases surface cipe state to see underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in;	ON ling;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	th drilling rig; CONSERVATION DIVIS the by circulating cement to the top; in all cases surface since state to the surface of the surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days 133,891-C, which applies to the KCC District 3 area, alternate II cen	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	th drilling rig; CONSERVATION DIVIS by circulating cement to the top; in all cases surface with the surface of the surface o	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	th drilling rig; CONSERVATION DIVIS the production casing is cemented in; and from below any usable water to surface within 120 days of spud days #133,891-C, which applies to the KCC District 3 area, alternate II center plugged. In all cases, NOTIFY district office prior to any cementing	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence. 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the response of the spud to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements.	th drilling rig; Ton Servation nivis to by circulating cement to the top; in all cases surface since state to surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and spud of the surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief.	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to	th drilling rig; CONSERVATION DIVIS the production casing is cemented in; and from below any usable water to surface within 120 days of spud days #133,891-C, which applies to the KCC District 3 area, alternate II center plugged. In all cases, NOTIFY district office prior to any cementing	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence. 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the response of the spud to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements.	th drilling rig; Ton Servation nivis to by circulating cement to the top; in all cases surface since state to surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and spud of the surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief.	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence. 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the response of the spud to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements.	th drilling rig; CONSERVATION DIVIS to by circulating cement to the top; in all cases surface one state to the surface one strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and sufface prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: July 27, 2006	th drilling rig; CONSERVATION DIVIS to by circulating cement to the top; in all cases surface one state to the surface one strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and sufface prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to:	QN. iing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of t	th drilling rig; To by circulating cement to the top; in all cases surface cipe state to the top; in all cases surface cipe state to the top; in all cases surface cipe state to the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and spud to the top plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ON ling; te. enting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dropen to the second to the secon	th drilling rig; Tonservation notes to by circulating cement to the top; in all cases surface one state to the surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and placement is necessary prior to plugged from below any usable water to surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entr	ON: ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dropen of the second of the secon	th drilling rig; Tonservation notes to by circulating cement to the top; in all cases surface one state to the surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and placement is necessary prior to plugged. In all cases, NOTIFY district office prior to any cemental my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entresults.	ON: ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the dropendity of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be appropriated within 30 days of the spud date or the well shall be appropriated. I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be appropriated. For KCC Use ONLY API # 15 - /25 - 3/1/88-000 Conductor pipe required None feet per Alt. (2) Approved by: Lift - 3/-06	th drilling rig; Tonservation notes to by circulating cement to the top; in all cases surface one state to the surface on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and placement is necessary prior to plugged from below any usable water to surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entr	Ch. ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the dropendity of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be appropriated within 30 days of the spud date or the well shall be appropriated. I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be appropriated. For KCC Use ONLY API # 15 - /25 - 3/1/88-000 Conductor pipe required None feet per Alt. (2) Approved by: Lift - 3/-06	th drilling rig; To by circulating cement to the top; in all cases surface one state to the top; in all cases surface one state to the surface of the strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and from below any usable water to surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entreduced supplied to the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ON: ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dropen of the second of the secon	th drilling rig; The priller Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to water.	Ch. ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed of the seed of the spund and the seed of the spund and the seed of the spund date or the well shall the statements made herein are true and to the seed of the spund seed of the spund date or the well shall the statements made herein are true and to the seed of the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund date or the spund date or the well shall the spund date or the spund da	th drilling rig; To by circulating cement to the top; in all cases surface one state to the top; in all cases surface one state to the surface of the strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days and from below any usable water to surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entreduced supplied to the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	Ch. ing; te. enting ng.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed of the seed of the spund and the seed of the spund and the seed of the spund date or the well shall the statements made herein are true and to the seed of the spund seed of the spund date or the well shall the statements made herein are true and to the seed of the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund seed of the spund date or the well shall the spund date or the spund date or the well shall the spund date or the spund da	th drilling rig; The by circulating cement to the top; in all cases surface with the state of the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud days are plugged. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entreduced in the surface of	Ch. ing; te. enting ng.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 3/188-000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	1940 feet from V N / S Line of Section
Lease: Clubine	601 feet from 🗸 E / 🗌 W Line of Section
Well Number: 8-2	Sec. 2 Twp. 33 S. R. 16 ✓ East Wes
Field:_Neodesha	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		040
	2	601
, , ,		

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 8 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy O	perating, LL0	C	License Number: 33365	
Operator Address: 1900 Shawne	ee Mission I	Parkway,	Mission Woods, KS 66	205
Contact Person: Greg Embery		Phone Number: (913) 748 - 39	987	
Lease Name & Well No.: Clubine 8-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW . NE . SE . NE ~	
Emergency Pit Burn Pit	Proposed Existing		Sec. 2 Twp. 33 R. 16	East West
Settling Pit	If Existing, date constructed:		Feet from ✓ North / S	South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		601 Feet from 🗸 East / 🗌 \	West Line of Section
		(bbls)	Montgomery	County
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration:	mg/l g Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not u	used?
✓ Yes No	Yes ✓	No	Self-sealing pit	
Pit dimensions (all but working pits):	BO' Length (fe	eet)20'	Width (feet)	N/A: Steel Pits
Depth fi	rom ground level to de	eepest point: 3'	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determ notuding any special monitoring.	NINESCEIVED S CORPORATION COMMISS
				JUL 2 8 2006
			c	JUL 2 8 2006 Onservation division Wichita, ks
Distance to nearest water well within one-mil	e of pit	Depth to shallo	owest fresh waterfeet.	ONSERVATION DIVISION
Distance to nearest water well within one-mil	N M	Source of infor	owest fresh waterfeet.	ONSERVATION DIVISION WICHITA, KS
	// WT	Source of informeasu	owest fresh waterfeet. rmation: uredwell ownerelectric log	ONSERVATION DIVISION WICHITA, KS WH KDWR KDWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation:	W feet	Source of inform measurements Drilling, Work Type of material	owest fresh waterfeet. rmation: uredwell owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Wate	ONSERVATION DIVISION WICHITA, KS WH KDWR KDWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease:	W feet	Source of inform measurements Drilling, Work Type of material Number of work	owest fresh waterfeet. rmation: uredwell owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water	ONSERVATION DIVISION WICHITA, KS IN H KDWR Er Mud
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	### feetfeet	Source of informed measurement Drilling, Work Type of materia Number of work Abandonment	owest fresh waterfeet. rmation: uredwell owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Wate	ONSERVATION DIVISION WICHITA, KS IN H KDWR Er Mud
feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease:	### feetfeet	Source of informed measurement	owest fresh waterfeet. rmation: uredwell owner electric log cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water	ONSERVATION DIVISION WICHITA, KS A KDWR LA LA LA LA LA LA LA LA LA L
Feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	feet:	Drilling, Work Type of materia Number of wor Abandonment restore. Drill pits must	west fresh waterfeet. rmation: uredwell ownerelectric log tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized: Two procedure: Let Evaporate until dry and be closed within 365 days of spud date.	ONSERVATION DIVISION WICHITA, KS A KDWR LA LA LA LA LA LA LA LA LA L
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	feet:	Drilling, Work Type of materia Number of wor Abandonment restore. Drill pits must	west fresh waterfeet. rmation: uredwell ownerelectric log tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized: Two procedure: Let Evaporate until dry and be closed within 365 days of spud date.	ONSERVATION DIVISION WICHITA, KS IN H KDWR Er Mud
feet	feet:	Source of informeast Drilling, Work Type of materia Number of wor Abandonment restore. Drill pits must correct to the bes	west fresh waterfeet. rmation: uredwell ownerelectric log tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized: Two procedure: Let Evaporate until dry and be closed within 365 days of spud date.	ONSERVATION DIVISION WICHITA, KS A KDWR LA LA LA LA LA LA LA LA LA L
feet Depth of water well	feet:	Source of informeast Drilling, Work Type of materia Number of wor Abandonment restore. Drill pits must correct to the bes	west fresh waterfeet. mation: uredwell ownerelectric log fover and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Waterking pits to be utilized: Two procedure: Let Evaporate until dry and be closed within 365 days of spud date. Signalure of Applicant or Agent	ONSERVATION DIVISION WICHITA, KS A KDWR LA LA LA LA LA LA LA LA LA L
feet Depth of water well	feet I spilled fluids to ements are true and o	Source of informeasure measure of measure of more measurement of work and on ment mestore. Drill pits must correct to the besure of the besur	west fresh waterfeet. mation: uredwell ownerelectric log fover and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Waterking pits to be utilized: Two procedure: Let Evaporate until dry and be closed within 365 days of spud date. Signalure of Applicant or Agent	ONSERVATION DIVISION WICHITA, KS A KDWR er Mud d then backfill