For KCC Use: Effective Date: _	8-5-06		
District #	3		
SGA? Yes	No		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC	
Expected Spud Date August 5, 2006	Spot
xpected Spud Date	SWSE_SESESec. 13 Twp. 20 S. R. 20 West
22461	165feet from N / ✓ S Line of Section
PERATOR: License# 32461	480feet from ✓ E / W Line of Section
ome: Tallwater, Inc.	Is SECTION ✓ RegularIrregular?
ddress: 6421 Avondale Drive, Suite 212	
ity/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)  County: Anderson
Contact Person: Chris Martin	Lease Name: East Hastert Well #: 2-E
Phone: (405) 810-0900	Field Name: Garnett Shoestring
CONTRACTOR: License# 8509	
lame: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?  Target Formation(s):  Bartlesville
ignie.	Nearest Lease or unit boundary: 165'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Na feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'
Seismic; # of Holes Other	Depth to bottom of usable water: 180'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 20'
OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 900'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
Yes, true vertical depth:	
Bottom Hole Location:	Freeza
CC DKT #:	
100 DK1 #	VIII Coles be taken:
	If Yes proposed zone:
	If Yes, proposed zone:
	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and even	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and even	AFFIDAVIT  RECEIVED  tual plugging of this well will comply with K.S.A. 55% CORPORATION COMMIS
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;	AFFIDAVIT  RECEIVED  tual plugging of this well will comply with K.S.A. 55%NSAS CORPORATION COMMISS  JUL 3 1 2006
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A convert the appropriate district of intent to drill chell be posted.	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55% NSAS CORPORATION COMMISS  JUL 3 1 2006
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted  3. The minimum amount of surface pipe as specified below <b>shall</b>	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SEE VATION DUSSION
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55% NSAS CORPORATION COMMISS  JUL 3 1 2006 on each drilling rig; be set by circulating cement to the top; in all cases surface SEEVATION DASION into the underlying formation.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted  3. The minimum amount of surface pipe as specified below <b>shall</b> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISS  JUL 3 1 2006  on each drilling rig; be set by circulating cement to the top; in all cases surface SECUTION DUSION into the underlying formation.  WICHITA, KS I the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithed. If an ALTERNATE II COMPLETION, production pipe shall be compared to the complete of the	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECATION DASION with the underlying formation.  It the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithed. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface of the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be computed of the spuddate or the well in the spuddate of the spuddate of the well in the spuddate of the spuddate of the well in the spuddate of the spu	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION on each drilling rig;  be set by circulating cement to the top; in all cases surface SEVATANDASION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithe  6. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION on each drilling rig;  be set by circulating cement to the top; in all cases surface SEVATANDASION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithe (if an ALTERNATE II COMPLETION, production pipe shall be conformation of the programment of the programment of the spud date or the well hereby certify that the statements made herein are true and to the	tual plugging of this well will comply with K.S.A. 55 CORPORATION COMMISSION On each drilling rig;  be set by circulating cement to the top; in all cases surface of the complete on the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithe  6. If an ALTERNATE II COMPLETION, production pipe shall be computed of pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION on each drilling rig;  be set by circulating cement to the top; in all cases surface SEVATANDASION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eithe  6. If an ALTERNATE II COMPLETION, production pipe shall be corpursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SEC ANSAS CORPORATION COMMIS into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; be replugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:  Date: July 31, 2006  Signature of Operator or Agent:  For KCC Use ONLY	tual plugging of this well will comply with K.S.A. 55 CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface production.  It the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be compured to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the locate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECATION DAUSION into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Remember to:
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is either of the national to the property of the spuddate of the well of pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface of the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; ermented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either of the appropriate of the confidence of the statement of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface of the underlying formation.  It the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; ernented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate: July 31, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 23 - 24336-000  Conductor pipe required	tual plugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECTION DAYSION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate: July 31, 2006  For KCC Use ONLY  API # 15 - 23 - 24336-000  Conductor pipe required	AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECTION DAUSION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date.  order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  Others written apparent betwee disposing or injection soft water.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is either of an appropriate district office will be notified before well is either of an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECTION DAISON into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMIS  JUL 3 1 2006  on each drilling rig;  be set by circulating cement to the top; in all cases surface SECATION DAUSION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the present to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION on each drilling rig;  be set by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate il cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the loate:    July 31, 2006	tual plugging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION on each drilling rig;  be set by circulating cement to the top; in all cases surface SEVALINA DAUSION into the underlying formation.  I the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate if cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24336-0000	Location of Well: County: Anderson
Operator: Tailwater, Inc.	-
Lease: East Hastert	
Well Number: 2-E	Sec. 13 Twp. 20 S. R. 20
Field: Garnett Shoestring	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage:SWSESESE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				١.		
i					•	
1			•		•	•
1						
1						
1						
1						
1	•	•	•	•	•	•
1			•			
İ	•		•			•
1						· · · · · ·
1	•	•	•	•	•	•
1						
1	•		•	•	•	•
1						
1						· · · · · ·
ļ	-	-			•	-
		-	,		-	
-					· ·	-
	•	•	•	•	•	
1				_		_
L					<del>.</del>	•
					•	
				•	•	•
	•					
						•
			;			
1			į			
		 			•	
					•	
		 			•	
		 			•	
	· · · · · · · · · · · · · · · · · · ·				•	
	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·				•	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			:	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			:	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			:	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			:	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			:	
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Tailwater, Inc.			License Number: 32461		
Operator Address: 6421 Avondale Drive, Suite 212, Oklahoma City, OK 63116					
Contact Person: Chris Martin			Phone Number: ( 405 ) 810 - 0900		
Lease Name & Well No.: East Hastert #2-E			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SE SE SE		
Emergency Pit Burn Pit	✓ Proposed ☐ Existing		Sec. 13 Twp. 20 R. 20 Fast West		
Settling Pit  Drilling Pit	If Existing, date constructed:		165 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		480 Feet from 🗸 East / 🗌 West Line of Section		
	120	(bbis)	Anderson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No V	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	native clay		
Pit dimensions (all but working pits):	O Length (fo	eet) 10	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to d	eepest point: 5	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			dures for periodic maintenance and determining		
	•	mici meginy, n	cooling any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo			west fresh waterfeet.		
1		Source of inform	nation:		
			redwell owner electric logKDWR		
		over and Haul-Off Pits ONLY:  I utilized in drilling/workover: drilling mud  king pits to be utilized: 1			
· · · · · · · · · · · · · · · · · · ·		ing pits to be utilized: 1			
Does the slope from the tank battery allow all spilled fluids to					
flow into the pit? Yes No Drill pits must t		e closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION					
			JUL 3 1 2006		
July 31, 2006 Date	(1)	una)			
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS					
KCC OFFICE USE ONLY					
Date Received: 7/31/04 Permit Number: Permit Date: 7/31/04 Lease Inspection: Yes 7/30					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

