For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 5, 2006		ast
month day year		Vest
OPERATOR: License# 32461	165 feet from N / V S Line of Section	
_{Name} . Tailwater, Inc.		
Address: 6421 Avondale Drive, Suite 212	Is SECTION RegularIrregular?	
City/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Chris Martin	County: Anderson	
Phone: (405) 810-0900	Lease Name: East Hastert Well #: 5-EIW	
9509	Field Name: Garnett Shoestring	
CONTRACTOR: License# 8509 Name: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?	No
Name: Livering Development, Inc.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet M	MSL
Gas Storage Pool Ext. ✓ Air Rotary	Water welt within one-quarter mile:	No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:]No
Seismic:# of Holes Other	Depth to bottom of fresh water: 50'	
Other	Depth to bottom of usable water: 180'	
	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 900'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)	_
KCC DKT #:	Will Cores be taken? Yes ✓	No
AFF	If Yes, proposed zone:	
AFF The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each appropriate district of sudges prior as specified below <i>shall be</i> as	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS ch drilling rig; IDL 3 1 2006	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the constant of the interval of the in	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq ESCEIVED KANSAS CORPORATION COMMIS ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. CONSERVATION DIVISION Report to the complete shall be set to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug that the statements of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the spud date.	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq GECEIVED KANSAS CORPORATION COMMIS the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. CONSERVATION DIVISION ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug that the statements of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the spud date.	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq GECEIVED KANSAS CORPORATION COMMIS the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. CONSERVATION DIVISION iged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing.	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the properties of the properties of the post of the properties of the properties of the properties of the well is dry hole, an agreement between the operator and the description of the properties of t	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS In drilling rig; In all cases surface pipe shall be set CONSERVATION DIVISION Illistrict office on plug length and placement is necessary of spud gigged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug that the appropriate district office will be notified before well is either plug that a propriate district office will be notified before well is either plug that the Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the Date: July 31, 2006	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS In drilling rig; In all cases surface pipe shall be set CONSERVATION DIVISION Illistrict office on plug length and placement is necessary of spud date. In all cases, world a great of the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of Date: July 31, 2006 For KCC Use ONLY API # 15 - OD3 - 24349-000 Conductor pipe required	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS In drilling rig; In de driving formation. CONSERVATION DIVISION Identification casing is cemented in; In de from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cement to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ssio
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall inhereby certify that the statements made herein are true and to the best of Date: July 31, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD3 - 24349-000 Conductor pipe required Norm feet Minimum surface pipe required feet per Alt. Yellow the description and eventual pile met.	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS Ch drilling rig; In all cases surface pipe shall be set CONSERVATION DIVISION Illistrict office on plug length and placement is necessary of spud date. In all cases, world a spud date within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ssio
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the description of the set of the s	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq CEIVED KANSAS CORPORATION COMMIS Ch drilling rig; In all cases surface pipe shall be set to be underlying formation. CONSERVATION DIVISION DIVISIONI	ssio
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall inhereby certify that the statements made herein are true and to the best of Date: July 31, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OD3 - 24349-000 Conductor pipe required Norm feet Minimum surface pipe required feet per Alt. Yellow the description and eventual pile met.	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq RECEIVED KANSAS CORPORATION COMMIS In drilling rig; In all cases surface pipe shall be set CONSERVATION DIVISION In all cases surface pipe shall be set CONSERVATION DIVISION In all cases, completed in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemen the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	SSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug to the surface district office will be notified before well is either plug to the surface district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plug to the surface pipe required to the plug to the surface pipe required to the plug to the provided to the plug to the plug to the surface pipe required to the plug to the plug to the surface pipe required to the plug to the plug to the surface pipe required to the plug to the plu	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq CEIVED KANSAS CORPORATION COMMIS Ch drilling rig; In all cases surface pipe shall be set the underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION Illistrict office on plug length and placement is necessary of the properties of the set	ssio

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24349-000	Location of Well: County: Anderson
Operator: Tailwater, Inc.	feet from N / ✓ S Line of Section
Lease: East Hastert	340 feet from 🗸 E / 🗌 W Line of Section
Well Number: 5-EIW	Sec. 13 Twp. 20 S. R. 20 ✓ East West
Field: Garnett Shoestring	_
Number of Acres attributable to well:	is Section: Fegular or Irregular
QTR / QTR / QTR of acreage: SWSE - SE - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

																					-							
1																												
1																												
1																												
1	-	•	-		٠			•	•	٠	٠	•	•	٠	•	•	•		•	٠	•	•	٠	•	•	٠	٠	•
1																									_			
į																									•			
1											•			ļ				•			•				•			
-											٠.			.	_										٠.			
1	•	•	•								•	•	•	Ì	•	•	•					-		-				
1				-			•				•			- 1				•							•			
1				•							•			1				•							•			
1																												
														_ {	_													
		•	•			•	٠.		-	•		•	•			•					٠.							
														ł														
				•							•							-				•						
				•			•				•							•			•				-			
							٠.,						_		-						_		_					
																•	· · · · · · ·								:			
	•	•												ı							•				:			
	·	•													-						•				•			
	•	•														•	•				•				•	-	•	•
	•	•															•	:		•			•			-	•	•
	•	•	•					•	•						•	•	•	:		•			•		•	-	•	•
	•	•	,						•						•		•	:		•			•			-	•	•
								•	•								•	:		•			•				•	
								•			-											•						
								•			-																	
											-				•		•					•						
								•			-						•					•					•	
								•			-			.								•						
											-			.								•						
								•			-											•						
								•			-				•													
								•			-				•													



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Dunilcate

		wint in Dupiica							
Operator Name: Tailwater, Inc.		License Number: 32461							
	le Drive, S	uite 212,	Oklahoma City, OK 63116						
Contact Person: Chris Martin		Phone Number: (405) 810 - 0900							
Lease Name & Well No.: East Hast	ert #5-EIW	Pit Location (QQQQ):							
Type of Pit:	Pit is:		SW SE SE SE						
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 13 Twp. 20 R. 20 Fast West						
Settling Pit	If Existing, date or	onstructed:	165 Feet from North / South Line of Section						
Workover Pit Hauf-Off Pit	Pit capacity:		340 Feet from ✓ East / West Line of Section						
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson						
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No √	Chloride concentration:mg/l						
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?						
✓ Yes No	☐ Yes 🗸 I	No	native clay						
(((O Length (fe	_	Width (feet) N/A: Steel Pits (feet)						
Distance to nearest water well within one-mile	of pit ∧	Depth to shallow	west fresh waterfeet.						
	NH	Source of infor	nation:						
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet		redwell owner electric logKDWR over and Haul-Off Pits ONLY:						
Producing Formation:			I utilized in dritting/workover: drilling mud						
Number of producing wells on lease:			king pits to be utilized: 1						
Barrels of fluid produced daily:		Abandonment p	procedure: air dry and backfill						
Does the slope from the tank battery allow all slow into the pit? Yes No	spilled fluids to	pe closed within 365 days of spud date.							
I hereby certify that the above stater	ments are true and co	orrect to the best	of my knowledge and belief. KANSAS CORPORATION COMMISS						
July 31, 2006 Date	(Da	nna/	JUL 3 1 2006 Jul 3 1 2006 Conservation Division WICHITA, KS						
	KCC O	FFICE USE ON							
Date Received: 7/31/06 Permit Numb	er:	Permit	Date: 7/31/06 Lease Inspection: Yes 100						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.